



A Project of the PWG-IPP Working Group

Printer Working Group (PWG): Semantic Model

IEEE-ISTO Printer Working Group
Standard XXXX.X-200X

~~September-October 30~~29, 2002

Version 0.~~4~~215

Abstract

This document is a high level overview of the Semantic Model defined by the PWG. This document briefly describes the semantic elements defined in various PWG documents and PWG documents submitted to the IETF. The Semantic Model also incorporates additions made by other groups addressing print systems. With every semantic element included a reference is provided to the document and section that details the semantic definition.

The Semantic Model contains a high level description of the Actions that operate on the objects and attributes in the model. This document does not describe the mapping of the semantics onto a specific protocol or network environment.

PWG Semantic Model

23 Copyright (C) 2002~~4~~, IEEE Industry Standards and Technology Organization. All rights reserved. |

24

25 This document may be copied and furnished to others, and derivative works that comment on, or
26 otherwise explain it or assist in its implementation may be prepared, copied, published and
27 distributed, in whole or in part, without restriction of any kind, provided that the above copyright
28 notice, this paragraph and the title of the Document as referenced below are included on all such
29 copies and derivative works. However, this document itself may not be modified in any way, such
30 as by removing the copyright notice or references to the IEEE-ISTO and the Printer Working
31 Group, a program of the IEEE-ISTO.

32 Title: Printer Working Group (PWG): Semantic Model

33 The IEEE-ISTO and the Printer Working Group DISCLAIM ANY AND ALL WARRANTIES,
34 WHETHER EXPRESS OR IMPLIED INCLUDING (WITHOUT LIMITATION) ANY IMPLIED
35 WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

36 The Printer Working Group, a program of the IEEE-ISTO, reserves the right to make changes to
37 the document without further notice. The document may be updated, replaced or made obsolete by
38 other documents at any time.

39 The IEEE-ISTO takes no position regarding the validity or scope of any intellectual property or
40 other rights that might be claimed to pertain to the implementation or use of the technology
41 described in this document or the extent to which any license under such rights might or might not
42 be available; neither does it represent that it has made any effort to identify any such rights.

43 The IEEE-ISTO invites any interested party to bring to its attention any copyrights, patents, or
44 patent applications, or other proprietary rights which may cover technology that may be required to
45 implement the contents of this document. The IEEE-ISTO and its programs shall not be responsible
46 for identifying patents for which a license may be required by a document and/or IEEE-ISTO
47 Industry Group Standard or for conducting inquiries into the legal validity or scope of those patents
48 that are brought to its attention. Inquiries may be submitted to the IEEE-ISTO by e-mail at:

49 ieee-isto@ieee.org.

50 The Printer Working Group acknowledges that the IEEE-ISTO (acting itself or through its
51 designees) is, and shall at all times, be the sole entity that may authorize the use of certification
52 marks, trademarks, or other special designations to indicate compliance with these materials.

53 Use of this document is wholly voluntary. The existence of this document does not imply that
54 there are no other ways to produce, test, measure, purchase, market, or provide other goods and
55 services related to its scope.

56

Table of Contents

56			
57	1	Introduction.....	<u>77</u>
58	2	Terminology.....	<u>77</u>
59	3	Model Overview	<u>88</u>
60	4	Data Classes	<u>99</u>
61	4.1	Printer Object Class	<u>99</u>
62	4.1.1	Printer Status Elements	<u>1040</u>
63	4.1.2	Printer Description Elements	<u>1144</u>
64	4.1.3	Printer Defaults, Supported and Ready Processing Elements	<u>1144</u>
65	4.2	Job Object Class.....	<u>1242</u>
66	4.2.1	Job Status Elements	<u>1242</u>
67	4.2.2	Job Description Elements	<u>1444</u>
68	4.3	Document Object Class	<u>1444</u>
69	4.3.1	Document Status Elements	<u>1444</u>
70	4.3.2	Document Description Elements	<u>1646</u>
71	4.4	Processing Elements	<u>1646</u>
72	4.4.1	Job Processing Elements.....	<u>1747</u>
73	4.4.2	Document Processing Elements.....	<u>1848</u>
74	5	Actions.....	<u>1949</u>
75	5.1	Job Creation and document submission Actions	<u>2020</u>
76	5.1.1	CreateJob	<u>2224</u>
77	5.1.2	PrintJob	<u>2222</u>
78	5.1.3	PrintUri	<u>2222</u>
79	5.1.4	SendDocument.....	<u>2222</u>
80	5.1.5	SendUri	<u>2222</u>
81	5.1.6	ValidateDocument	<u>2322</u>
82	5.1.7	ValidateJob	<u>2323</u>
83	5.2	Job and Document Control Actions.....	<u>2323</u>
84	5.2.1	CancelCurrentJob.....	<u>2323</u>
85	5.2.2	CancelDocument.....	<u>2323</u>
86	5.2.3	CancelJob.....	<u>2323</u>
87	5.2.4	DeleteDocument	<u>2323</u>

PWG Semantic Model

88	5.2.5	HoldJob.....	2323
89	5.2.6	PromoteJob	2323
90	5.2.7	ReleaseJob	2323
91	5.2.8	ReprocessJob	2423
92	5.2.9	RestartJob.....	2424
93	5.2.10	ResumeJob	2424
94	5.2.11	ScheduleJobAfter.....	2424
95	5.2.12	SetDocumentElements.....	2424
96	5.2.13	SetJobElements.....	2424
97	5.2.14	SuspendCurrentJob	2424
98	5.3	Status and information Actions.....	2424
99	5.3.1	GetDocumentElements	2424
100	5.3.2	GetDocuments	2424
101	5.3.3	GetJobElements	2524
102	5.3.4	GetJobs.....	2524
103	5.3.5	GetPrinterElements.....	2525
104	5.3.6	GetPrinterSettableElementValues	2525
105	5.4	Printer Control Actions.....	2525
106	5.4.1	ActivatePrinter	2525
107	5.4.2	DeactivatePrinter	2525
108	5.4.3	DisablePrinter	2525
109	5.4.4	EnablePrinter	2625
110	5.4.5	HoldNewJobs.....	2625
111	5.4.6	PausePrinter	2625
112	5.4.7	PausePrinterAfterCurrentJob.....	2626
113	5.4.8	PurgeJobs	2626
114	5.4.9	ReleaseHeldNewJobs.....	2626
115	5.4.10	RestartPrinter	2626
116	5.4.11	ResumePrinter.....	2626
117	5.4.12	SetPrinterElements.....	2626
118	5.4.13	ShutdownPrinter	2626
119	5.4.14	StartupPrinter	2626
120	6	Globalization.....	2726

PWG Semantic Model

121	7	Summary of elements	2727
122	7.1	Processing Elements (Job and Document).....	2727
123	7.2	Job Elements (Status and Description)	3837
124	7.3	Document Elements (Status and Description)	4241
125	7.4	Printer Elements (Status and Description).....	4545
126	8	Status Strings	5050
127	9	Change Log.....	5453
128	10	References.....	5555
129		Author's Addresses	5656
130	11	Appendix A – UPnP Definitions	5757
131	11.1	DeviceID.....	5757
132	12	Appendix B – IPP Mapping.....	5857
133	12.1	Changes to remove some IPP specific aspects	5857
134	12.2	Attribute Group Mapping	5958

Table of Figures

137		Figure 1 Model Overview.....	88
138		Figure 2 Data Classes	99
139		Figure 3 Printer Status Elements	1040
140		Figure 4 - The "PrinterState" element and the Printer Life Cycle	1040
141		Figure 5 Printer Description Elements.....	1144
142		Figure 6 Job Status Elements.....	1343
143		Figure 7 The "JobState" Job Element and the Job object life cycle	1343
144		Figure 8 Job Description Elements.....	1444
145		Figure 9 Document Status Elements.....	1545
146		Figure 10 "DocumentState" Element and Document object life Cycle.....	1545
147		Figure 11 Document Description Elements.....	1646
148		Figure 12 - Processing Elements	1747
149		Figure 13 Job Processing Elements	1747
150		Figure 14 Finishing Elements	1848
151		Figure 15 Imposition Elements.....	1949
152		Figure 16 Rendering Elements	1949
153		Figure 17 Processing Instruction Processing.....	2124

PWG Semantic Model

154

155

Table of Tables

156	Table 1-Integer syntaxes whose ProcessingElementSupported syntax isn't RangeOfInteger	1212
157	Table 2 - Summary of Actions.....	2020
158	Table 3 - Processing Elements (Job and Document)	2827
159	Table 4- Job Elements (Status and Description).....	3838
160	Table 5 – Document Elements (Status and Description).....	4242
161	Table 6 - Printer Elements (Status and Description)	4545
162	Table 7 Status strings indicating some degree of success	5150
163		

163

164 **1 Introduction**

165

166 This document is a high level overview of the Semantic Model defined by the PWG. This
 167 document briefly describes the semantic elements defined in various PWG documents and PWG
 168 documents submitted to the IETF. The Semantic Model also incorporates additions made by other
 169 groups addressing print systems. With every semantic element included a reference is provided to
 170 the document and section that details the semantic definition.

171 The Semantic Model contains a high level description of the Actions that operate on the objects and
 172 attributeElements in the model. This document does not describe the mapping of the semantics
 173 onto a specific protocol or network environment.

174 **2 Terminology**

Action	A request that a Print Client makes to an object to perform some activity. The object returns a response to the Print Client that contains some information about the effect of the action on the object.
Data Class	A template for data describing an object and representing its state. Each <u>attributeElement</u> in the data class represents a semantic element of the associated object.
Document	An object containing descriptive and state information for a logical unit of information to be printed. The object may contain processing information. The document content is represented by a single data (e.g. PDL, image) file and contains Pages.
Document Processing <u>AttributeElements</u>	Document <u>AttributeElements</u> supplied by the Print Client to direct the printing of a Document that the Printer copies to the Document. Examples: Copies, Finishings, Media, NumberUp.
End User	A print client that has no special rights on the printer. The End User typically submits jobs. The End User is allowed to query the printer, jobs and documents and control jobs based on policy.
Impression	Everything printed on a single side of a media
Job	An object that represents the submission of work for the printer. It contains descriptive and state information as well as default Document Processing <u>AttributeElements</u> . Jobs contain one or more Documents
Job Description <u>AttributeElements</u>	Job <u>AttributeElement</u> s supplied by the Print Client to describe the Job. Examples: JobName, RequestingUserName, JobRecipient
Job Processing <u>AttributeElement</u> s	Job <u>AttributeElement</u> s supplied by the Print Client to direct the printing of the Job as a whole that the Printer copies to the Job. Examples: JobHoldUntil, JobPriority, JobCopies, JobFinishings.
Object	A entity that instantiates a data class and implements the appropriate actions.
Operator	A print client that has special rights on the printer. The Operator typically oversees the printer. The Operator is allowed to query and control the printer, jobs and documents based on site policy.
MediaSheet	A sheet of paper, or other material, used for printing
Page	A logical entity that represents the information contained on a single side of a sheet of media. Note that this is the electronic form and that multiple pages can be rendered into a single impression through N-Up printing


PWG Semantic Model

PDL	(Page Description Language) A language that describes the content to be printed and how it will be laid out on a page (e.g. Adobe PostScript®, Hewlett Packard PCL®).
Print Client	An application or network entity that performs actions
Printer	An object that represents a printing device, set of printing devices, or a printing service and contains zero or more Jobs
Type 1 keyword	All the values are defined in the specification. Additional values require a new specification.
Type 2 keyword	An initial set of values is defined in the specification. This working group registers additional values after review. The initial versions of the specification will contain the values registered so far. After the specification is approved, this working group will register additional values after approval.
Type 3 keyword	An initial set of values is defined in the specification. Additional values are registered without working group review. The initial versions of the specification contain the values registered so far. After the specification is approved, this working group will register additional values without approval.

175

176 **3 Model Overview**

177 The Printer Working Group (PWG) has defined a simplified printing model. It represents printing
 178 in either a client/server print paradigm or a peer-to-peer print paradigm. The PWG model describes
 179 the device as a Printer object. A Printer object may represent one or more physical Printers.
 180 Another object is the Job. A Printer can contain zero or more Jobs and a Job is contained in only
 181 one Printer. Each Job can contain zero or more documents. A Job can contain zero or more
 182 Documents and a Document is contained in only one Printer. The PWG model contains methods
 183 that act upon these objects.



184

185

Figure 1 Model Overview

PWG Semantic Model

186 The objects are represented in the semantic model as data classes. The methods are represented as a
187 set of actions that act upon those data classes. The actions permit the creation and control of Jobs
188 and documents as well as the submission of Document data. The content of a Document is
189 included in the submission or can be accessed via a URL reference. There are also actions to query
190 a Printer, Job or Document to access their attributeElements or to list their contained objects.


191 The model uses a number of terms with specific meaning for a printer.

192 4 Data Classes

193 This section describes the data classes in the PWG semantic model. Some of the classes are taken
194 from the model and semantics of IPP [rfc2911].

195 Figure 2

196 Figure 2 Shows the data classes, their attributeElements groups and the containment relationship
197 between the classes



198
199

200

Figure 2 Data Classes

201 **4.1 Printer Object Class**

202 The Printer class is represented by a collection of elements as shown in


203 [Figure 2](#)

204 [Figure-2](#). The Printer [AttributeElements](#) are presented in detail in [Table 6Table-6](#). The printer
 205 object also contains elements that describe the valid processing element values. (See section 4.3.2
 206 for processing elements) The Printer class is the container for Jobs.

207 **4.1.1 Printer [StateStatus AttributeElements](#)**

208 [Figure 3Figure-3](#) below shows the Printer [StateStatus AttributeElement](#)s. These elements represent
 209 the state of the printer such as the number of jobs or existing error conditions. Automata change
 210 the values of the elements in this group. End Users cannot directly modify their values. The End
 211 User can affect the values of these elements through actions (e.g. PausePrinter can change the value
 212 of PrinterIsAcceptingJobs”). The semantics of the elements are summarized in [Table 6Table-6](#).

213




214

215 **Figure 3 Printer [StateStatus AttributeElements](#)**

216 The “PrinterState” element is one of the most important Printer [Description-Status](#) elements.
 217 [Figure 4Figure-4](#) shows the values of the “PrinterState” element and the Printer life cycle as
 218 affected by actions on the Printer and job processing.

PWG Semantic Model



219
220


221 **Figure 4 - The "PrinterState" element and the Printer Life Cycle**

222 4.1.2 Printer Description **AttributeElements**

223

224 [Figure 5](#)

225 [Figure 5](#) below shows the Printer Description **AttributeElements**. These elements contain
226 information that describes the printer such as its make, where it's located and its speed. An
227 automaton controls some of the elements in this group (e.g. "PagesPerMinute"). Others elements in
228 this group can be modified by Operators or Administrators (e.g. "PrinterName"). The semantics of
229 the elements are summarized in [Table 6Table-6](#).



230
231

232 **Figure 5 Printer Description **AttributeElements****

233 **4.1.3 Printer Defaults, Supported and Ready Processing AttributeElements**

234 See section 4.3.2 below for the elements that may comprise these groups. Processing
 235 AttributeElements are the union of Job Processing AttributeElements and Document Processing
 236 AttributeElements. If a Processing element (e.g. Media) is supported, the Printer must have an
 237 associated Processing Supported AttributeElement (e.g. MediaSupported) and Processing Default
 238 AttributeElement (e.g. MediaDefault) Printer element. There may be an associated Processing
 239 Ready AttributeElement (e.g. MediaReady) Printer element. By retrieving the Printer Processing
 240 elements, a Client can determine all the Job and Document Processing elements and values that
 241 may be used in creating Jobs and Documents.

242 **4.1.3.1 Processing Supported AttributeElements**

243 These elements list all the currently configured valid values for each Job Processing
 244 AttributeElement and Document Processing AttributeElement. Though the Printer is configured to
 245 support the feature, human intervention may be required to process the job (e.g. selected paper may
 246 have to be loaded into a tray). The syntax for Processing AttributeElements Supported is multi-
 247 valued when the associated processing element is a string. When syntax of the processing element
 248 is an integer, the syntax of the corresponding Processing Supported AttributeElement is usually
 249 RangeOfInteger which indicates the minimum and maximum values supported by the Printer.
 250 However, there are some exceptions as indicated in Table 1Table 1.

251 **Table 1-Integer syntaxes whose ProcessingAttributeElementSupported syntax isn't**
 252 **RangeOfInteger**

“xxx” element name	“xxx” syntax	“xxxSupported” syntax
JobPriority	Integer	Integer (Max value)
Copies	Integer	Integer (Max value)
PageRanges	RangeOfInteger (multivalued)	Boolean (are PageRanges supported)

253 **4.1.3.2 Processing Default AttributeElements**

254 These elements give the default value for the associated processing instruction if the Processing
 255 AttributeElement of the job and document are not supplied and the instructions is not embedded in
 256 the PDL. The syntax for the Processing Default AttributeElements is the same as the
 257 corresponding Processing AttributeElement. The only exception is that the PageRanges element
 258 does not have a PageRangesDefault element.

259 **4.1.3.3 Processing Ready AttributeElements**

260 These elements give the features available without human intervention. The syntax for a
 261 Processing Ready AttributeElement is the same as the corresponding Processing AttributeElement.

262 **4.2 Job Object Class**


263 The Job object class is represented by a collection of elements divided into four groups as shown in
 264 Figure 2

PWG Semantic Model

265 **Figure 2.** The Job class also contains the document class
266 Job-State Status AttributeElements – See Section 4.2.1
267 Job Description AttributeElements – See section 4.2.2.
268 Job Processing AttributeElements – See section 4.4.1
269 Document Processing AttributeElements – See section 4.4.2

270 4.2.1 Job-State Status AttributeElements

271 **Figure 6** below shows the Job-State Status AttributeElements. Automata primarily control
272 the elements in this group. End Users cannot directly modify their values. The End User can affect
273 the values of these elements through actions (e.g. CancelJob can change the value of
274 JobStateReasons”). The semantics of the elements are summarized in Table 4.
275




276
277

278 **Figure 6** Job-State Status AttributeElements

279 4.2.1.1 The Job Life Cycle

280 The “JobState” element is one of the most important Job-State Status elements. Figure 7
281 shows the values of the “JobState” element and the Job life cycle as affected by actions on the Job,
282 Printer, and job processing.

PWG Semantic Model




283
284

285 **Figure 7** The "JobState" Job **AttributeElement** and the Job object **l**ife cycle

286 4.2.2 Job Description **AttributeElements**

287 **Figure 8** below shows the Job **AttributeElements**. These elements contain information
 288 from the End User at Job creation that describes the Job such as its name. Automaton may modify
 289 the value of some of the elements in this group (e.g. "KOctets") if more reliable data is obtained.
 290 The semantics of the elements are summarized in **Table 4**.

291



292
293

294 **Figure 8** Job Description **AttributeElements**

295 **4.3 Document Object Class**

296 The Document object class is represented by a collection of elements divided into Three groups as
 297 shown in

298 [Figure 2](#)

299 **Figure-2.** The Document class contains the document class

300 Document-[State](#) [Status](#) [AttributeElements](#) – See Section 4.3.1.

301 Document Description [AttributeElements](#) – See section 4.3.2.


302 Document Processing [AttributeElements](#) – See section 4.4.2

303 **4.3.1 Document-[State](#) [Status](#) [AttributeElements](#)**

304

305 [Figure 9](#)

306 **Figure-9** shows the Document-[State](#) [Status](#) [AttributeElements](#). Automata primarily control the
 307 elements in this group. End Users cannot directly modify their values. The End User can affect the
 308 values of these elements through actions (e.g. CancelDocument can change the value of
 309 DocumentsState”). The semantics of the elements are summarized [Table 5Table-5](#)



310
 311


312 **Figure 9 Document-[State](#) [Status](#) [AttributeElements](#)**

313 **4.3.1.1 The Document Life Cycle**

314 The “DocumentState” element is one of the most important Document-[State](#) [Status](#)
 315 [AttributeElements](#). [Figure 10Figure-10](#) shows the values of the “DocumentState” element and the
 316 Document life cycle as affected by Actions and job processing. Documents are not active objects

PWG Semantic Model

317 and their life cycle is closely tied to the lifecycle of a Job. Documents basically have three states.
318 The first is waiting to be processed by a Job (i.e., pending). The second state is from the time the
319 Job first starts processing the Document (i.e., processing) and until it reaches its terminating state.
320 The last state for a Document is its terminal state (i.e., completed, canceled, aborted)



321
322

323 **Figure 10 "DocumentState" AttributeElement and Document object life Cycle**


324 **4.3.2 Document Description AttributeElements**

325

326 Figure 9

327 Figure 9 shows the Document Description AttributeElements. These elements contain information
328 from the End User at Document creation that describes the document such as its size. Automaton
329 may modify the value of some of the elements in this group (e.g. "KOctets") if more reliable data is
330 obtained. The semantics of the elements are summarized in Table 5Table 5

331




332
333

334 **Figure 11 Document Description AttributeElements**

335 **4.4 Processing AttributeElements**

336 Processing elements are instructions to be applied to jobs and documents. They indicate such
 337 things as the priority for scheduling a job or the number of copies for a document. A Printer should
 338 support each Processing AttributeElement that represents a feature of the Printer. The Processing
 339 elements are split into two groups. One groups applies to Jobs and the other to Documents. The
 340 Document Processing group contains three sub-groups. (See Figure 12~~Figure 12~~)

- 341 1) Job Processing AttributeElements are processing instructions applied the Job level. See
- 342 section 4.4.1.
- 343 2) Document Processing AttributeElements are specific to documents. See section 4.4.2.



344

345

Figure 12 - Processing AttributeElements Groups

346

4.4.1 Job Processing AttributeElements


347

Figure 13 shows the Job Processing AttributeElements. These elements apply to the job as a whole as opposed to each document in the job. The semantics of the elements are summarized in Table 3 along with a brief description of each element.

348

349

350



351

352

353

Figure 13 Job Processing AttributeElements

354

4.4.2 Document Processing AttributeElements

355

Document Processing AttributeElements are elements that are applied to documents (e.g. “copies”).

356

The Document Processing AttributeElements can be applied at the Job or Document level. If the

357

elements are applied at the Job level they are the default values for all the Documents in the Job. If

358

the elements are applied at the Document level they apply only to that Document. The semantics

359

of the Processing elements are summarized in Table 3. The Document Processing elements

360

are split into three groups as shown in Figure 12:

361

1) Finishing AttributeElements define how multiple physical sheets are manipulated to create final output products. See section 4.4.2.1.

362

363

2) Imposition AttributeElements identify how the logical pages look on the output media. See section 4.4.2.2.

364


365

3) Rendering AttributeElements determine the quality and resolution of how marks are made on the page. See section 4.4.2.3.

366

367 **4.4.2.1 Finishing AttributeElements**

368 Figure 14 shows the Finishing AttributeElements. Finishing AttributeElements define
 369 how multiple physical sheets are manipulated to create final output products. See Table 3
 370 for summary of element semantics.




371

372

Figure 14 Finishing AttributeElements

373 **4.4.2.2 Imposition AttributeElements**

374 Figure 15 shows the Imposition AttributeElements. Imposition AttributeElements identify
 375 how the logical pages look on the output media. See Table 3
 376 for summary of element semantics.




377

378

Figure 15 Imposition AttributeElements

379 **4.4.2.3 Rendering AttributeElements**

380 Figure 16 shows the Rendering AttributeElements. Rendering AttributeElements
 381 determine the quality and resolution of how marks are made on the page. See Table 3 for
 382 summary of element semantics.



383
384

385 **Figure 16 Rendering AttributeElements**

386 **5 Actions**

387 The PWG has defined a number of operations that affect Printers, Jobs and their document. Below
 388 is a description of the semantics of these Actions. Naturally different protocol bindings will use
 389 differing subsets of the Actions or define new ones. Another difference will be the precise
 390 parameters to the Actions. Below is an abstract definition of the Actions. Action Summary

391 This table summarizes the actions defined for the Job and Printer. See section 4.4.2 for more
 392 details.

Job Creation and Document submission	Job and Document Control	Status and Information access	Printer Control
<u>CreateJob</u> <u>PrintJob</u>	<u>CancelCurrentJob</u> <u>CancelJob</u>	<u>GetDocumentElements</u> <u>GetJobs</u>	<u>ActivatePrinter</u> <u>PausePrinter</u>
<u>PrintJob</u> <u>PrintUri</u>	<u>CancelDocument</u> <u>HoldJob</u>	<u>GetDocuments</u> <u>GetPrinterAttributes</u>	<u>DeactivatePrinter</u> <u>ResumePrinter</u>
<u>PrintUri</u> <u>CreateJob</u>	<u>CancelJob</u> <u>ReleaseJob</u>	<u>GetJobElements</u> <u>GetJobAttributes</u>	<u>DisablePrinter</u> <u>PurgeJobs</u>
<u>SendDocument</u> <u>SendDocument</u>	<u>DeleteDocument</u> <u>RestartJob</u>	<u>GetJobs</u> <u>GetDocuments</u>	<u>EnablePrinter</u> <u>DisablePrinter</u>
<u>SendURI</u> <u>SendURI</u>	<u>HoldJob</u> <u>SetJobAttributes</u>	<u>GetPrinterElements</u> <u>GetDocumentAttributes</u>	<u>HoldNewJobs</u> <u>EnablePrinter</u>
<u>ValidateDocument</u> <u>ValidateJob</u>	<u>PromoteJob</u> <u>SetDocumentAttributes</u>	<u>GetPrinterSettableElement</u> <u>Values</u> <u>GetPrinterSupportedValues</u>	<u>PausePrinter</u> <u>SetPrinterAttributes</u>

PWG Semantic Model

Job Creation and Document submission	Job and Document Control	Status and Information access	Printer Control
<u>ValidateJob</u> <u>ValidateDocument</u>	<u>ReleaseJob</u> <u>CancelDocument</u>		<u>PausePrinterAfterCurrentJob</u>
	<u>ReprocessJob</u>		<u>PurgeJobs</u>
	<u>RestartJob</u> <u>DeleteDocument</u>		<u>ReleaseHeldNewJobs</u>
	<u>ResumeJob</u>		<u>RestartPrinter</u>
	<u>ScheduleJobAfter</u>		<u>ResumePrinter</u>
	<u>SetDocumentElements</u>		<u>SetPrinterElements</u>
	<u>SetJobElements</u>		<u>ShutdownPrinter</u>
	<u>SuspendCurrentJob</u>		<u>StartupPrinter</u>

393

Table 2 - Summary of Actions

394 **5.1 Job Creation and document submission Actions**


395 This section describes the Job Creation actions that create a Job and the ones that create add
 396 Document to a Job. The Job Creation actions are: PrintJob, PrintUri, and CreateJob. The PrintJob
 397 action also submits the Document. The PrintUri action submits a URI reference to the Document
 398 which the Printer then retrieves when needed at a later time. The CreateJob action only creates the
 399 job and the Client must issue subsequent SendDocument and SendUri actions in order to submit
 400 document content or a URI reference, respectively, for a job.

401 Processing instructions and descriptive information contained in the arguments of the Job Creation
 402 action are combined with Printer supplied information to create a Job instance.

403 The last action in this section is ValidateJob. This operation allows a Client to send a request with
 404 all the information to create a Job, except the document content. The Printer does not create a Job
 405 but informs the client whether a CreateJob, PrintJob or PrintUri with the same information would
 406 have succeeded. This is useful for allowing a Client to verify the processing instructions before
 407 sending a large PrintJob request.

408 A concept that is important in the PWG model is a set of instructions that can be applied to a print
 409 job. Examples of these instructions include the number of copies and the media to use. These
 410 instructions are referred to as Processing [AttributeElements](#). The Processing [AttributeElements](#) are
 411 made up of the Job Processing [AttributeElement](#)s (see section 4.4.1) and the Document Processing
 412 [AttributeElement](#)s (see section 4.4.2) sent in a Job or Document Creation Action.

PWG Semantic Model



413

414

Figure 17 Processing Instruction Processing

415 In the real world, processing instructions are also contained in the document content for a job.
416 Page Description Languages (PDL) such as PostScript® and PCL® often contain processing
417 instructions. Some environments use a printer specific driver to generate the PDL stream based on
418 feature selections made through a user interface. Given that processing instructions can occur in
419 both the PDL and in an associated Job, the PWG model allows a Printer to declare its capability to
420 resolve this conflict. The Printer’s element “PdlOverride” declares if an attempt will be made to
421 override the instructions in the PDL with the instructions in the Job.

422 There is a wide variety of capabilities in Printers. An instance of a Printer is to subject to changes
423 in its configured capabilities. An example would be an administrative change in the media the
424 Printer supports or disabling two-sided printing. Clients need not check the capabilities of a Printer
425 before creating their Job Processing **AttributeElements** and submitting a job. Since this is a
426 client/server paradigm, it is always possible that the capabilities could change after checking a
427 Printer’s capabilities and before a Job is submitted. On the other hand, a client may use the
428 Printer’s configured capabilities to create their Job Processing **AttributeElements** and submit a job.

429 The PWG model allows a client to control the Printer’s acceptance of a job submission based on
430 the job request and the Printer’s current configured capabilities as follows. When the client
431 supplies a ‘true’ value for the “**AttributeElementFidelity**” Job Processing element, the Printer must
432 reject the job unless the Printer supports *all* of the supplied Job Processing elements and values.
433 When the client supplies a ‘false’ value or omits the element, the Printer must accept the job
434 submission and ignore or substitute elements and values, respectively, that it does not support.
435 Note that the “**AttributeElementFidelity**” Job Processing element covers only the creation of the
436 Job. It is implementation specific how a Printer handles processing a job when the Printer
437 encounters unsupported processing instructions in the document content.

438 **5.1.1 CreateJob**

439 ([rfc2911] §3.2.4) Similar to the PrintJob operation (see section 5.1.1), except that in the CreateJob
440 request the Client does not supply Document Data. The client supplies a single set of Job
441 Processing elements that the Printer applies to the Output Document(s) of the job. The
442 “MultipleDocumentHandling” Job Processing element controls whether the Printer produces
443 separate Output Documents or combines the Input Documents into a single Output Document (see
444 section 22).

445 **5.1.15.1.2 PrintJob**

446 ([rfc2911] §3.2.1) Submit a print job with only one document and supply the document content
447 data. If the Printer accepts the job, it creates the Job object and returns a unique “JobId” element
448 for the Printer and a globally unique “JobUri” element. The Printer also sets the corresponding Job
449 elements with these values.

450 **5.1.25.1.3 PrintUri**

451 ([rfc2911] §3.2.2) Identical to the PrintJob operation (see section 5.1.1) except that a client
452 supplies a URI reference to the document data.

453 **5.1.3 CreateJob**

454 ~~([rfc2911] §3.2.4) Similar to the PrintJob operation (see section 5.1.1), except that in the CreateJob~~
455 ~~request the Client does not supply Document Data. The client supplies a single set of Job~~
456 ~~Processing elements that the Printer applies to the Output Document(s) of the job. The~~
457 ~~“MultipleDocumentHandling” Job Processing element controls whether the Printer produces~~
458 ~~separate Output Documents or combines the Input Documents into a single Output Document (see~~
459 ~~section 21).~~

460 **5.1.3.1 The “MultipleDocumentHandling” Job Processing element**

461 When a client submits a job with more than one Input Document, the
462 “MultipleDocumentHandling” Job element allows the client to specify whether the Printer is to (1)
463 produce corresponding separate Output Documents or (2) combine the Input Documents into a
464 single Output Document. For example, the ‘single-document’ and ‘single-document-new-sheet’
465 values allow the client to staple all of the Input Documents into a single Output Document, with the
466 latter value forcing each Input Document to start on a new sheet (useful when doing two-sided
467 printing). When requesting multiple Copies, the ‘separate-document-uncollated-Copies’ value
468 results in the Copies of each Input Document being together in an Output set, while the ‘separate-
469 document-collated-Copies’ value keeps a copy of each Input Document together in an Output set.
470 For example, a job with Input Documents A, B, C and “Copies” = 2 will result in A, A, B, B, C, C
471 or A, B, C, A, B, C, respectively. If the Printer supports multiple documents per job, the Printer
472 must support this Job Processing element with at least one value.

473 **5.1.4 SendDocument**

474 ([rfc2911] §3.3.1, [doc-obj] §3) Submits the entire Document Content for the next Input Document
475 of a job created by a previous CreateJob action (see section [1.1.15.1.3](#)).

476 **5.1.5 SendUri**

477 ([rfc2911] §3.3.2, [doc-obj] §3) Identical to the SendDocument operation (see section 5.1.4)
478 except that a client supplies a URI reference to the Document Content data, instead of supplying
479 the document content.

480 **5.1.6 ValidateDocument**

481 ([doc-obj] §3) This operation is used only to verify capabilities of a Printer object against whatever
482 elements are supplied by the client in the ValidateDocument request. By using the
483 ValidateDocument action a client can validate that an identical SendDocument or SendUri would
484 be accepted.

485 **5.1.7 ValidateJob**

486 ([rfc2911] §3.2.3) This operation is used only to verify capabilities of a Printer object against
487 whatever elements are supplied by the client in the ValidateJob request. By using the ValidateJob
488 action a client can validate that an identical PrintJob, PrintUri or CreateJob would be accepted.

489 **5.1.6elementValidateJob**

490 ~~([rfc2911] §3.2.3) This operation is used only to verify capabilities of a Printer object against~~
491 ~~whatever attributes are supplied by the client in the ValidateJob request. By using the ValidateJob~~
492 ~~action a client can validate that an identical PrintJob, PrintUri or CreateJob would be accepted.~~

493 **5.2 Job and Document Control Actions**

494 This section describes the actions that allow a client to control a Job after it has been submitted:
495 CancelJob, HoldJob, ReleaseJob, and RestartJob.

496 **5.2.1 CancelCurrentJob**

497 ([admin-ops] §4.2) Allows a client to cancel the current Job in the “processing” or “processing-
498 stoped” state.

499 **5.2.2 CancelDocument**

500 ([doc-obj] §3) Prevents the processing of the specified Document if the Document has not yet been
501 processed. Stops the processing of any active Document in an implementation specific manner.

502 **5.2.15.2.3 CancelJob**

503 ([rfc2911] §3.3.3) Allows a client to cancel a Print Job from the time the Job is created up to the
504 time it is completed, canceled, or aborted.

505 **5.2.4 DeleteDocument**

506 ([doc-obj] §3) Removes the Document and its content from the Job.

507 **5.2.25.2.5 HoldJob**

508 ([rfc2911] §3.3.5) Allows a client to hold a pending Job in the Printer so that it is not eligible for
509 scheduling.

510 **5.2.6 PromoteJob**

511 ([admin-ops] §4.4.1) Allows a client to make the pending target job be processed after the current
512 job completes.

513 **5.2.35.2.7 ReleaseJob**

514 ([rfc2911] §3.3.6) Release a previously held Job so that it is again eligible for scheduling.

515 **5.2.8 ReprocessJob**

516 ([admin-ops] §4.1) Allows a client to re-process a copy of a job retained after processing was
517 completed. This operation is the similar to RestartJob except that a new job that is a copy of the
518 target job is created and processed.

519 **5.2.9 RestartJob**

520 ([rfc2911] §3.3.7) Restart a job that is retained in the Printer after processing has completed.

521 **5.2.10 ResumeJob**

522 ([admin-ops] §4.3.2) Resume the job at the point where it was suspended.

523 **5.2.11 ScheduleJobAfter**

524 ([admin-ops] §4.4.2) Request the target job be processed immediately after the specified job

525 **5.2.12 SetDocumentElements**

526 ([doc-obj] §3) Set the values of the supplied Document Processing and Document Description
527 elements of the indicated Document. (Was SetDocumentAttributes)

528 **5.2.13 SetJobElements**

529 ([rfc3380] §4.2) Set the values of the supplied Job Processing, Document Processing and Job
530 Description elements of the indicated Job. (Was SetJobAttributes)

531 **5.2.14 SuspendCurrentJob**

532 ([admin-ops] §4.4.2) Stop the current job and allow other jobs to be processed instead.

533 **5.2.4element (Was SetDocumentAttributes)RestartJob**

534 ([rfc2911] §3.3.7) Restart a job that is retained in the Printer after processing has completed.

535 ***5.3 Status and information Actions***

536 This section describes the actions that allow a client to obtain status and elements of Jobs and
537 Printers: GetJobs, GetPrinterAttributeElements, GetJobAttributeElements and
538 GetPrinterSupportedValues.

539 **5.3.1 GetDocumentElements**

540 ~~([doc-obj] §3) Returns the requested Document elements or element groups in the indicated~~
541 ~~Document in the indicated Job. (Was GetDocumentAttributes)~~

542 **5.3.2 GetDocuments**

543 ~~([doc-obj] §3) Returns the requested Document elements or element groups in all Documents in~~
544 ~~the indicated Job.~~

545 **5.3.3 GetJobElements**

546 ~~([rfc2911] §3.3.4) Returns the values of the requested job elements and/or element groups of a Job~~
547 ~~(i.e., Job Description, Job Status, Job Processing and Document Processing). (Was~~
548 ~~GetJobAttributes)~~

549 **5.3.15.3.4 GetJobs**

550 ([rfc2911] §3.3.4) Retrieve the list of Jobs belonging to the Printer. The Client may supply some
551 simple filters (e.g. “MyJobs, “Limit) to control which jobs will be returned. The Client may supply
552 a list of Job element and/or element group names to be returned in the response (See [1.1.15.3.3](#)). A
553 group of Job elements will be returned for each returned Job.

554 **5.3.25.3.5 GetPrinterAttributeElements**

555 ([rfc2911] §3.2.5) Returns the values of the requested printer elements and/or element groups of a
556 Printer (i.e. Printer ~~State~~ Status, Printer Description, Processing Supported, Processing Default,
557 Processing Ready). (Was GetPrinterAttributes)

558 **5.3.3GetJobAttributes**

559 ~~([rfc2911] §3.3.4) Returns the values of the requested job elements and/or element groups of a Job~~
560 ~~(i.e., Job Description, Job State, Job Processing and Document Processing). (Was~~
561 ~~GetJobAttributes)~~

562 **5.3.4SetJobAttributes**

563 ~~([set-ops] §4.2) Set the values of the supplied Job Processing and Job Description attributes of the~~
564 ~~indicated Job.~~

565 **5.3.55.3.6 GetPrinterSupportedValuesGetPrinterSettableElementValues**

566 ~~([set-opsrfc3380] §4.3) Returns the possible values of each of the requested Printer Processing and~~
567 ~~Printer Description elements that may be set with the SetPrinterAttributeElements action. (Was~~
568 ~~GetPrinterSupportedValues) (Was GetPrinterSettableAttributeValues)~~

569 **5.3.6GetDocuments**

570 ~~([doc-obj] §3) Returns the requested Document elements or element groups in all Documents in~~
571 ~~the indicated Job.~~

572 **5.3.7 GetDocumentAttributes**

573 ~~([doc-obj] §3) Returns the requested Document elements or element groups in the indicated~~
574 ~~Document in the indicated Job. (Was GetDocumentAttributes)~~

575 **5.3.8 SetDocumentAttributes**

576 ~~([doc-obj] §3) Set the values of the supplied Document Processing and Document Description~~
577 ~~attributes in the indicated Document in the indicated Job.~~

578 **5.4 Printer Control Actions**

579 This section describes actions which allow a client to control a Printer and may require operator
580 credentials: PausePrinter, ResumePrinter, PurgeJobs , DisablePrinter, EnablePrinter, and
581 SetPrinterAttributeElements.

582 **5.4.1 ActivatePrinter**

583 ([admin-ops] §3.4.2) The Printer will now start sending jobs to its Output Devices or Subordinate
584 Printers and begin accepting all requests.

585 **5.4.2 DeactivatePrinter**

586 ([admin-ops] §3.4.1) The Printer will now stop sending any more jobs to its Output Devices or
587 Subordinate Printers and begin refusing all requests except ActivatePrinter, SendDocument, and
588 SendUri requests and query requests.

589 **5.4.3 DisablePrinter**

590 ([adm-ops] §3.1.1) Prevents the Printer from accepting any more Job Creation operations. The
591 Printer sets the PrinterIsAcceptingJobs Printer Status element to 'false'.

592 **5.4.4 EnablePrinter**

593 ([adm-ops] §3.1.2) Allows the Printer to start accepting Job Creation operations. The Printer sets
594 the PrinterIsAcceptingJobs Printer Status element to 'true'.

595 **5.4.5 HoldNewJobs**

596 ([admin-ops] §3.3.1) Complete the current 'pending' and 'processing' Jobs but do not start
597 processing any subsequently created Jobs.

598 **5.4.15.4.6 PausePrinter**

599 ([rfc2911] §3.2.7) Stops the Printer object from scheduling jobs. Job processing should also cease.

600 **5.4.7 PausePrinterAfterCurrentJob**

601 ([admin-ops] §3.2.1) Stops the Printer from starting to send jobs to any of its Output Devices or
602 Subordinate Printers.

603 **5.4.8 PurgeJobs**

604 ~~([rfc2911] §3.2.9) Removes all jobs from the Printer, regardless of their state.~~

605 **5.4.9 ReleaseHeldNewJobs**

606 ~~([admin-ops] §3.3.2) Undo the effect of HoldNewJobs and release all Jobs held as a consequence~~
607 ~~of HoldNewJobs.~~

608 **5.4.10 RestartPrinter**

609 ~~([admin-ops] §3.5.1) This action has the effect of a software re-boot.~~

610 **5.4.25.4.11 ResumePrinter**

611 ([rfc2911] §3.2.8) Resume the processing and scheduling of Jobs in the Printer.

612 **5.4.3PurgeJobs**

613 ~~([rfc2911] §3.2.9) Removes all jobs from the Printer, regardless of their state.~~

614 **5.4.4DisablePrinter**

615 ~~([adm-ops] §3.1.1) Prevents the Printer from accepting any more Job Creation operations. The~~
616 ~~Printer sets the PrinterIsAcceptingJobs Printer State element to ‘false’.~~

617 **5.4.5EnablePrinter**

618 ~~([adm-ops] §3.1.2) Allows the Printer to start accepting Job Creation operations. The Printer sets~~
619 ~~the PrinterIsAcceptingJobs Printer State element to ‘true’.~~

620 **5.4.65.4.12 SetPrinterAttributeElements**

621 ([set-opsrfc3380] §4.1) Set the values of the supplied Printer Processing and Printer Description
622 elements. (Was SetPrinterAttributes)

623 **5.4.13 ShutdownPrinter**

624 ~~([admin-ops] §3.5.2) Stop processing jobs without losing any jobs and make the Printer no longer~~
625 ~~available for any Actions.~~

626 **5.4.14 StartupPrinter**

627 ~~([admin-ops] §3.5.3) Allows a hosted implementation of the Printer to be started after the host is~~
628 ~~available.~~

629 **6 Globalization**

630 The two aspects of globalization being addressed are the character sets and natural language of the
631 human readable strings. Determining what character set is being used is left up to the protocol
632 mapping of this semantic model. The natural language being used is represented in the Printer and

PWG Semantic Model

633 the Job. The Printer declares the natural language it uses for all its semantic elements of type
 634 string. Administrators are free to change the localization and the values in the string elements.
 635 Each job creator declares the natural language for the Job and all its contained Documents. Not all
 636 string elements are treated the same.

637 Any semantic element that is labeled type1, type2 or type3 keyword in the constraint column is the
 638 following tables do not have any globalization issues from the Printer’s point of view. They are
 639 simply a sequence of octets that have a semantic meaning attached to them. The fact that the
 640 sequence of octets can be interpreted as ASCII strings is unimportant. The keywords are intended
 641 for consumption by automata. We leave it to Client implementations to determine how the
 642 keywords will be presented to end-users.

643 There are also strings with specific formats. These formats are URI, URI Scheme, MIME, IEEE
 644 1284 and DateTime. Any semantic element whose string value must adhere to one of the previous
 645 formats is excluded from this discussion.

646 There are a few elements whose value is set by automata. Those values are “JobStateMessage”,
 647 “DocumentStateMessage” and “PrinterStateMessage”. If the semantic model is mapped to a
 648 protocol that allows the Client to request a language, the Printer will return these strings in the
 649 requested language if possible.

650 All the remaining Printer element strings are assumed to be in the Printer’s language. All the
 651 remaining Job element strings are assumed to be in the language of the Job.

652 7 Summary of elements

653 This section summarizes the elements for the Document, Job and Printer objects. Included in the
 654 definition are the processing elements that can be applied at either the Job or Document level. For
 655 each element, the tables contain the element name, whether the element is multi-valued, its syntax,
 656 constraints, a short description and a reference to the Document where the semantics of the element
 657 is completely specified. The basic syntax types are “Boolean”, “String” and “Integer”. “Complex”
 658 types are a container for elements of any type. Members are listed in the description field.
 659 “RangeOfInteger” is a complex type that contains “Upperbound” and “Lowerbound” integer value
 660 members. “Resolution” is a complex type that contains “CrossFeedDir” and “FeedDir” integer
 661 value members and a “Units” string value member.

662 7.1 Processing **AttributeElements** (Job and Document)

663 * Group key: J=Job Processing **AttributeElements**, D=Document Processing **AttributeElements**

664 Table 3 - Processing **AttributeElement**s (Job and Document)

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
AttributeElement Fidelity		Boolean		J	[rfc2911] §15.1

PWG Semantic Model

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
<p>Allows a user to control whether or not the Printer MUST honor all supplied Processing elements in the Job Creation operation. For a 'true' value the Printer rejects the job submission if any of the supplied Processing element values are unsupported. For a 'false' value the Printer MUST accept the job submission and do best effort. Default = 'false' NOTE: Use "JobMandatoryElements" to explicitly specify a subset of the supplied elements that the Printer MUST honor. (Was IPPAttributeFidelity)Allows a user to control whether or not the Printer MUST honor all supplied attributes in the Job Creation operation. For a 'true' value the Printer rejects the job submission if any of the attribute values are unsupported. For a 'false' value the Printer accepts the job submission and does best effort. . Default = 'false' NOTE: Deprecated in favor of "JobMandatoryAttributes".</p>					
Copies		Integer	1:MAX	D	[rfc2911] §4.2.5
The number of copies of the Output Document(s) to be printed. (See also JobCopies Job element)					
CoverBack		complex		D	[PWG5100.3] §3.1
The back cover to apply this Document. (Includes Media/MediaCol, CoverType)					
CoverFront		complex		D	[PWG5100.3] §3.1
The front cover to apply to this Document or job . (Includes Media/MediaCol, CoverType)					
CoverType		String	Type2 keyword	D	[PWG5100.3] §3.1.2
Indicates if covers are requested and which sides will contain print stream pages. (Keywords: no-cover, print-none, print-front, print-back, print-both) (See CoverBack & CoverFront for use)					
DocumentCopies	Yes	RangeOfInteger		J	[PWG5100.4] §5.1.3
<p>Specifies which copies of an Output Document to apply these document override elements. Specifies the output document copies for override processing. (See DocumentOverrides for use)</p>					
DocumentOverrides	Yes	complex		J	[PWG5100.4] §5.1
Provides for the overriding of processing instructions on a document basis. Applied to job, see PageOverrides for overrides supplied at the document level. (Includes InputDocuments/OutputDocuments, DocumentCopies, DocumentFormat, DocumentName, Compression, DocumentNaturalLanguage, PageRanges, and any other processing element that affects documents) NOTE: Deprecated in favor of supporting and using the Document Object					
FeedOrientation		String	Type3 keyword	D	[prod-print2] §5.1
Specifies the media edge which is fed into the print engine from the paper tray. (Keywords: long-edge-first, short-edge-first).					
Finishings	Yes	String	Type2 keyword	D	[rfc2911] §4.2.6

PWG Semantic Model

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	Reference
	Description (values)				
					[PWG5100.1] §2
	Identifies the finishings that the Printer uses for each copy of the Output Document. (See also JobFinishings Job element) (Keywords: <i>bale</i> , <i>bind</i> , <i>bind-bottom</i> , <i>bind-left</i> , <i>bind-right</i> , <i>bind-top</i> , <i>booklet-maker</i> , <i>cover</i> , <i>edge-stitch</i> , <i>edge-stitch-bottom</i> , <i>edge-stitch-left</i> , <i>edge-stitch-right</i> , <i>edge-stitch-top</i> , <i>fold</i> , <i>jog-offset</i> , <i>none</i> , <i>punch</i> , <i>saddle-stitch</i> , <i>staple</i> , <i>staple-bottom-left</i> , <i>staple-bottom-right</i> , <i>staple-dual-bottom</i> , <i>staple-dual-left</i> , <i>staple-dual-right</i> , <i>staple-dual-top</i> , <i>staple-top-left</i> , <i>staple-top-right</i> , <i>trim</i>)				
FinishingsCol		complex		D	[PWG5100.3] §3.2
	Enables an end user to specify detailed finishing options not possible with the “Finishings” element for the Output Document. (See also JobFinishingsCol Job element) (Includes <i>FinishingTemplate</i> , <i>Stitching</i>)				
FinishingTemplate		String	Maxlength=1023	D	[PWG5100.3] §3.1
	A string specifying some particular finishing operation. (See FinishingsCol/JobFinishingsCol for use)				
FontNameRequested		String	Maxlength=255	D	[prod-print2] §5.2
	Specifies the font name if the document data is in a format that does not have inherent font information (e.g., ‘text/plain’), otherwise, this element is ignored.				
FontSizeRequested		Integer	1:MAX	D	[prod-print2] §5.3
	Specifies the font size in points (1/72 of an inch) if the document data is in a format that does not have inherent font information (e.g., ‘text/plain’), otherwise, this element is ignored.				
ForceFrontSide	yes	Integer		D	[PWG5100.3] §3.3
	Forces the specified pages to be printed on the front side of a sheet of media. The pages of the output document start at 1.				
ImpositionTemplate		String	Type2 keyword	D	[PWG5100.3] §3.4
	Specifies imposition method for laying out finished page images onto the surface of output media. (Keywords: <i>none</i> , <i>signature</i>)				
InputDocuments	Yes	RangeOfInteger		D	[PWG5100.4] §5.1.1
	Specifies the input documents for override processing. (See DocumentOverrides for use) NOTE: Deprecated since DocumentOverrides are deprecated				
InsertAfterPageNumber		Integer		D	[PWG5100.3] §3.5.1
	Specifies the input page after which the Insert Sheet will be placed. (See InsertSheet for use)				
InsertCount		Integer		D	[PWG5100.3] §3.5.2

PWG Semantic Model

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
Specifies the number of Insert Sheet to insert. (See InsertSheet for use)					
InsertSheet	Yes	complex		D	[PWG5100.3] §3.5
Specifies how Insert Sheets are to be inserted into the sequence of media sheets that are produced for each copy of the documents. (Includes <i>InsertAfterPageNumber</i> , <i>InsertCount</i> , <i>Media/MediaCol</i>)					
JobAccountingOutputBin		String	Type3 keyword	J	[PWG5100.3] §3.8.3
Specifies the output bin where the accounting sheet is to be placed. (See JobAccountingSheet for use) (Keywords: <i>top</i> , <i>middle</i> , <i>bottom</i> , <i>side</i> , <i>left</i> , <i>right</i> , <i>center</i> , <i>rear</i> , <i>face-up</i> , <i>face-down large-capacity</i> , <i>my-mailbox</i> , <i>stacker-N</i> , <i>mailbox-N</i> , <i>tray-N</i> *Note: <i>N</i> is replaced by a cardinal number, *Note: See [PWG5100.2 §2.1 for description of keywords)					
JobAccountingSheet		complex		J	[PWG5100.3] §3.8
Specifies the accounting sheet for a job. (Includes <i>JobAccountingSheetType</i> , <i>Media/ MediaCol</i> , <i>JobAccountingOutputBin</i>).					
JobAccountingSheetType		String	Type3 keyword	J	[PWG5100.3] §3.8.1
Specifies the accounting sheet format for a job. (See JobAccountingSheet for use) (Keywords: <i>none</i> , <i>standard</i>)					
JobCopies		Integer	1:MAX	J	[rfc2911] §4.2.5 [doc-obj]
The number of copies of the Job to be printed. (See also Copies Document Processing element) NOTE: New element to differentiate job and document level copies.					
<u>JobCoverBack</u>		<u>complex</u>		<u>D</u>	[PWG5100.3] §3.1 [doc-obj]
<u>The back cover to apply this Job. (Includes <i>Media/MediaCol</i>, <i>CoverType</i>) element</u>					
<u>JobCoverFront</u>		<u>complex</u>		<u>D</u>	[PWG5100.3] §3.1 [doc-obj]
<u>The front cover to apply to this Job. (Includes <i>Media/MediaCol</i>, <i>CoverType</i>) element</u>					
JobErrorSheet		complex		J	[PWG5100.3] §3.9
Specifies the error sheet for a job. (Includes <i>JobErrorSheetType</i> , <i>JobErrorSheetWhen</i> , <i>Media/MediaCol</i>).					
JobErrorSheetType		String	Type3 keyword	J	[PWG5100.3] §3.9.1
Specifies the error sheet format for a job. (See JobErrorSheet for use) (Keywords: <i>none</i> , <i>standard</i>)					

PWG Semantic Model

<u>AttributeElement</u> Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
JobErrorSheetWhen		String	Type2 keyword	J	[PWG5100.3] §3.9.2
	Specifies the accounting sheet format for a job. (See JobErrorSheet for use) (<i>Keywords: on-error, always</i>)				
JobFinishings	Yes	String	Type2 keyword	J	[rfc2911] §4.2.6 [doc-obj]
	Identifies the finishing that the Printer uses for each job copy of the Job. (See also Finishings Document element) (<i>Keywords: none, staple, punch, cover, bind, saddle-stitch, edge-stitch, staple-top-left, staple-bottom-left, staple-top-right, staple-bottom-right, edge-stitch-left, edge-stitch-top, edge-stitch-right, edge-stitch-bottom, staple-dual-left, staple-dual-top, staple-dual-right, staple-dual-bottom</i>) NOTE: New element to differentiate job and document level finishing.				
JobFinishingCol		complex		J	[PWG5100.3] §3.2 [doc-obj]
	Enables an end user to specify detailed finishing options not possible with the “JobFinishings” element. . (See also FinishingsCol Document element) (<i>Includes FinishingTemplate, Stitching</i>) NOTE: New element to differentiate job and document level finishing.				
JobHoldUntil		String	Type3 keyword	J	[rfc2911] §4.2.2
	Specifies the named time period during which the Job must become a candidate for printing. (keywords: no-hold, indefinite, day-time, evening, night, weekend, second-shift, third-shift)				
JobHoldUntilTime		String	DateTime [rfc1123]	J	[prod-print2] §5.4
	Specifies the date and time after which the Job must become a candidate for printing. (example: Fri, 03 May 2002 08:49:37 GMT)				
JobMandatory <u>AttributeE</u> <u>lements</u>	Yes	String	Type3 keyword	J	Need reference
	Allows a user to list which Processing that elements the Printer must honor. The Printer rejects the job submission if <i>any</i> of the listed elements are unsupported or contain values that the Printer does not support. All of the remaining supplied elements are best effort. This element is ignored if ElementFidelity is supplied with a ‘true’ value. (See [rfc2911] §15.1) (<i>Keywords: none and any Processing element names. Member elements of collection elements are named as Attr.Member. For example, JobSheetsCol.Media</i>) NOTE: New element to align fidelity with FSG work was JobMandatoryAttributes).				
JobPriority		Integer	1:100	J	[rfc2911] §4.2.1
	Priority for scheduling the Job. A higher value specifies a higher priority.				
JobSaveDisposition		Complex		J	[prod-print2] §5.7

PWG Semantic Model

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	Reference
	Description (values)				
	Specifies that the Printer is to save the job as a file that can be re-printed on demand anytime in the future using the Print-URI operation (see section 5.1.35-1.2).) (Includes <i>SaveDisposition</i> , <i>SaveInfo</i>)				
JobSheets		String	type3 keyword	J	[rfc2911] §4.2.3 [PWG5100.3] §6.2
	Specifies which job start/end sheet(s), will be printed with a job. (Keywords: <i>none</i> , <i>standard</i> , <i>job-start-sheet</i> , <i>job-end-sheet</i> , <i>job-both-sheets</i> , <i>first-print-stream-page</i>)				
JobSheetsCol		complex		J	[PWG5100.3] §3.11
	Allows the client to specify the media for the JobSheet. (Includes <i>JobSheets</i> , <i>Media/MediaCol</i>)				
JobSheetMessage		String	Maxlength=1023	J	[PWG5100.3] §3.12
	Conveys a message that is delivered with the job.				
Media		String	type3 keyword	D	[rfc2911] §4.2.11
	The name of the medium that the Printer uses for all impressions of the Job. (Keyword examples: <i>na_letter_8.5x11in</i> , <i>iso_a4_210x297mm</i> , <i>na_monarch_3.875x7.5in</i> . See [pwg5101.1])				
MediaCol		complex		D	[PWG5100.3] §3.13
	Enables a client end user to submit a list of media characteristics to the Printer as a way to more completely specify the media to be used than the Media element. (Includes <i>MediaBackCoating</i> , <i>MediaColor</i> , <i>MediaFrontCoating</i> , <i>MediaGrain</i> , <i>MediaHoleCount</i> , <i>MediaInfo</i> , <i>MediaKey</i> , <i>MediaMaterial</i> , <i>MediaOrderCount</i> , <i>MediaPrePrinted</i> , <i>MediaRecycled</i> , <i>MediaSize</i> , <i>MediaThickness</i> , <i>MediaTooth</i> , <i>MediaType</i> , <i>MediaWeightMetric</i>)				
MediaBackCoating		String	Type3 keyword	D	[PWG5100.3] §3.13.10
	Indicates the pre-process coating applied to the back of the media. (See MediaCol for use) (Keywords: <i>none</i> , <i>glossy</i> , <i>high-gloss</i> , <i>semi-gloss</i> , <i>satn</i> , <i>matte</i>)				
MediaColor		String	Type3 keyword	D	[PWG5100.3] §3.13.4
	Indicates the desired color of the media being specified. (See MediaCol for use) (Keywords: <i>no-color</i> , <i>white</i> , <i>pink</i> , <i>yellow</i> , <i>blue</i> , <i>green</i> , <i>buff</i> , <i>goldenrod</i> , <i>red</i> , <i>gray</i> , <i>ivory</i> , <i>orange</i>)				
MediaFrontCoating		String	Type3 keyword	D	[PWG5100.3] §3.13.10
	Indicates the pre-process coating applied to the front of the media. (See MediaCol for use) (Keywords: <i>none</i> , <i>glossy</i> , <i>high-gloss</i> , <i>semi-gloss</i> , <i>satn</i> , <i>matte</i>)				
MediaGrain		String	Type3 keyword	D	[prod-print2] §8.4.2
	Indicates the grain of the media. (See MediaCol for use) (Keywords: <i>x-direction</i> , <i>y-direction</i>)				
MediaHoleCount		Integer		D	[PWG5100.3] §3.13.6
	Indicates the number of pre-drilled holes in the desired media. (See MediaCol for use)				

PWG Semantic Model

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	Reference
	Description (values)				
MediaInfo		String	Maxlength=255	D	[PWG5100.3] §3.13.3
	Specifies information that helps describe the media instance. Intended for human consumption. (See MediaCol for use)				
MediaInputTrayCheck		String	Type3 keyword	D	[PWG5100.3] §3.13.14
	Indicates that the characteristics of the media in the identified input tray must match the characteristics of the media identified by the "media" or "media-col" element. (<i>Keywords: top, middle, bottom, side, large-capacity, envelope, main, manual. See [RFC2911] Appendix C</i>)				
MediaKey		String	Type3 keyword	D	[PWG5100.3] §3.13.1
	The name of the media represented as a keyword or name. Values are the same as the keyword and name values for the Media Document Processing element and represent the same media, except for media size and input tray keywords. (See MediaCol for use)				
MediaMaterial		String	Type3 keyword	D	[prod-print] §8.4.3
	The material of the media. (See MediaCol for use) (<i>Keywords: aluminum, dry-film, paper, polyester, wet-film</i>)				
MediaOrderCount		Integer	1:MAX	D	[PWG5100.3] §3.13.7
	Indicates the number of sheets, within an ordered sequence of sheets; after which the sequence begins to repeat. (See MediaCol for use)				
MediaPrePrinted		String	Type3 keyword	D	[PWG5100.3] §3.13.11
	Indicates the pre-printed characteristics of the desired media. (See MediaCol for use) (<i>Keywords: blank, pre-printed, letter-head</i>)				
MediaRecycled		String	Type3 keyword	D	[PWG5100.3] §3.13.10
	Indicates the recycled characteristics of the media. (See MediaCol for use) (<i>Keywords: none, standard</i>)				
MediaSize		Complex		D	[PWG5100.3] §3.13.8
	Explicitly specifies the numerical media width and height dimensions. (See MediaCol for use) (<i>Includes XDimension, YDimension</i>)				
MediaSizeName		String	Type3 keyword	D	Need UPnP ref
	The medium size that the Printer uses for all impressions of the Job. (<i>Keywords: na_letter_8.5x11in. See [pwg5101.1] §5</i>)				
MediaThickness		Integer	1:MAX	D	[prod-print2] §8.4.4
	The thickness of the media in units of one hundredth of a millimeter. This unit is equivalent to 1/2540 th of an inch. (See MediaCol for use)				
MediaTooth		String	Type3 keyword	D	[prod-print2] §8.4.1
	The tooth (or roughness) of the media. (See MediaCol for use) (<i>Keywords: fine, medium, coarse</i>)				

PWG Semantic Model

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
MediaType		String	Type3 keyword	D	[PWG5100.3] §3.13.2
The medium type that the Printer uses for all impressions of the Job. (See MediaCol for use) (Keywords: stationery, transparency envelope, envelope-plain, envelope-window, continuous, continuous-long, continuous-short, tab-stock, pre-cut-tabs, full-cut-tabs, multi-part-forms, labels, multi-layer, screen, screen-paged, photographic, cardstock, other See also [pwg5101.1] §3)					
MediaWeightMetric		Integer		D	[PWG5100.3] §3.13.9
Indicates the weight of the desired media rounded to the nearest whole number of grams per square meter. (See MediaCol for use)					
MultipleDocumentHandling		String	type2 keyword	J	[rfc2911] §4.2.4
Controls whether Input Document in multi-Document jobs are combined into a single Output Document or are kept as separate Output Document Useful for application of Finishings and the placement of one or more print-stream pages into impressions and onto media sheets for multi-Document Jobs. (Keywords: single-Document, separate-Document-uncollated-Copies, separate-Document-collated-Copies, single-Document-new-sheet)					
NumberUp		Integer	1:MAX	D	[rfc2911] §4.2.9
Indicates the number of Input pages that the Printer is to image on one impression.					
OrientationRequested		String	type2 keyword	D	[rfc2911] §4.2.10
The desired orientation for printed pages for document formats that don't have a built-in orientation. (Keywords: portrait, landscape, reverse-landscape, reverse-portrait)					
OutputBin		String	Type2 keyword	J	[PWG5100.2] §2.1
Specifies the output bin where the job is to be delivered. (Keywords: bottom, center, face-down, face-up, large-capacity, left, mailbox-N*, top, middle, my-mailbox, rear, right, bottom, side, stacker-N*, left, right, center, rear, top, face-up, face-down large-capacity, my-mailbox, stacker-N*, mailbox-N*, tray-N* . *Note: N is replaced by a cardinal number)					
OutputDocuments	Yes	RangeOfInteger		D	[PWG5100.4] §5.1.2
Specifies the output documents for override processing. (See DocumentOverrides for use) NOTE: Deprecated DocumentOverrides are deprecated.					
PageDelivery		String	Type2 keyword	D	[PWG5100.3] §3.15
Indicates whether the pages of the job are to be delivered to the output bin or finisher in the same page order as the original document and face up or face down. . See the PageOrderReceived Document Description element and the CurrentPageOrder Document <u>State Status</u> element. (Keywords: reverse-order-face-down, reverse-order-face-up, same-order-face-down, same-order-face-up, same-order face-down, reverse-order face-up, reverse-order face-down, system-specified)					
PageOverrides	Yes	complex		D	[PWG5100.4] §5.2

PWG Semantic Model

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
Provides for the overriding of processing instructions on a page basis. (<i>Includes InputDocuments/OutputDocuments, DocumentCopies, Pages, Sides, media and any other processing element that affects pages</i>)					
Pages	yes	RangeOfInteger		D	[PWG5100.4] §5.2.4
Specifies a range of pages in the document data. NOTE: Deprecated in favor of "PageRanges"					
PagesPerSubset	yes	RangeOfInteger		D	[PWG5100.4] §5.3
Combines all of the Input Pages of all of the Input Documents into a single stream of Input-Pages. Then the Printer partitions that single stream one or more Input Documents into contiguous subsets of Input-Pages according to the list of integers. Each subset is defined to be an Output-Document.					
PageRanges	yes	RangeOfInteger		D	[RFC2911] §4.2.7
Specifies a range of pages in the document data to be output.					
PdInitFile	Yes	Complex		D	[prod-print2] §5.8
Controls initialization of the Printer's Page Description Language (PDL) interpreter. (Includes PdInitFileEntry, PdInitFileLocation, PdInitFileName)					
PdInitFileEntry		String	Maxlength=255	D	[prod-print2] §5.8.1.3
Specifies an entry point within the init file at which the PDL interpreter starts. (See PdInitFile for use)					
PdInitFileLocation		String	Maxlength=1023	D	[prod-print2] §5.8.1.1
Contains a URL that specifies the path to the directory where the initialization file for the Printer's PDL interpreter will be found. (See PdInitFile for use)					
PdInitFileName		String	Maxlength=255	D	[prod-print2] §5.8.1.2
Specifies the name of the PDL interpreter's initialization file within the directory specified by the PdInitFileLocation element. (See PdInitFile for use)					
PresentationDirectionNumberUp		String	Type2 keyword	D	[PWG5100.3] §3.17
Specifies the placement order of the page images on a Finished-Page Image with the "number-up" element. (<i>Keywords: toright-tobottom, tobottom-toright, toleft-tobottom, tobottom-toleft, toright-totop, totop-toright, toleft-totop</i>)					
PrintQuality		String	type2 keyword	D	
The print quality that the Printer uses for the Job. (<i>Keywords: draft, normal, high</i>)					
PrinterResolution		resolution		D	[RFC2911] §4.2.12
The resolution that Printer uses for the Job in cross-feed and feed direction in units of dpi or dpcm.					

PWG Semantic Model

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
ProofPrint		Complex		J	[prod-print2] §5.9
Specifies the elements for zero or more proof prints of the job that are to be printed prior to the printing the full run of the job. (Includes ProofPrintCopies , Media/MediaCol and any other Processing elements).					
ProofPrintCopies		Integer	0:MAX	J	[prod-print2] §5.9.1
Specifies the number of proof prints to be printed prior to the printing the full run of the job. (See ProofPrint for use)					
SaveDisposition		String	type3 keyword	J	[prod-print2] §5.7.1.1
Specifies whether the Printer must print and/or save the job. (See JobSaveDisposition for use) (<i>Keywords: none, save-only, print-save</i>)					
SaveDocumentFormat		String	MimeMediaType [rfc2046], [rfc2048]	J	[prod-print2] §5.7.1.2.3.3
Indicates the document format in which the Printer saves the Document Data. (See DocumentFormat Document Description element) (See SaveInfo_ for use)					
SaveInfo	Yes	complex		J	[prod-print2] §5.7.1.2
Contains sets of elements that each tell the Printer how to create each copy of the saved job. (See JobSaveDisposition for use) (<i>Includes SaveLocation, SaveName, SaveDocumentFormat</i>)					
SaveLocation		String	Maxlength=1023	J	[prod-print2] §5.7.1.2.3.1
Specifies the path to the directory as a URI where the Printer saves the Document Data and other Job information. (See SaveInfo_ for use)					
SaveName		String	Maxlength=255	J	[prod-print2] §5.7.1.2.3.2
Specifies the name of the saved job in the directory specified by the “save-location” member element. The value may be a relative path. (See SaveInfo_ for use)					
SeparatorSheets		complex		D	[PWG5100.3] §3.18
Specifies the separator sheets to be printed with the Document. (<i>Includes SeparatorSheetType, Media/MediaCol</i>)					
SeparatorSheetsType		String	Type3 keyword	D	[PWG5100.3] §3.18.1
Specifies the separator sheets type. (See SeparatorSheets for use) (<i>Keywords: none, slip-sheets, start-sheet, end-sheet, both-sheets</i>)					

PWG Semantic Model

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
SheetCollate		String	Type2 keyword	D	[job-progrfc3381] §3.1
	Specifies if the media sheets of each copy of each printed document in a job are to be in sequence. (<i>Keywords: uncollated, collated</i>)				
Sides		String	type2 keyword	D	[rfc2911] §4.2.8
	Indicates how an impression is to be placed upon the side(s) of the media. (<i>Keywords: one-sided, two-sided-long-edge, two-sided-short-edge, two-sided-long-edge, tumble</i>)				
Stitching		complex		D	[PWG5100.3] §3.2.2
	Provides detailed stitching parameters. (See FinishingsCol/JobFinishingsCol for use) (<i>Includes StitchingReferenceEdge, StitchingOffset, StitchingLocations</i>)				
StitchingLocations	yes	Integer		D	[PWG5100.3] §3.2.2.3
	The distance along the stitching axis where a stitch will be placed in hundredths of a millimeter. (See Stitching for use)				
StitchingOffset		Integer		D	[PWG5100.3] §3.2.2.2
	The perpendicular distance from the reference edge to the stitching axis in hundredths of a millimeter. (See Stitching for use)				
StitchingReferenceEdge		String	type2 keyword	D	[PWG5100.3] §3.2.2.1
	Specifies the stitching reference edge of the output media. (See Stitching for use) (<i>Keyword: bottom, top, left, right</i>)				
XDimension		Integer	0:MAX	D	[PWG5100.3] §3.13.8.1
	Size of the media in hundredths of a millimeter along the bottom edge. (See MediaSize for use)				
XImagePosition		String	type2 keyword	D	[PWG5100.3] §3.19.2
	Causes the specified point of the Finished-Page Image to be positioned at a specified location. (<i>Keywords: none, center, left, right</i>)				
XImageShift		Integer		D	[PWG5100.3] §3.19.3
	Causes the Finished-Page Image to be shifted in position with respect to the x-axis of the media. The unit of measure for this element is hundredths of a millimeter. The sign of the value indicates the direction of the shift.				
Xside1ImageShift		Integer		D	[PWG5100.3] §3.19.4
	Causes each Finished-Page Image that would be placed on the front side of a sheet to be shifted in position with respect to the x-axis of the media. The unit of measure for this element is hundredths of a millimeter. The sign of the value indicates the direction of the shift.				
Xside2ImageShift		Integer		D	[PWG5100.3] §3.19.5

PWG Semantic Model

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
					Causes each Finished-Page Image that would be placed on the back side of a sheet to be shifted in position with respect to the x-axis of the media. The unit of measure for this element is hundredths of a millimeter. The sign of the value indicates the direction of the shift.
<i>YDimension</i>		Integer	0:MAX	D	[PWG5100.3] §3.13.8.2
					Size of the media in hundredths of a millimeter along the left edge. (See MediaSize for use)
<i>YImagePosition</i>		String	type2 keyword	D	[PWG5100.3] §3.19.6
					Causes the specified point of the Finished-Page Image to be positioned at a specified location. (<i>Keywords: none, center, top, bottom</i>)
<i>YImageShift</i>		Integer		D	[PWG5100.3] §3.19.7
					Causes the Finished-Page Image to be shifted in position with respect to the y-axis of the media. The unit of measure for this element is hundredths of a millimeter. The sign of the value indicates the direction of the shift.
<i>Yside1ImageShift</i>		Integer		D	[PWG5100.3] §3.19.8
					Causes each Finished-Page Image that would be placed on the front side of a sheet to be shifted in position with respect to the y-axis of the media. The unit of measure for this element is hundredths of a millimeter. The sign of the value indicates the direction of the shift.
<i>Yside2ImageShift</i>		Integer		D	[PWG5100.3] §3.19.9
					Causes each Finished-Page Image that would be placed on the back side of a sheet to be shifted in position with respect to the y-axis of the media. The unit of measure for this element is hundredths of a millimeter. The sign of the value indicates the direction of the shift.

665

666 **7.2 Job AttributeElements (Statuse and Description)**

667 * Group Key: S=Statuse, D=Description

668 **Table 4- Job AttributeElements (Statuse and Description)**

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
<i>DateTimeAtCreation</i>		String	DateTime [rfc1123]	S	[rfc2911] §4.3.14.5
					Indicates the date and time at which the Job was created . (example: Fri, 03 May 2002 08:49:37 GMT)
<i>DateTimeAtProcessing</i>		String	DateTime [rfc1123]	S	[rfc2911] §4.3.14.6

PWG Semantic Model

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
	Indicates the date and time at which the Job first began processing. (example: Fri, 03 May 2002 08:49:37 GMT)				
DateTimeAtCompleted		String	DateTime [rfc1123]	S	[rfc2911] §4.3.14.7
	Indicates the date and time at which the Job completed. (example: Fri, 03 May 2002 08:49:37 GMT)				
DetailedStatusMessage	Yes	String	Maxlength=1023	S	[rfc2911] §4.3.10
	Specifies additional detailed and technical information about the job. Intended for use by the system administrator or other experienced technical persons persons and so is not localized by the Printer. (example: "PostScript error: stack overflow") (Was JobDetailedStatusMessage)				
DocumentAccessErrors	Yes	String	Maxlength=1023	S	[rfc2911] §4.3.11
	Information about each Document access error for this job encountered by the Printer. (example: "(404) http://www.company.com/pub/fileToPrint.pdf ") (Was JobDocumentAccessErrors)				
<u>ElementsNaturalLanguage</u>		<u>String</u>	<u>Natural language</u>	<u>D</u>	<u>[rfc2911] §4.3.20</u>
	<u>Indicates the natural language of the elements with string syntax that were set by the End User. (Was AttributesNaturalLanguage)</u>				
Impressions		Integer	0:MAX	D	[rfc2911] §4.3.17.2
	The total size in number of impressions in all the Job's Document(s). (Was JobImpressions)				
ImpressionsCompleted		Integer	0:MAX	S	[rfc2911] §4.3.18.2
	The number of impressions completed for the Job so far. (Was JobImpressionsCompleted)				
ImpressionsCompletedCurrentCopy		Integer	0:MAX	S	[job-progrfc338] §4.4
	The number of impressions completed for the current iteration of this Job so far.				
JobAccountId		String	Maxlength=255	D	[PWG5100.3] §3.6
	Account associated with this Job.				
JobAccountingUserID		String	Maxlength=255	D	[PWG5100.3] §3.7
	Specifies the User ID associated with the "JobAccountId".				
JobCollationType		String	Type2 keyword	S	[job-progrfc338] §4.1
	Identifies the collation type of the Job. (Keywords: <i>other, unknown, uncollated-sheets, uncollated-documents, collated-documents</i>)				
JobId		Integer	1:MAX	S	[rfc2911] §4.3.2
	The Printer sets this to the ID of this Job , which is unique for the Printer.				

PWG Semantic Model

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
JobMessageFromOperator		String	Maxlength=127	D	[rfc2911] §4.3.16
	Message to the end user indicating the reasons for any management action taken on this Job. (example: “Job canceled due to length”, “Pick job up in mailbox”)				
JobMessageToOperator		String	Maxlength=1023	D	[PWG5100.3] §3.10
	Message from the end user to indicate something about the processing of this Job. (example: “Call 555-1234 before running this job”)				
JobName		String	Maxlength=255	D	[rfc2911] §4.3.5
	The Printer sets this to the client-supplied end-user friendly name for the Job, else the Printer must generate a name from other information. (example: “license agreement memo”)				
JobOriginatingUserName		String	Maxlength=255	D	[rfc2911] §4.3.6
	The Printer sets this element to the most authenticated printable name that it can obtain (example: “John Doe”, \authDomain\John Doe”)				
JobPassword		String	Maxlength=255	D	[prod-print2] §4.1
	Contains a password supplied by the client encrypted according to method specified by the client in the JobPasswordEncryption element.				
JobPasswordEncryption		String	Type3 keyword	D	[prod-print2] §4.2
	Specifies the type of encryption that the client is used for the supplied value of the JobPassword element. (<i>Keywords: none, md2, md4, md5, sha</i>)				
JobPhoneNumber		String	Maxlength=127	D	[prod-print2] §5.5
	Contains the contact telephone number for this Job.				
JobPrinterMakeAndModel		String	Maxlength=127	S	[prod-print] §6.1
	Identifies the make and model of the output device which saved this Job according to the JobSaveDisposition Job Processing element.				
JobPrinterUri		String	uri	S	[rfc2911] §4.3.3
	The Printer set this to the URI of Printer that created this Job. (example: ipp://www.company.com/printer)				
JobRecipientName		String	Maxlength=255	D	[prod-print2] §5.6
	Contains the name of the person that is to receive the output of this Job and is commonly printed on the job sheet. It may also be used to reference a data base containing delivery instructions for the recipient.				
JobState		String	Type1 keyword	S	[rfc2911] §4.3.7

PWG Semantic Model

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
The current state of this Job (see section 4.2.1.1). See also JobStateReasons element below. (Keywords: <i>pending, pending-held, processing, processing-stopped, canceled, aborted, completed</i>)					
JobStateMessage		String	Maxlength=1023	S	[rfc2911] §4.3.6
Specifies information about the "JobState" and "JobStateReasons" elements in human readable text localized by the Printer according to the natural language supplied in the client's query request. (example: "Job completed successfully with warnings" for an English request)					
JobStateReasons	Yes	String	type2 keyword	S	[rfc2911] §4.3.8
Provides additional information about this Job's current state. (Keywords: none ; <i>aborted-by-system, canceled-at-device, canceled-by-operator, canceled-by-user, completed-successfully, completed-with-errors, completed-with-warnings, compression-error, document-access-error, document-format-error, incoming, interpreting, job-data-insufficient, job-hold-until-specified, job-password-wait, job-restartable, job-resuming, job-saved-successfully, job-save-error, job-saving, job-scheduling, job-suspended, job-suspended-by-operator, job-suspended-by-system, job-suspended-by-user, job-suspending, none, outgoing, printer-stopped, printer-stopped-partly, printing, processing-to-stop-point, proof-print-wait, queued, queued-for-marker, queued-in-device, resources-are-not-ready, resources-are-not-supported, service-off-line, spooling, streaming, submission-interrupted, transforming, unsupported-compression, unsupported-document-format, warnings-detected</i>)					
JobUri		String	uri	S	[rfc2911] §4.3.1
The Printer sets this to the URI for this Job. (example: <code>ipp://www.company.com/printer/jobs/22</code>) The URI is globally unique.					
KOctets		Integer	0:MAX	D	[rfc2911] §4.3.17.1
The total size of this Job's Document(s) in integral units of 1024 octets. (Was JobKOctets)					
KOctetsProcessed		Integer	0:MAX	S	[rfc2911] §4.3.18.1
the total number of octets processed in integral units of 1024 octets so far. (Was JobKOctetsProcessed)					
MediaSheets		Integer	0:MAX	D	[rfc2911] §4.3.17.3
The total number of media sheets to be produced for this Job's Document(s). (Was JobMediaSheets)					
MediaSheetsCompleted		Integer	0:MAX	S	[rfc2911] §4.3.18.3
The media-sheets completed marking and stacking so far. (Was JobMediaSheetsCompleted)					
MoreInfo		String	uri	S	[rfc2911] §4.3.4

PWG Semantic Model

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
	URI used to obtain information intended for end user consumption about this specific Job/Document. (example: " http://www.company.com/printer/embeddedjobpage "). (Was JobMoreInfo)				
NumberOfDocuments		Integer	0:MAX	S	[rfc2911] §4.3.12
	The number of Documents in this Job.				
NumberOfInterveningJobs		Integer	0:MAX	S	[rfc2911] §4.3.15
	The number of jobs that are "ahead" of this Job assuming the current scheduled order.				
<u>OutputDeviceAssigned</u>		<u>String</u>	<u>Maxlength=127</u>	<u>S</u>	[rfc2911] §4.3.13
	<u>Identifies the output device to which the Printer has assigned this Job (example: "Pete's Printer")</u>				
PrinterUpTime		Integer	1:MAX	S	[rfc2911] §4.3.14.4
	The amount of time (in seconds) that the Printer has been up and running. See Printer element "PrinterUpTime" (Was JobPrinterUpTime)				
SheetsCompletedCopyNumber		Integer	0:MAX	S	[job-progrfc338] §4.2
	Number of the copy being stacked for the current Document.				
SheetsCompletedDocumentNumber		Integer	0:MAX	S	[job-progrfc338] §4.3
	Number of the document in this Job currently being stacked. . The Documents in a Job are numbered 1, 2, 3. A 0 value means no Document is currently being stacked.				
TimeAtCreation		Integer	MIN:MAX	S	[rfc2911] §4.3.14.1
	The time at which the Job was created in "PrinterUpTime" seconds.				
TimeAtProcessing		Integer	MIN:MAX	S	[rfc2911] §4.3.14.2
	The time at which the Job first began processing in "PrinterUpTime" seconds.				
TimeAtCompleted		Integer	MIN:MAX	S	[rfc2911] §4.3.14.3
	The time at which the Job completed in "PrinterUpTime" seconds.				
WarningsCount		Integer	MIN:MAX	S	[PWG5100.4] §6.1
	The total number of warnings that a Printer has generated while processing and printing a Job's Document(s). (Was JobWarningsCount)				

669

670 **7.3 Document AttributeElements (Statuse and Description)**

671 * Group Key: S=Statuse, D=Description

Table 5 – Document AttributeElements (Statuse and Description)

<u>AttributeElement</u> Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
Compression		String	Type2 keyword	D	[rfc2911] §4.4.32
Compression algorithm used on the Document Data, if any. (<i>Keywords: none, deflate, gzip, compress</i>)					
CurrentPageOrder		String	Type2 keyword	S	[PWG5100.3] §4.1
Indicates the page order of the pages in the document data. Initially set to PageOrderReceived and updated if data is transformed. (<i>Keywords: 1-to-n-order, n-to-1-order</i>)					
DateTimeAtCompleted		String	DateTime [rfc1123]	S	[rfc2911] §4.3.14.7
Indicates the date and time at which this Document completed. (example: Fri, 03 May 2002 08:49:37 GMT)					
DateTimeAtCreation		String	DateTime [rfc1123]	S	[rfc2911] §4.3.14.5
Indicates the date and time at which this Document was created . (example: Fri, 03 May 2002 08:49:37 GMT)					
DateTimeAtProcessing		String	DateTime [rfc1123]	S	[rfc2911] §4.3.14.6
Indicates the date and time at which this Document first began processing. (example: Fri, 03 May 2002 08:49:37 GMT)					
DetailedStatusMessage	Yes	String	Maxlength=1023	S	[rfc2911] §4.3.10
Specifies additional detailed and technical information about this Document. Intended for use by the system administrator or other experienced technical persons. (example: “PostScript error: stack overflow”) (Was JobDetailedStatusMessage)					
DocumentAccessErrors	Yes	String	Maxlength=1023	S	[rfc2911] §4.3.11
Information about each Document access error for this Document encountered by the Printer. (example: “(404) http://www.company.com/pub/fileToPrint.pdf ”) (Was JobDocumentAccessErrors)					
DocumentFormat		String	MimeMediaType [rfc2046], [rfc2048]	D	[rfc2911] §3.2.1.1
The Document format (i.e., PDL) for this Document. The value “application/octet-stream” has a special meaning. This value is used to indicate that a Printer is capable of auto-sensing the format of the Document. (<i>Examples: application/octet-stream, application/postscript, application/vnd.hp-PCL, “text/plain; charset=utf-8”</i>)					
DocumentName		String	Maxlength=127	D	[rfc2911] §3.2.1.1
Name for this Document to be used in an implementation specific manner.					
DocumentNaturalLanguage		String	Maxlength=127	D	[rfc2911] §3.2.1.1
Identifies the Natural Language of this Document					

PWG Semantic Model

Attribute/Element Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
DocumentNumber		integer		S	[PWG5100.4] §9.2, [doc-obj] §6.1
	The order of this document within a job starting at a base of 1.				
DocumentState		String	Type1 keyword	S	[doc-obj] §6.3.2
	The current state of this Document. See also DocumentStateReasons element below. (Keywords: pending, processing, canceled, aborted, completed)				
DocumentStateMessage		String	Maxlength=127	S	[doc-obj] §6.7
	Specifies information about the "DocumentState" and "DocumentStateReasons" elements of this Document in human readable text localized by the Printer according to the language supplied in the client's query request. (Example: "Document completed successfully with warnings" for an English request)				
DocumentStateReasons	Yes	String	type2 keyword	S	[doc-obj] §6.5
	Provides additional information about this Document's current state. (Keywords: none, aborted-by-system, canceled-at-device, canceled-by-operator, canceled-by-user, completed-successfully, completed-with-errors, completed-with-warnings, compression-error, document-access-error, document-format-error, incoming, interpreting, outgoing, printing, queued, queued-for-marker, queued-in-device, resources-are-not-ready, resources-are-not-supported, spooling, streaming, submission-interrupted, transforming, unsupported-compression, unsupported-document-format, warnings-detected)				
DocumentUri		String	Maxlength=1023	D	[rfc2911] §3.2.2
	Reference to the Document to be printed (Print by reference)				
Impressions		Integer	0:MAX	D	[rfc2911] §4.3.17.2
	The total size in number of impressions in this Document. (Was JobImpressions)				
ImpressionsCompleted		Integer	0:MAX	S	[rfc2911] §4.3.18.2
	The number of impressions completed for this Document so far. (Was JobImpressionsCompleted)				
ImpressionsCompletedCurrentCopy		Integer	0:MAX	S	[job-progrfc338] §4.4
	The number of impressions completed for the current iteration of this Document so far.				
JobId		Integer	1:MAX	S	[rfc2911] §4.3.2
	The Printer sets this to the ID of the job containing this Document. The ID is unique for the Printer.				
JobUri		String	uri	S	[rfc2911] §4.3.1
	The Printer sets this to the URI for the job. (example: ipp://www.company.com/printer/jobs/22) The URI is globally unique.				

PWG Semantic Model

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
KOctets		Integer	0:MAX	D	[rfc2911] §4.3.17.1
The total size of this Document in integral units of 1024 octets. (Was JobKOctets)					
KOctetsProcessed		Integer	0:MAX	S	[rfc2911] §4.3.18.1
the total number of octets processed in integral units of 1024 octets so far. (Was JobKOctetsProcessed)					
LastDocument		Boolean		D	[rfc2911] §3.3.1
Has a 'true' value if this Document is the last Input Document for the Job. Default = 'false'.					
MediaSheets		Integer	0:MAX	D	[rfc2911] §4.3.17.3
The total number of media sheets to be produced for this Document. (ISSUE3q- was JobMediaSheets)					
MediaSheetsCompleted		Integer	0:MAX	S	[rfc2911] §4.3.18.3
The media-sheets completed marking and stacking for this Document so far. (Was JobMediaSheetsCompleted)					
MoreInfo		String	uri	S	[rfc2911] §4.3.4
URI used to obtain information intended for end user consumption about this specific Document. (example: " http://www.company.com/printer/embeddedjobpage "). (Was JobMoreInfo)					
PageOrderReceived		String	Type2 keyword	D	[PWG5100.3] §3.16
Indicates the order of pages in this Document data as supplied with the job. (<i>Keywords: 1-to-n-order, n-to-1-order</i>)					
PrinterUpTime		Integer	1:MAX	S	[rfc2911] §4.3.14.4
The amount of time (in seconds) that the Printer has been up and running. (See Printer element "PrinterUpTime") (Was JobPrinterUpTime)					
SheetsCompletedCopyNumber		Integer	0:MAX	S	job-progrfc338 §4.2
Number of the copy being stacked for this Document.					
TimeAtCreation		Integer	MIN:MAX	S	[rfc2911] §4.3.14.1
The time at which this Document was created in "PrinterUpTime" seconds.					
TimeAtProcessing		Integer	MIN:MAX	S	[rfc2911] §4.3.14.2
The time at which this Document first began processing.					
TimeAtCompleted		Integer	MIN:MAX	S	[rfc2911] §4.3.14.3
The time at which this Document completed.					
WarningCount		Integer	MIN:MAX	S	[PWG5100.4] §6.1

PWG Semantic Model

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	Reference
Description (values)					
The total number of warnings that a Printer has generated while processing and printing the Document. (Was Job WarningCount)					

673

674 **7.4 Printer AttributeElements (Status and Description)**

675 * Group Key: S=Status, D=Description

676 **Table 6 - Printer AttributeElements (Status and Description)**

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	reference
Description (values)					
ColorSupported		boolean		D	[rfc2911] §4.4.26
Indicates if this Printer is capable of any type of color printing at all, including highlight color.					
CompressionSupported	Yes	String	Type3 keyword	D	[rfc2911] §4.4.32
Identifies the set of Compression algorithms for Document content that this Printer supports. (Keywords: none, deflate, gzip, compress)					
DeviceId		String	IEEE_1284	D	See Appendix 11.1
An identifier based on IEEE_1284 to identify the device that the Printer represents. Often used to load an appropriate driver on the client device. (example: “MANUFACTURER:ACME;COMMAND SET:PCL,PJL,PS,XHTML-Print+xml;MODEL:LaserBeam 9;COMMENT:example;ACTIVE COMMAND SET:PCL”)					
DocumentFormatDefault		String	MimeMediaType [rfc2046], [rfc2048]	D	[rfc2911] §4.4.21
The document format (i.e. PDL) that this Printer has been configured to assume if the client does not specify a document format in any of the actions that supply document content for a Job. The value “application/octet-stream” has a special meaning. This value is used to indicate that a Printer is capable of auto-sensing the format of the document. (examples: application/octet-stream, application/postscript, application/vnd.hp-PCL, “text/plain; charset=utf-8”)					
DocumentFormatSupported	YES	String	MimeMediaType	D	[rfc2911] §4.4.22
Identifies both the Document and Image formats supported by this Printer. Specifies the set of Document formats that the Printer supports. (examples: application/octet-stream, application/postscript, application/vnd.hp-PCL, “text/plain; charset=utf-8”). Also specifies the set of Image formats that the Printer supports. (examples: ‘image/jpeg’ which is a registered MIME Media Type with IANA.					
<u>GeneratedNaturalLanguageSupported</u>	<u>YES</u>	<u>String</u>	<u>Natural Language</u>	<u>D</u>	<u>[rfc2911] §4.4.20</u>

PWG Semantic Model

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	reference
Description (values)					
<u>Identifies the natural language(s) that the Printer supports in returned values of messages generated by the Printer, that is, the JobStateMessage, DocumentStateMessage, and PrinterStateMessage elements.</u>					
ImpressionsSupported		RangeOfInteger	0:MAX	D	[rfc2911] §4.4.34
Specifies the upper and lower bounds for the number of impressions allowed per job. (Was JobImpressionsSupported)					
JobCreationAttributeElementsSupported	YES	String	Type2 keyword	D	[prod-print1] §7.1
Identifies the set of Job Processing and Job Description elements (but not member elements) that this Printer will accept in a JobCreation action <u>(Was JobCreationAttributesSupported)</u>					
JobPasswordEncryptionSupported	Yes	String	type3 keyword	D	[prod-print1] §7.3
Identifies which encryption methods this Printer supports as values of the JobPasswordEncryption Job Description element for Secure Print. (Keywords: none, md2, md4, md5, sha)					
JobPasswordSupported		Integer	0:MAX	D	[prod-print1] §7.2
Indicates the maximum length that this Printer will accept for the unencrypted password which the client will encrypt as the value of the JobPassword Description <u>AttributeElement</u> .					
JobSpoolingSupported		String	type2 keyword	D	[prod-print1] §7.4
Indicates whether or not the Printer spools Jobs before interpreting the document data (RIPing). (Keywords: spool, stream, automatic)					
KOctetsSupported		RangeOfInteger	0:MAX	D	[rfc2911] §4.4.33
Specifies the allowable upper and lower bounds of the total size per Job in integral units of 1024 octets that this Printer will accept. (Was JobKOctetsSupported)					
MaxSaveInfoSupported		Integer	1:MAX	D	[prod-print1] §7.5
Identifies the maximum number of SaveInfo member element collections that this Printer can accept in a job request.					
MediaColDatabase	Yes	Complex		D	[prod-print1] §7.6
Identifies all of the Media supported by this Printer using a collection value for each which identifies the media characteristics. This element is not returned when 'all' is requested. (Includes any of the MediaCol member elements)					
MediaSheetsSupported		RangeOfInteger	0:MAX	D	[rfc2911] §4.4.35
Specifies the upper and lower bounds for the number of media sheets allowed per job by this Printer. (Was JobMediaSheetsSupported)					
MultipleDocumentJobsSupported		boolean		D	[rfc2911] §4.4.16

PWG Semantic Model

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	reference
Description (values)					
	Indicates whether this Printer supports more than one Document per job, i.e., more than one SendDocument and/or SendUri request per job. A multi-Document per job Printer must implement this element and have a value of 'true'. A single Document per job Printer may either not support this element or support it with a value of 'false'.				
MultipleOperationTimeout		Integer	1:MAX	D	[rfc2911] §4.4.31
	Identifies the minimum time (in seconds) that this multi-Document per job Printer will wait between actions on an open job before timeing timing out. The actions can add Document to the open Job or close the Job. Timeouts are handled in an implementation specific manner. Multi-Document per job Printers must implement this element. The recommended value is greater than 60 and less than 240.				
<u>NaturalLanguageConfigured</u>		<u>String</u>	<u>Natural language</u>	<u>D</u>	<u>[rfc2911] §4.4.19</u>
	<u>Indicates the natural language of the elements with string syntax that were set by the Administrator or Manufacturer.</u>				
OperationsSupported	Yes	String	type2 keyword	D	[rfc2911] §4.4.15
	The set of supported actions for the Printer and Job. (Keywords: PrintJob, PrintUri, CreateJob, SendDocument, SendURI, ValidateJob, ValidateDocument, CancelJob, HoldJob, ReleaseJob, RestartJob, SetJob AttributeElements , SetDocument AttributeElement s, CancelDocument, DeleteDocument, GetJobs, GetPrinter AttributeElements , GetJob AttributeElements , GetDocuments, GetDocument AttributeElement s, GetPrinterSupportedValues, PausePrinter, ResumePrinter, PurgeJobs, DisablePrinter, EnablePrinter, SetPrinter AttributeElements).				
PagesPerMinute		Integer	0:MAX	D	[rfc2911] §4.4.36
	Specifies the nominal number of pages per minute which may be generated by this Printer.				
PagesPerMinuteColor		Integer	0:MAX	D	[rfc2911] §4.4.37
	Specifies the nominal number of pages per minute which may be generated by this Printer when printing color.				
<u>ParentPrintersSupported</u>	<u>Yes</u>	<u>String</u>	<u>Uri</u>	<u>D</u>	<u>[admin-ops] §7.2</u>
	<u>Contains the URI of the non-leaf Printer for which this Printer is the immediate subordinate.</u>				
PdloverrideSupported		String	type2 keyword	D	[rfc2911] §4.4.28
	Expresses the ability of this Printer to (1) guaranteed, (2) attempt to, or (3) not attempt to override a Document's processing instructions with Job Processing AttributeElements . (Keywords: <i>attempted</i> , <u>guaranteed</u> , <i>not-attempted</i>)				
PrinterCurrentTime		String	DateTime [rfc1123]	S	[rfc2911] §4.4.30
	Indicates the current date and time. (example: Fri, 03 May 2002 08:49:37 GMT)				
PrinterDetailedStatusMessages	Yes	String	Maxlength=1023	S	[prod-print2] §7.7

PWG Semantic Model

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	reference
Description (values)					
Specifies additional detailed and technical information about this Printer for the technical staff.					
PrinterDriverInstaller		String	Uri	D	[rfc2911] §4.4.8
Intended for consumption by automata to locate the driver installer for this Printer object. (example: " http://www.company.com/printer/installerProgram ") Note: This element has not been used by any known implementation and is therefore deprecated.					
PrinterInfo		String	Maxlength=127	D	[rfc2911] §4.4.6
Descriptive information about this Printer object.(example: "Out of courtesy for others, please print only small (1-5 page) jobs at this printer")					
PrinterIsAcceptingJobs		Boolean		S	[rfc2911] §4.4.23
Indicates whether this Printer is currently able to accept jobs.					
PrinterLocation		String	Maxlength=127	D	[rfc2911] §4.4.5
Identifies the location of the device that this Printer represents. (Example: <i>Pete's Office</i>)					
PrinterMakeAndModel		String	Maxlength=127	D	[rfc2911] §4.4.9
Identifies the make and model of the device that this Printer object represents. (Example: "Xerox Phaser 7700", "HP LaserJet 1000", "Lexmark Optra Color 45")					
PrinterMessageFromOperator		String	Maxlength=127	D	[rfc2911] §4.4.25
End user information for this Printer. (Example: "printer unavailable until 1pm due to preventive maintenance")					
PrinterMoreInfo		String	uri	D	[rfc2911] §4.4.7
URI used to obtain information intended for end user consumption about this specific Printer. (Example: " http://www.company.com/printer/embeddedwebpage ")					
PrinterMoreInfoManufacturer		String	uri	D	[rfc2911] §4.4.10
URI used to obtain more information for end user consumption about this type of device that this Printer represents. (Example: " http://www.xerox.com/go/xrx/template/012.jsp?Xcntry=USA&Xlang=en_US&prodID=7700 ", " http://www.lexmark.com/US/products/overview/0,1224,MjQ5fDE=,00.html ")					
PrinterName		String	Maxlength=127	D	[rfc2911] §4.4.4
The end-user friendly name of this Printer object. (example: "Pete's Printer")					
PrinterState		String	type1 keyword	S	[rfc2911] §4.4.11
Identifies the current state of the device(s) that this Printer represents (see Figure 4 Figure 4 section 0). (See "PrinterStateReasons" below) (Keywords: <i>idle, processing, stopped</i>)					
PrinterStateMessage		String	Maxlength=1023	S	[rfc2911] §4.4.13

PWG Semantic Model

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	reference
Description (values)					
Information about the "printer- state" and "printer-state-reasons" elements in human readable text localized by the Printer according to the natural language supplied in the client's query request. (Example: "Printer stopped due to paper jam" for an English request)					
PrinterStateReasons	Yes	String	type2 keyword	S	[rfc2911] §4.4.12
Augments the "printer-state" element to give more detailed information about this Printer's state. Each keyword value may have a suffix to indicate its level of severity. The three suffixes (levels) are: "Report" (least severe), "Warning", and "Error" (most severe). Keywords without suffixes are assumed to be "Error" (most severe). See reference f for semantics of defined keywords. (Keywords: other, none, connecting-to-device, cover-open, deactivated, developer-empty, developer-low, door-open, fuser-over-temp, fuser-under-temp, hold-new-jobs, input-tray-missing, interlock-open, interpreter-resource-unavailable, marker-supply-empty, marker-supply-low, marker-waste-almost-full, marker-waste-full, media-empty, media-jam, media-low, media-needed, moving-to-paused, opc-life-over, opc-near-eol, output-area-almost-full, output-area-full, output-tray-missing, paused, shutdown, spool-area-full, stopped-partly, stopping, timed-out, toner-empty, toner-low)					
PrinterUpTime		integer	1:MAX	S	[rfc2911] §4.4.29
The amount of time (in seconds) that this Printer has been up and running					
PrinterUriSupported	Yes	String	uri	D	[rfc2911] §4.4.1
Contains at least one URI for this Printer object. The PrinterUriSupported, UriAuthenticationSupported and the UriSecuritySupported are parallel elements. Each of these elements must have the same cardinality. The "i"th value of each of these elements describes the URI for the printer, the authentication mechanism used and the security method used. (Example: <i>ipp://www.company.com/printer</i>)					
QueuedJobCount		integer	0:MAX	S	[rfc2911] §4.4.24
The number of jobs that this Printer has accepted but has not yet completed.					
ReferenceUriSchemesSupported	Yes	String	UriScheme	D	[rfc2911] §4.4.27
Which URI schemes are supported by this Printer to retrieve Document This element must be supported if the Printer is capable of print by reference. (Example: <i>ftp, http</i>)					
SubordinatePrintersSupported	Yes	String	Uri	D	[admin-ops] §7.1
Contains the URI of the immediate subordinate Printers associated with this Printer.					
UriAuthenticationSupported	Yes	String	type2 keyword	D	[rfc2911] §4.4.2
The Client authentication mechanism that this Printer object uses to identify the user. (See PrinterUriSupported for additional information) (Keywords: none, requesting-user-name, basic, digest and certificate)					
UriSecuritySupported	Yes	String	type2 keyword	D	[rfc2911] §4.4.3

PWG Semantic Model

AttributeElement Name	Multivalued	Syntax	Constraint	Group*	reference
Description (values)					
Identifies the security mechanisms used for accessing this Printer object. (See PrinterUriSupported for additiona <u>additional</u> information) (<i>Keywords: none, ssl3, tls</i>)					
VersionsSupported	Yes	String	type2 keyword	D	[rfc2911] §4.4.14
The versions of the semantics that this Printer supports. (<i>Keywords: 1.0, 1.1, etc. </i>).					
WhichJobsSupported	Yes	String	type2 keyword	D	[prod-print2] §7.8
Contains the set of values that this Printer supports for the WhichJobs operation element that the client may supply in the Get-Jobs operation as a job filter. (<i>Keywords: <u>aborted</u>, <u>all</u>, <u>canceled</u>, <u>completed</u>, <u>not-completed</u>, <u>pending</u>, <u>pending-held</u>, <u>processing</u>, <u>processing-stopped</u>; canceled, aborted, all</i>)					

677

678 8 Status Strings

679 This Appendix lists the status strings that the Printer returns in each action response.

680 **Table 7 Status strings indicating some degree of success**

Status String	Actions where status may occur
<u>Reference</u>	Description of status
successful-ok	Any
<u>Rfc2911</u>	Action succeeded and no requested element were substituted or ignored.
successful-ok-conflicting-attributes	PrintJob, PrintUri, <u>CreateJob</u> Create , SendDocument, SendUri
	Action succeeded but some elements were conflicting and have been substituted or ignored.
successful-ok-ignored-or-substituted-attributes	PrintJob, PrintUri, <u>CreateJob</u> Create , SendDocument, SendUri
	Action succeeded but some unsupported elements were ignored or substituted.

681

682

Status String	Actions where status may occur
	Description of status
The following status strings are returned when the Printer rejects the action indicating some error on the part of the Client:	
client-error-bad-request	Any
	malformed syntax or constraint exceeded.
client-error-forbidden	Any
	The Printer understood the request, but is refusing to fulfill it for authentication and/or authorization reasons. The client should not try again even with credentials.

PWG Semantic Model

Status String	Actions where status may occur
Description of status	
client-error-not-authenticated	Any
	The request requires user authentication. The client may try again with suitable authentication.
client-error-not-authorized	Any
	The requester is not authorized to perform the request. The Client should not try again.
client-error-not-possible	
	The action cannot be performed, because of the state of the target object.
client-error-timeout	
	The client did not produce a subsequent request within the time that the Printer was prepared to wait.
client-error-not-found	
	The target object was not found.
client-error-gone	
	The target object is no longer available.
client-error-request-entity-too-large	
	The request and/or the Document Content is too large.
client-error-request-value-too-long	
	An element value in the request is longer than the Printer supports.
client-error-document-format-not-supported	
	The document format is not supported.
client-error-attributes-or-values-not-supported	
	An element and/or value is not supported and must be in order to carry out the request. The Printer must return the unsupported elements or values in the Unsupported AttributeElements group.
client-error-uri-scheme-not-supported	
	The URI scheme is not supported.
client-error-charset-not-supported	
	The charset is not supported.
client-error-conflicting-attributes	
	Some supplied elements are conflicting. The Printer must return them in the Unsupported AttributeElements group.
client-error-compression-not-supported	
	The compression of the Document Content is not supported.
client-error-compression-error	

PWG Semantic Model

Status String	Actions where status may occur
	Description of status
	An error occurred when uncompressing the Document Content.
client-error-document-format-error	
	An error occurred when interpreting the Document Content.
client-error-document-access-error	
	An error occurred when the Printer attempted to access the Document Content through the URI supplied.
client-error-attributes-not-settable	
	The supplied element(s) are not settable

683

684

685

Status String	Actions where status may occur
Reference	Description of status
The following status strings are returned when the Printer rejects the action indicating some error on the part of the Printer:	
server-error-internal-error	
	An unexpected internal error occurred.
server-error-operation-not-supported	
	The Printer does not support the requested action.
server-error-service-unavailable	
	The Printer is unable to service the request at this time due to overloading or maintenance. The client should try again later as per the “message” Operation element.
server-error-version-not-supported	
	The Printer doesn’t support the requested major version of the protocol and returns the closest version that it does support.
server-error-device-error	
	The Printer encountered a device error that causes it to be unable to accept a new request. For example, a paper jam for a Printer that doesn’t spool and so cannot accept a new job submission until the jam is fixed.
server-error-temporary-error	
	A temporary error such as a buffer full write error, a memory overflow, or a disk full condition.
server-error-not-accepting-jobs	
	The Printer is not currently accepting jobs. Its “PrinterIsAcceptingJobs” Printer Description element is ‘false’.
server-error-busy	

PWG Semantic Model

Status String	Actions where status may occur
Reference	Description of status
	A temporary error indicating that the Printer is too busy processing jobs and/or other requests. A Client should try again later.
server-error-job-canceled	
	The job has been canceled by an operator or aborted by the system. For example, while the Client is transmitting the Document Content to the Printer.
server-error-multiple-document-jobs-not-supported	
	The Printer doesn't support multiple document jobs and the client attempted to supply a second SendDocument or SendUri request. The Printer's "MultipleDocumentJobsSupported" Printer Description element is 'false'.
server-error-printer-is-deactivated	
	The Printer has been deactivated using the Deactivate-Printer operation and is only accepting the Activate-Printer

686

687

688

689 **9 Change Log**

690 5/16/02 PJZ original draft
 691 5/23/02 TH re-organize draft with comments from Melinda Grant
 692 5/26/02 TH detailed review of the draft
 693 5/29/02 PJZ Incorporated comments prior to initial release
 694 6/4/02 SAA Modified to split the Job Attributes into 3 categories:

- 695 1) Processing Attributes
- 696 2) Content Attributes
- 697 3) Job Attributes

698

699 The Processing Attributes were further split into 3 subcategories:

- 700 1) Rendering attributes
- 701 2) Imposition Attributes
- 702 3) Finishing Attributes

703 Added attributes from UPnP Print Basic service template: MediaSize, MediaType,
 704 DeviceId attributes.

705 Removed references to Mandatory vs. Optional since a semantic model should not
 706 dictate what is used or not used by the future solutions targeted at specific markets.

PWG Semantic Model

707 For example, UPnP picked specific attributes for the SOHO market and did not need
708 all of the Mandatory IPP attributes.

709 Modified Printer Description Attributes with the following:

- 710 1) Added in DeviceId.
- 711 2) Changed Document* to Content*.
- 712 3) Removed VersionsSupported and OperationsSupported since these are
713 dependent on the interface used in specific solutions.

714 6/17/02 PJZ Added high level description of PWG Action semantics and Printer state
715 transitions. Returned VersionsSupported and OperationsSupported.

716 8/16/02 PJZ Changed Content back to document, Added PWG5100.1, PWG5100.2,
717 PWG5100.3, PWG5100.4, job-progress to model. Filled out document object, added "Job Level"
718 subcategory to Processing attributes

719 9/1/02 PJZ Changes from email input and PWG meeting. Printer/Job/Document
720 Attribute groups broken out into State and Description groups

721 9/9/02 PJZ Final edits to ready document for review. Updated all figures and added
722 highlighting of sections to review.

723 9/16/02 PJZ Added more definitions and document actions. Incorporated the comments
724 from teleconference and TH mail note. Updated references.

725 9/27/02 TNH Version 0.11: Spell checked, corrected some misspelled attribute names,.
726 Finished moving Compression and DocumentFormat from the Processing to the Document
727 Description tables. Improved the attributes descriptions, especially those that are related to other
728 attributes. Added the attributes and values from [prod-print2]. Added several attributes from IPP
729 documents that were missing for some reason. Corrected a number of Maxlength values. Sorted
730 the values of JobStateReasons, DocumentStateReasons, and PrinterStateReasons, so easier to keep
731 track of. Add References: [adm-ops], [prod-print2].

732 9/30/02 PJZ Began conversion of status string section to table. Corrected and updated
733 figures. Removed detailed IPP encoding section. Added globalization section

734 10/07/02 PJZ Updated references. Added JobCoverFront, JobCoverBack, and natural
735 language elements. Reworked section 5.3.5 GetPrinterSettableAttributeValues. Corrected Action
736 table and section.

737 10/14/01 TNH Fixed some Figure caption problems. Instead of deprecating
738 AttributeFidelity, made it work with JobMandatoryAttributes. Added way to specify the member
739 attribute in a collection attribute (Attr.Member). Clarified PagesPerSubset as combining all Input
740 Documents into a single contiguous Input-Pages stream and then subsetting it into Output
741 Documents. Added GeneratedNaturalLanguageSupported from RFC 2911.

PWG Semantic Model

742 [10/28/02 PJZ "XML"ified attributes and object & added IPP mapping information](#)
743 [describing change. Completed adding \[admin-ops\], \[PWG5100.1\]. Rationalized "Pages" and](#)
744 ["PageRanges". Changed "State" groups to "Status" to avoid name collision with "State" elements](#)
745 [\(e.g. "JobState"\)](#)

746

747 **10 References**

748 [adm-ops] Kugler, C, Hastings, T., Lewis, H., "Internet Printing Protocol (IPP): Job and Printer
749 Administrative Operations", [July 17, 2001](#), <[draft-ietf-ipp-ops-set2-03.txt](#) [draft-ietf-ipp-](#)
750 [adm-ops-03.txt](#)>, [July 17, 2001](#).

751 [doc-obj] Hastings, T., and P. Zehler, "Internet Printing Protocol (IPP): Document Object",
752 September 27, 2002, ftp://ftp.pwg.org/pub/pwg/ipp/new_DOC/IPP-Document-Object.pdf,
753 work in progress to become IEEE-ISTO 5100.5-2001.

754 ~~[job-prog]"Internet Printing Protocol (IPP): Job Progress Attributes", July 17, 2001, Hastings, T.,~~
755 ~~Lewis, H., and R. Bergman, <draft-ietf-ipp-job-prog-03.txt> work in progress.~~

756 [ntfy] "Internet Printing Protocol/1.1: Event Notifications and Subscriptions", November 19, 2001,
757 Herriot, R., Hastings, T., Shepherd, M., deBry, R., Isaacson, S., Martin, J., and R.
758 Bergman, <draft-ietf-ipp-not-spec-08.txt>.

759 ~~[ops-set2]"Internet Printing Protocol (IPP): Job and Printer Administrative Operations", July 17,~~
760 ~~2001, Kugler, C, Hastings, T., Lewis, H., <draft-ietf-ipp-ops-set2-03.txt>.~~

761 [prod-print2] Hastings, T., and D. Fullman, "Internet Printing Protocol (IPP): Production Printing
762 Attributes - Set 2", to become a PWG IEEE-ISTO standard, work in progress, August 21,
763 2002, [ftp://ftp.pwg.org/pub/pwg/ipp/new_PPE/pwg-ipp-prod-print-set2-draft-v0_1-](ftp://ftp.pwg.org/pub/pwg/ipp/new_PPE/pwg-ipp-prod-print-set2-draft-v0_1-020821.pdf)
764 [020821.pdf](#).

765 [PWG5100.1] IEEE-ISTO 5100.1-2001, "Internet Printing Protocol (IPP): "finishings" attribute
766 values extension", Hastings, T., and D. Fullman, February 5, 2001,
767 <ftp://ftp.pwg.org/pub/pwg/standards/pwg5100.1.pdf>

768 [PWG5100.2] IEEE-ISTO 5100.2-2001, "Internet Printing Protocol (IPP): output-bin attribute
769 extension", February 7, 2001, Hastings, T., and R. Bergman,
770 <ftp://ftp.pwg.org/pub/pwg/standards/pwg5100.2.pdf>

771 [PWG5100.3] IEEE-ISTO 5100.3-2001, "Internet Printing Protocol (IPP): Production Printing
772 Attributes - Set1", February 12, 2001, Ocke, K., Hastings, T.,
773 <ftp://ftp.pwg.org/pub/pwg/standards/pwg5100.3.pdf>

774 [PWG5100.4] IEEE-ISTO 5100.4-2001, "Internet Printing Protocol (IPP): Override Attributes for
775 Documents and Pages", February 7, 2001, Herriot, R., Ocke, K.,
776 <ftp://ftp.pwg.org/pub/pwg/standards/pwg5100.4.pdf>

PWG Semantic Model

- 777 [PWG5101.1] IEEE-ISTO 5101.1-2001 Media Standardized Names <work in progress>,
778 <ftp://ftp.pwg.org/pub/pwg/standards/pwg5101.1.pdf> , .doc, .rtf for standardized names
- 779 [rfc1123] RFC 1123 " Requirements for Internet Hosts -- Application and Support ", October 1989,
780 Branden, R. , <ftp://ftp.rfc-editor.org/in-notes/rfc1123.txt>
- 781 [rfc2046] RFC 2046 "Multipurpose Internet Mail Extensions (MIME) Part Two: Media Types",
782 November 1996, Freed, N. and N. Borenstein, <ftp://ftp.rfc-editor.org/in-notes/rfc2046.txt>
- 783 [rfc2048] RFC 2048 "Multipurpose Internet Mail Extension (MIME) Part Four: Registration
784 Procedures", November 1996, Freed, N., Klensin, J. and J. Postel, [ftp://ftp.rfc-editor.org/in-](ftp://ftp.rfc-editor.org/in-notes/rfc2048.txt)
785 [notes/rfc2048.txt](ftp://ftp.rfc-editor.org/in-notes/rfc2048.txt)
- 786 [rfc2911] RFC 2566 "Internet Printing Protocol/1.0 Model and Semantics", March 1999 and RFC
787 2911 "Internet Printing Protocol/1.1 Model and Semantics", September 2000, T. Hastings,
788 R. Herriot, R. Debry, S. Isaacson, P. Powell, <ftp://ftp.rfc-editor.org/in-notes/rfc2911.txt>
- 789 [\[rfc3380\] "Internet Printing Protocol \(IPP\): Job and Printer Set Operations", September 2002,](ftp://ftp.rfc-editor.org/in-notes/rfc3380.txt)
790 [Hastings, T., Herriot, R., Kugler, C., and H. Lewis, ftp://ftp.rfc-editor.org/in-](ftp://ftp.rfc-editor.org/in-notes/rfc3380.txt)
791 [notes/rfc3380.txt](ftp://ftp.rfc-editor.org/in-notes/rfc3380.txt)
- 792 [\[rfc3381\]"Internet Printing Protocol \(IPP\): Job Progress Attributes", September 2002, Hastings, T.,](ftp://ftp.rfc-editor.org/in-notes/rfc3381.txt)
793 [Lewis, H., and R. Bergman, ftp://ftp.rfc-editor.org/in-notes/rfc3381.txt](ftp://ftp.rfc-editor.org/in-notes/rfc3381.txt)
- 794 ~~[set-ops] Hastings, T., Herriot, R., Kugler, C., and H. Lewis, "Internet Printing Protocol (IPP): Job~~
795 ~~and Printer Set Operations", <draft-ietf-ipp-job-printer-set-ops-05.txt>, work in progress,~~
796 ~~August 28, 2001.~~

Author's Addresses

797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817

Peter Zehler
Xerox Corporation
800 Phillips Road
Webster, NY 14580

Phone: 585 265-8755
Fax: 585-265-8871
e-mail: pzehler@crt.xerox.com

PWG Semantic Model Web Page: <http://www.pwg.org/sm/>
PWG Semantic Model Mailing List: sm@pwg.org

To subscribe to the sm mailing list, send the following email:
1) send it to majordomo@pwg.org
2) leave the subject line blank
3) put the following two lines in the message body:
subscribe sm
end

PWG Semantic Model

818 Implementers of this specification document are encouraged to join IPP Mailing List in order to
819 participate in any discussions of clarification issues and review of registration proposals for
820 additional attributes and values.

821

822 Other Participants:

Alan Berkema – HP
–Don Fullman - Xerox
David Hall - HP
Harry Lewis - IBM
Gail Songer - Netreon
William Wagner - NetSilicon/DPI

Lee Farrell - Canon Information Systems
Melinda Grant - HP
Tom Hastings - Xerox
–Ira Mcdonald – High North
Bob Taylor - HP

823

824 **11 Appendix A – UPnP Definitions**

825 **11.1 DeviceID**

826 The value of this variable MUST exactly match the IEEE 1284-2000 Device ID string, except the
827 length field MUST not be specified.. The value is assigned by the Printer vendor and MUST NOT
828 be localized by the Print Service.

829 The IEEE 1284-2000 Device ID is a length field followed by a case-sensitive string of ASCII
830 characters defining peripheral characteristics and/or capabilities. For the purposes of this
831 specification, the length bytes MUST NOT be included. The Device ID sequence is composed of a
832 series of keys and values of the form:

833 key: value {,value} repeated for each key

834 As indicated, each key will have one value, and MAY have more than one value. The minimum
835 necessary keys (case-sensitive) are MANUFACTURER, COMMAND SET, and MODEL. (These
836 keys MAY be abbreviated as MFG, CMD, and MDL respectively.) Each implementation MUST
837 supply these three keys and possibly additional ones as well. Each key (and each value) is a string
838 of characters. Any characters except colon (:), comma (,), and semi-colon (;) MAY be included as
839 part of the key (or value) string. Any leading or trailing white space (SPACE[x'20'], TAB[x'09'],
840 VTAB[x'0B'], CR[x'0D'], NL[x'0A'], or FF[x'0C']) in the string is ignored by the parsing program
841 (but is still counted as part of the overall length of the sequence).

842 An example ID String, showing optional comment and active command set keys and their
843 associated values (the text is actually all on one line):

844

```
845 MANUFACTURER:ACME Manufacturing;  
846 COMMAND SET:PCL,PJL,PS,XHTML-Print+xml;  
847 MODEL:LaserBeam 9;  
848 COMMENT:Anything you like;  
849 ACTIVE COMMAND SET:PCL;
```

850

851 (See IEEE 1284-2000 clause 7.6)

852 Note: One of the purposes of the DeviceId variable is to select a printer driver for those clients that
853 need a printer driver. The values of the COMMAND SET key are interpreted by the printer driver
854 provided by the vendor and so are vendor-defined, rather than being standardized.

855 **12 Appendix B – IPP Mapping**

856 **12.1 Changes to remove some IPP specific aspects**

857 This section lists some changes to remove some IPP specific aspects from the PWG Semantic
858 Model.

- 859 1. IPP enumerations use their well-known string name instead of the integer enumeration.
860 This applies not only to IPP attributes but also to IPP Operations.
- 861 2. Any attribute name containing “ipp” has had the “ipp” removed.
- 862 3. All attribute and operation keywords have the substring “attribute” replaced with “element”.
- 863 4. All operation and attribute keyword names have had the first letter capitalized and the ‘-’
864 character removed and the character following the ‘-’ has been capitalized. (All mixed case
865 PWG Semantic Model keywords can be interpreted without regard to case.)
- 866 5. The attribute value keywords defined remain unchanged and are all lower case, except for
867 the ones that specify other attributes names (which are changed to be the mixed case
868 without hyphens).
- 869 6. The types of the attributes have been simplified. All keyword, text, name, DateTime, uri,
870 UriScheme, enum and mimeType types are represented by the simple string type.
- 871 7. The “1setOf X” types are represented as the base type and the “Multivalued” field in the
872 tables set to “Yes”. Integers and Boolean types remain the same. Any applicable
873 constraints placed on the attribute values has been noted in the tables.

874 The term “keyword” continues to be used for string values enumerated as part of the PWG Model.
875 The term “object” is sometimes changed to “data class”. The term “operation” has been changed to
876 “action” to use the term more frequently used with XML.

877 The following IPP attributes are not included: operation-id, attributes-charset, , page-overrides,
878 request-id, version-number

879 **12.2 Attribute Group Mapping**

880 IPP Actions may contain a number of parameters. The first parameter is always the Operation
881 Attributes for the Action. The IPP Operation Attributes have been mapped to the Printer and Job
882 Description Element Groups.

883 The IPP Printer Description Attributes map to the PWG Printer State Status Elements and Printer
884 Description Elements. The IPP Job Description Attributes map to the PWG Job State Status
885 Elements and Job Description Elements.

PWG Semantic Model

886 The IPP Job Template Attributes map to the PWG Job Processing Elements and Document
887 Processing Elements. IPP does not differentiate between the PWG Processing Elements subgroups
888 of Rendering, Imposition and Finishing Elements.

889