IDS WG Face-to-Face Minutes April 27, 2012

Meeting was called to order at approximately 2:30pm local April 27, 2012.

Attendees

Danny Brennan (GTS)

Nancy Chen (Oki Data)

Daniel Dressler (OpenPrinting - call-in)

Haisong Gu (Konica Minolta)

Justin Hutchings (Microsoft - call in)

Till Kamppeter (Canonical/OpenPrinting)

Shane Lin (Monotype)

Ira McDonald (High North/Samsung)

Peter Mikalac (Shinesoft)

Joe Murdoch (Sharp)

Naruhiko Ogasawara (Independent)

Glen Petrie (Epson)

Brian Smithson (Ricoh)

Michael Sweet (Apple)

Anil Thakkar (Thinxstream)

Jerry Thrasher (Lexmark)

Randy Turner (Amalfi)

Paul Tykodi (TCS - call-in)

Larry Upthegrove (End-user)

Bill Wagner (TIC)

Jay Wang (Toshiba)

Tim Waugh (Red Hat - call-in)

Rick Yardumian (Canon)

Agenda Items

- 1. IP Policy and Minute Taker
 - a. Policy accepted with Mike taking the minutes
- 2. Slides
 - a. ftp://ftp.pwg.org/pub/pwg/ids/Presentation/2012-04-27_IDS_F2F.pdf
 - b.
- 3. IDS Attributes
 - a. ftp://ftp.pwg.org/pub/pwg/ids/wd/wd-idsattributes10-20120420-rev.pdf
 - b. Fix copyrights in footers
 - c. Section 2.1: Copy new text from JPS3
 - d. Section 2.2:
 - Sort terms
 - Capitalize terms (e.g. Device administrator, etc.)
 - Update title "Imaging and Security Terminology" or something like that
 - e. Section 4.1:
 - Think about adding a statement about attribute grouping, e.g. FirmwareXxx, WRT multiple values
 - Work on boilerplate text for multiple values of FirmwareXxx, ResidentApplicationXxx, etc.
 - Should make groupings require common ordering (ith value this and ith value that)

- Instances instead of values
- Action: Ira to work on boilerplate text for multi-valued attributes in IDS Attributes
- f. Section 11:
 - Lee = blank
 - Rick = blank
 - Ron = Samsung
 - Harry = Ricoh
 - Peter = blank
 - Sameer = blank
 - Move under authors
- g. Section 12:
 - Add Joe as author
 - Authors' (apostrophy)
- 4. NAP SOH Binding Spec
 - a. ftp://ftp.pwg.org/pub/pwg/ids/wd/wd-ids-napsoh10-20120420-rev.pdf
 - b. Fix headers to include document abbreviation
 - c. Section 5.1.2.1: Fix hex version of 102
 - d. Global: Check all TLV subtypes so that hex and decimal match
 - e. Section 11: "Authors" (apostrophe at end), fix contributors (wrong company)
 - f. Q: Do we put this spec to sleep since MS is implementing TNC/NEA?
 - A: Yes, but hold for potential publication as an informational document in the future in conjunction with the TNC binding
- 5. Common Log Format
 - a. ftp://ftp.pwg.org/pub/pwg/ids/wd/wd-ids-log10-20111219-rev.pdf
 - b. Heading: Fix title in heading
 - c. Title: PWG Common Log Format (PWG-LOG)
 - d. Section 1: Fix title of reference to 3995
 - e. Section 2.1: Update to new stuff
 - f. Section 2.2:
 - FQDN: The Fully Qualified Domain Name
 - Imaging Device: ", or a projector...", "multifunction" (no hyphen)
 - Import Service and Job definitions from MFD Model
 - g. Section 3.2.1:
 - US HIPAA with informative reference
 - h. Global: PWG Common Log Format (throughout)
 - i. Section 4.1:
 - Convert list of PRI values to list
 - j. Section 4.1.1:
 - Add subsection number of printer-state-reasons in RFC 2911
 - k. Section 4.4:
 - Remove TODO, don't need not stinkin' scan messages
 - I. Section 5.1.1 Event:
 - "were originally defined by ..."
 - "The <service> names ..." and add reference to MFD Model
 - Line 358: "<service>Stopped; the service..." (not server)
 - "Additional Event names come from the IANA..."
 - m. Section 5.1.4: Status
 - Add section number in 2911
 - n. Section 5.1.7 UserRoll
 - Sync with IDS Model
 - Provide informative reference to current draft of IDS Model
 - "For example:"
 - Section 5.1.8 UserUUID
 - Rename to UserURI

- Add text from JPS3 for requesting-user-uri
- p. Section 5.2.2 <service>State
 - Add section reference in MFD Model
- a. Section 5.2.5 <service>UUID
 - Update with text from JPS3 for printer-uuid
- r. Section 5.3.1 JobID
 - Add 2911 reference with section
- s. Section 5.3.2 JobUUID
 - Update with text from JPS3 for job-uuid
- t. Section 5.x:
 - Add 2911 references with sections
 - *Message: Add reminder that message is part of the message section
- u. Section 5.3.11: JobAccountingUserUUID
 - Change to JobAccountingUserURI
 - Update with text from JPS3 requesting-user-uri
- v. Section 6:
 - Line 473, 475: "and any modification" -> "or any modification"
- w. Section 7:
 - Line 482: Add PWG in front of "Common Log Format"
 - Add RFC 3629 for UTF-8
- x. Section 8:
 - Line 505: "Note that this of a BOM"
- y. RFC3629 -> STD63
- z. Make UNICODE and ISO10646 informative, and update the UNICODE reference to 6.0
- a. Section 9: Drop "In general" and "reasonable", "and when in transit from the device"
- b. Section 11:
 - Add "and the members of the IDS working group"
- c. Q: Add DeviceUUID
 - A: Yes, DeviceUUID (DUU)
- d. Q: Add <service>GeoLocation?
 - A: No, just let config change events and message text handle this
- e. Action: Mike to send prototype experience for PWG Common Log Format
- f. Post as prototype draft
- 6. IDS Model
 - a. ftp://ftp.pwg.org/pub/pwg/ids/wd/wd-ids-model10-20120425-rev.pdf
 - b. Section 2.1: Update with latest template text
 - c. Section 3.2.x:
 - Update titles, e.g. "Find a Secure Imaging Device"
 - Add Randy's use cases
 - Simplify and merge as needed
 - Move anything that says "requires" to design requirements
 - d. Section 3.2.4
 - Line 431: "printetr" spelled wrong
 - Separate PIN printing into a separate use case
 - Further simplify
 - e. Section 3.2.6:
 - Pull out requirements
 - f. Section 3.2.7:
 - Line 468: "identify all the people"
 - Line 470: "automatuically"
 - Pull out requirements
 - g. Global: MFD, MFP -> Imaging Device
 - h. Global: Scan for terminology/acronyms/abbreviations, add to terminology

i. Section 8.1:

- Table 1: Keep references
- Tie-breakers go with P2600
- User, Administrator, Operator -> MFD Model
- Remove Normal User -> make a reference in User definition
- Add Local User
- Job Owner -> Owner, examples of jobs, subscriptions, device, service
- Drop Job Administrator
- No spaces in names (keywords)

Next Steps / Open Actions

- Next conference call May 17, 2012
- Action: Ira to work on boilerplate text for multi-valued attributes in IDS Attributes
- Action: Mike to send prototype experience for PWG Common Log Format