

1 INTERNET-DRAFT
2 <draft-ietf-ipp-not-spec-06.txt>
3 [Target Category: standards track]
4

R. Herriot (editor)
Xerox Corporation
T. Hastings
Xerox Corporation
R. deBry
Utah Valley State College
S. Isaacson
Novell, Inc.
J. Martin
Underscore
M. Shepherd
Xerox Corporation
R. Bergman
Hitachi Koki Imaging Solutions
January 24, 2000

16 Internet Printing Protocol (IPP):
17 **IPP Event Notification Specification**
18

19 Copyright (C) The Internet Society (2001). All Rights Reserved.

20 Status of this Memo

21 This document is an Internet-Draft and is in full conformance with all provisions of Section 10 of [RFC2026].
22 Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its
23 working groups. Note that other groups may also distribute working documents as Internet-Drafts.

24 Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or
25 obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or
26 to cite them other than as “work in progress”.

27 The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/1id-abstracts.txt>

28 The list of Internet-Draft Shadow Directories can be accessed as <http://www.ietf.org/shadow.html>.

29 **Abstract**

30 This document describes an extension to the IPP/1.0, IPP/1.1, and future versions. This extension allows a
31 client to subscribe to printing related Events. Subscriptions are modeled as *Subscription Objects*. The
32 Subscription Object specifies that when one of the specified *Event* occurs, the Printer sends an asynchronous
33 *Event Notification* to the specified *Notification Recipient* via the specified *Delivery Method* (i.e.,
34 protocol). A client associates Subscription Objects with a particular Job by performing the Create-Job-
35 Subscriptions operation or by submitting a Job with subscription information. A client associates Subscription
36 Objects with the Printer by performing a Create-Printer-Subscriptions operation. Four other operations are

37 defined for Subscription Objects: Get-Subscriptions-Attributes, Get-Subscriptions, Renew-Subscription, and
38 Cancel-Subscription.
39

39

40 The basic set of IPP documents includes:

41 Design Goals for an Internet Printing Protocol [RFC2567]

42 Rationale for the Structure and Model and Protocol for the Internet Printing Protocol [RFC2568]

43 Internet Printing Protocol/1.1: Model and Semantics [RFC2911]

44 Internet Printing Protocol/1.1: Encoding and Transport [RFC2910]

45 Internet Printing Protocol/1.1: Implementer's Guide [IPP-IIG]

46 Mapping between LPD and IPP Protocols [RFC2569]

47

48 The "Design Goals for an Internet Printing Protocol" document takes a broad look at distributed printing
49 functionality, and it enumerates real-life scenarios that help to clarify the features that need to be included in a
50 printing protocol for the Internet. It identifies requirements for three types of users: end users, Operators, and
51 Administrators. It calls out a subset of end user requirements that are satisfied in IPP/1.0. Operator and
52 Administrator requirements are out of scope for version 1.0. A few OPTIONAL Operator operations have
53 been added to IPP/1.1.

54 The "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol" document
55 describes IPP from a high level view, defines a roadmap for the various documents that form the suite of IPP
56 specifications, and gives background and rationale for the IETF working group's major decisions.

57 The "Internet Printing Protocol/1.1: Model and Semantics", describes a simplified model with abstract objects,
58 their attributes, and their operations that are independent of encoding and transport. It introduces a Printer
59 object and a Job object. The Job object optionally supports multiple documents per Job. It also addresses
60 security, internationalization, and directory issues.

61 The "Internet Printing Protocol/1.1: Encoding and Transport" document is a formal mapping of the abstract
62 operations and attributes defined in the model document onto HTTP/1.1. It defines the encoding rules for a
63 new Internet MIME media type called "application/ipp". This document also defines the rules for transporting
64 over HTTP a message body whose Content-Type is "application/ipp". This document defines a new scheme
65 named 'ipp' for identifying IPP printers and jobs. Finally, this document defines interoperability rules for
66 supporting IPP/1.0 clients.

67 The "Internet Printing Protocol/1.1: Implementer's Guide" document gives insight and advice to implementers
68 of IPP clients and IPP objects. It is intended to help them understand IPP/1.0 and some of the considerations
69 that may assist them in the design of their client and/or IPP object implementations. For example, a typical
70 order of processing requests is given, including error checking. Motivation for some of the specification
71 decisions is also included.

72 The "Mapping between LPD and IPP Protocols" document gives some advice to implementers of gateways
73 between IPP and LPD (Line Printer Daemon) implementations.

74

74 **Table of Contents**

75	1	Introduction.....	8
76	1.1	Notification Overview	8
77	2	Models for Notification.....	10
78	2.1	Model for Notification (Simple Case).....	10
79	2.2	Model for Notification with Cascading Printers	11
80	2.3	Distributed Model for Notification.....	11
81	2.4	Extended Notification Recipient.....	11
82	3	Terminology	11
83	3.1	Conformance Terminology	12
84	3.2	Other Terminology.....	12
85	4	Object Relationships.....	14
86	4.1	Printer and Per-Printer Subscription Objects	14
87	4.2	Printer, Job and Per-Job Subscription Objects	14
88	5	Subscription Object.....	14
89	5.1	Rules for Support of Subscription Template Attributes	15
90	5.2	Rules for Processing Subscription Template Attributes	16
91	5.3	Subscription Template Attributes.....	19
92	5.3.1	notify-recipient-uri (uri)	19
93	5.3.2	notify-events (1setOf type2 keyword)	20
94	5.3.2.1	Standard Values for Subscribed Events	20
95	5.3.2.1.1	No Events	21
96	5.3.2.1.2	Subscribed Printer Events	21
97	5.3.2.1.3	Subscribed Job Events.....	22
98	5.3.2.2	Rules for Matching of Subscribed Events.....	23
99	5.3.2.2.1	Rules for Matching of Printer Events.....	23
100	5.3.2.2.2	Rules for Matching of Job Events	23
101	5.3.2.2.3	Special Cases for Matching Rules.....	24
102	5.3.3	notify-attributes (1setOf type2 keyword)	25
103	5.3.4	notify-user-data (octetString(63)).....	26
104	5.3.5	notify-charset (charset).....	26
105	5.3.6	notify-natural-language (naturalLanguage).....	26
106	5.3.7	notify-lease-duration (integer(0:67108863)).....	27
107	5.3.8	notify-time-interval (integer(0:MAX))	28
108	5.4	Subscription Description Attributes.....	29
109	5.4.1	notify-subscription-id (integer (1:MAX)).....	29
110	5.4.2	notify-sequence-number (integer (0:MAX)).....	29
111	5.4.3	notify-lease-expiration-time (integer(0:MAX))	30
112	5.4.4	notify-printer-up-time (integer(1:MAX)).....	31
113	5.4.5	notify-printer-uri (uri)	31
114	5.4.6	notify-job-id (integer(1:MAX)).....	31
115	5.4.7	notify-subscriber-user-name (name(MAX)).....	31
116	6	Printer Description Attributes Related to Notification.....	32
117	6.1	printer-state-change-time (integer(1:MAX)).....	32
118	6.2	printer-state-change-date-time (dateTime).....	32

119	7	New Values for Existing Printer Description Attributes	33
120	7.1	operations-supported (1setOf type2 enum).....	33
121	8	Attributes Only in Event Notifications	33
122	8.1	notify-subscribed-event (type2 keyword)	33
123	8.2	notify-text (text(MAX)).....	34
124	9	Event Notification Content	34
125	9.1	Content of Machine Consumable Event Notifications	35
126	9.1.1	Event Notification Content Common to All Events	36
127	9.1.2	Additional Event Notification Content for Job Events	37
128	9.1.3	Additional Event Notification Content for Printer Events.....	37
129	9.2	Content of Human Consumable Event Notification.....	37
130	9.2.1	Event Notification Content Common to All Events	38
131	9.2.2	Additional Event Notification Content for Job Events	39
132	9.2.3	Additional Event Notification Content for Printer Events.....	40
133	10	Delivery Methods.....	40
134	11	Operations for Notification	42
135	11.1	Subscription Creation Operations	42
136	11.1.1	Create-Job-Subscriptions Operation.....	42
137	11.1.1.1	Create-Job-Subscriptions Request	43
138	11.1.1.2	Create-Job-Subscriptions Response.....	44
139	11.1.2	Create-Printer-Subscriptions operation.....	45
140	11.1.2.1	Create-Printer-Subscriptions Request.....	45
141	11.1.2.2	Create-Printer-Subscriptions Response	45
142	11.1.3	Job Creation Operation – Extensions for Notification.....	45
143	11.1.3.1	Job Creation Request.....	46
144	11.1.3.2	Job Creation Response	46
145	11.2	Other Operations	47
146	11.2.1	Validate-Job Operation - Extensions for Notification	47
147	11.2.2	Get-Printer-Attributes - Extensions for Notification.....	48
148	11.2.3	Get-Subscription-Attributes operation.....	48
149	11.2.3.1	Get-Subscription-Attributes Request	49
150	11.2.3.2	Get-Subscription-Attributes Response.....	50
151	11.2.4	Get-Subscriptions operation.....	50
152	11.2.4.1	Get-Subscriptions Request.....	51
153	11.2.4.2	Get-Subscriptions Response	52
154	11.2.5	Renew-Subscription operation	53
155	11.2.5.1	Renew-Subscription Request	53
156	11.2.5.2	Renew-Subscription Response.....	54
157	11.2.6	Cancel-Subscription operation	55
158	11.2.6.1	Cancel-Subscription Request	55
159	11.2.6.2	Cancel-Subscription Response.....	56
160	12	Conformance Requirements.....	56
161	13	IANA Considerations.....	57
162	13.1	Attribute Registrations	57
163	13.2	Keyword Attribute Value Registrations	58
164	13.3	Operation Registrations	59
165	13.4	Status code Registrations	59
166	13.5	Attribute Group tag Registrations.....	60

167	13.6	Format for Event Notification Delivery Method Registration proposals	60
168	13.7	Format and Requirements for IPP Delivery Method Registration Proposals	60
169	14	Internationalization Considerations	61
170	15	Security Considerations	61
171	16	Status Codes.....	62
172	16.1	successful-ok-ignored-subscriptions (0x0003).....	62
173	16.2	client-error-ignored-all-subscriptions (0x0414).....	62
174	17	Status Codes in Subscription Attributes Groups	62
175	17.1	client-error-uri-scheme-not-supported (0x040C).....	63
176	17.2	client-error-too-many-subscriptions (0x0415)	63
177	17.3	successful-ok-too-many-events (0x0005).....	63
178	17.4	successful-ok-ignored-or-substituted-attributes (0x0001)	63
179	18	Encodings of Additional Attribute Tags	63
180	19	References	64
181	20	Author's Addresses.....	65
182	A.	Appendix - Model for Notification with Cascading Printers	66
183	B.	Appendix - Distributed Model for Notification.....	67
184	C.	Appendix - Extended Notification Recipient.....	68
185	D.	Appendix - Details about Conformance Terminology.....	69
186	E.	Appendix - Object Model for Notification.....	70
187	E.1	Appendix - Object relationships.....	72
188	E.2	Printer Object and Per-Printer Subscription Objects.....	72
189	E.3	Job Object and Per-Job Subscription Objects.....	72
190	F.	Appendix - Per-Job versus Per-Printer Subscription Objects	72
191	G.	Appendix: Full Copyright Statement.....	73
192			
193	Tables		
194		Table 1 – Subscription Template Attributes.....	19
195		Table 2 – Subscription Description Attributes.....	29
196		Table 3 – Printer Description Attributes Associated with Notification.....	32
197		Table 4 – Operation-id assignments	33
198		Table 5 – Attributes in Event Notification Content	36
199		Table 6 – Additional Event Notification Content for Job Events	37
200		Table 7 – Combinations of Events and Subscribed Events for “job-impressions-completed”.....	37
201		Table 8 – Additional Event Notification Content for Printer Events.....	37
202		Table 9 – Printer Name in Event Notification Content	39
203		Table 10 – Event Name in Event Notification Content	39
204		Table 11 – Event Time in Event Notification Content	39
205		Table 12 – Job Name in Event Notification Content	40

206 Table 13 – Job State in Event Notification Content 40
207 Table 14 – Printer State in Event Notification Content 40
208 Table 15 – Information about the Delivery Method..... 41
209 Table 16 – Conformance Requirements for Operations..... 57
210 **Figures**
211 Figure 1 – Model for Notification..... 10
212 Figure 2 – Model for Notification with Cascading Printers 67
213 Figure 3 – Opaque Use of a Notification Service Transparent to the Client..... 68
214 Figure 4 – Use of an Extended Notification Recipient transparent to the Printer 69
215 Figure 5 – Object Model for Notification 71
216
217

217 1 Introduction

218 This IPP notification specification is an extension to IPP/1.0 [RFC2568, RFC2569] and IPP/1.1 [RFC2911,
219 RFC2910]. This document in combination with the following documents is intended to meet the notification
220 requirements described in [ipp-not-req]:

221 Internet Printing Protocol (IPP): “Job Progress Attributes” [ipp-prog]
222 One or more Delivery Method Documents registered with IANA (see section 13).
223

224 Note: this document does not define any Delivery Methods, but it does define the rules for conformance for
225 Delivery Method Documents.

226 Refer to the Table of Contents for the layout of this document.

227 1.1 Notification Overview

228 This document defines operations that a client can perform in order to create *Subscription Objects* in a
229 Printer and carry out other operations on them. A Subscription Object represents a Subscription abstraction.
230 The Subscription Object specifies that when one of the specified *Events* occurs, the Printer sends an
231 asynchronous *Event Notification* to the specified *Notification Recipient* via the specified *Delivery Method*
232 (i.e., protocol).

233 When a client (called a *Subscribing Client*) performs an operation that creates a Subscription Object, the
234 operation contains one or more *Subscription Template Attributes Groups*. Each such group holds
235 information used by the Printer to initialize a newly created Subscription Object. The Printer creates one
236 Subscription Object for each Subscription Template Attributes Group in the operation. This group is like the
237 Job Template Attributes group defined in [RFC2911]. The following is an example of the information included
238 in a Subscription Template Attributes Group (see section 5 for details on the Subscription Object attributes):

- 239 1. The names of Subscribed Events that are of interest to the Notification Recipient.
- 240 2. The address (URL) of one Notification Recipient.
- 241 3. The Delivery Method (i.e., the protocol) which the Printer uses to send the Event Notification.
- 242 4. Some opaque data that the Printer sends to the Notification Recipient in the Event Notification. The
243 Notification Recipient might use this opaque data as a forwarding address for the Event Notification.
- 244 5. The charset to use in text fields within an Event Notification
- 245 6. The natural language to use in the text fields of the Event Notification
- 246 7. The requested lease time in seconds for the Subscription Object

247 An operation that creates a Subscription Object is called a *Subscription Creation Operation*. These
248 operations include the following operations (see section 11.1 for further details):

- 249 • **Job Creation operation:** When a client performs such an operation (Print-Job, Print-URI, and
250 Create-Job), a client can include zero or more Subscription Template Attributes Groups in the
251 request. The Printer creates one Subscription Object for each Subscription Template Attributes
252 Group in the request, and the Printer associates each such Subscription Object with the newly
253 created Job. This document extends these operations' definitions in [RFC2911] by adding
254 Subscription Template Attributes Groups in the request and Subscription Attributes Groups in the
255 response.
- 256 • **Create-Job-Subscriptions operation:** A client can include one or more Subscription Template
257 Attributes Groups in the request. The Printer creates one Subscription Object for each Subscription
258 Template Attributes Group and associates each with the job that is the target of this operation.
- 259 • **Create-Printer-Subscriptions operation:** A client can include one or more Subscription Template
260 Attributes Groups in the request. The Printer creates one Subscription Object for each Subscription
261 Template Attributes Group and associates each with the Printer that is the target of this operation.

262 For each of the above operations:

- 263 • the Printer associates a Subscription Object with the Printer or a specific Job. When a Subscription
264 Object is associated with a Job Object, it is called a *Per-Job Subscription Object*. When a
265 Subscription Object is associated with a Printer Object, it is called a *Per-Printer Subscription*
266 *Object*.
- 267 • the response contains one Subscription Attributes Group for each Subscription Template Attributes
268 Group in the request and in the same order. When the Printer successfully creates a Subscription
269 Object, its corresponding Subscription Attributes Group contains the "notify-subscription-id"
270 attribute. This attribute uniquely identifies the Subscription Object and is analogous to a "job-id" for
271 a Job object. Some operations described below use the "notify-subscription-id" to identify the target
272 Subscription Object.

273 This document defines the following additional operations (see section 11.2 for further details):

- 274 • **Validate-Job operation:** When a client performs this operation, a client can include zero or more
275 Subscription Template Attributes Groups in the request. The Printer determines if it could create one
276 Subscription Object for each Subscription Template Attributes Group in the request. This document
277 extends this operation's definition in [RFC2911] by adding Subscription Template Attributes Groups
278 in the request and Subscription Attributes Groups in the response.
- 279 • **Get-Subscription-Attributes operation:** This operation allows a client to obtain the specified
280 attributes of a target Subscription Object.
- 281 • **Get-Subscriptions operation:** This operation allows a client to obtain the specified attributes of all
282 Subscription Objects associated with the Printer or a specified Job.

318 **2.2 Model for Notification with Cascading Printers**

319 With this model, there is an intervening Print server between the human user and the Printer in the output
320 device. If the Printer in the output device generates an Event, the system can be configured to send Event
321 Notification either

- 322 • directly to the Notification Recipient specified by the Subscribing Client or
- 323 • via the Print Server to the Notification Recipient specified by the Subscribing Client.

324 See Appendix A for more details.

325 **2.3 Distributed Model for Notification**

326 The preceding sections (2.1 and 2.2) assume that the Notification software resides in the same device or
327 Server box as the rest of the Printer software. In many implementations, the assumption is correct. However,
328 the Notification model also permits a distributed implementation.

329 For example, the software that supports both Subscription Creation Operations and sending of Event
330 Notifications could be on hardware that is separate from the output device. To make this work, there must be
331 a symbiotic relationship between the output device software and the remote Notification software. Without the
332 remote Notification software, the output device software is not a complete Printer.

333 The term “Printer” in this document includes the software on the output device or server box as well as
334 Notification software that is local to or remote from the output device.

335 Appendix B describes this example in detail.

336 **2.4 Extended Notification Recipient**

337 The model allows for an extended Notification Recipient that is itself a Notification service that forwards each
338 Event Notification to another recipient. The client contacts this Notification Recipient to arrange for forwarding
339 by means outside the scope of this document. The Printer need not be aware that the Notification Recipient
340 forwards Event Notifications.

341 Appendix C describes this example in detail.

342 **3 Terminology**

343 This section defines terminology used throughout this document. Other terminology is defined in [RFC2911].

344 3.1 Conformance Terminology

345 Capitalized terms, such as **MUST**, **MUST NOT**, **REQUIRED**, **SHOULD**, **SHOULD NOT**, **MAY**,
346 **NEED NOT**, and **OPTIONAL**, have special meaning relating to conformance to this specification. These
347 terms are defined in [RFC2911 section 13.1 on conformance terminology, most of which is taken from RFC
348 2119 [RFC2119]. See Appendix D for complete details.

349 Note: a feature that is **OPTIONAL** in this document becomes **REQUIRED** if the Printer implements a
350 Delivery Method that **REQUIRES** the feature

351 **READ-ONLY** - an adjective used in an attribute definition to indicate that an IPP Printer **MUST NOT** allow
352 the attribute's value to be modified with the Set-Job-Attributes or Set-Printer-Attributes operations (see
353 [ipp-set]). Note: there is no Set-Subscription operation so this term is not used for Subscription object
354 attributes.

355 3.2 Other Terminology

356 **Administrator** - A human user who establishes policy for and configures the print system.

357 **Operator** - A human user who carries out the policy established by the Administrator and controls the day to
358 day running of the print system.

359 **IPP Client (or client)** - The software component (PDA, desktop, or server) that performs an IPP operation
360 directed at an IPP Printer (located in a server or output device).

361 **Job Creation operation** - One of the operations that creates a Job object: Print-Job, Print-URI and Create-
362 Job. The Validate-Job operation is not a Job Creation operation because no Job object is created.
363 Therefore, when a statement also applies to the Validate-Job operation, it is mentioned explicitly.

364 **Event** - some occurrence (either expected or unexpected) within the printing system of a change of state,
365 condition, or configuration of a Job or Printer object. An Event occurs only at one instant in time and
366 does not span the time the physical Event takes place. For example, jam-occurred and jam-cleared are
367 two distinct, instantaneous Events, even though the jam may last for a while.

368 **Job Event** – an Event caused by some change in a particular job on the Printer, e.g., job-completed.

369 **Printer Event** – an Event caused by some change in the Printer that is not specific to a job, e.g., printer-
370 state-changed.

371 **Subscribed Event** – an Event that the Subscribing Client expresses interest in by making it a value of the
372 “notify-events” attribute on a Subscription Object.

373 **Subscribed Job Event** – a Subscribed Event that is a Job Event.

374 **Subscribed Printer Event** – a Subscribed Event that is a Printer Event.

- 375 **Event Notification** - the information about an Event that the Printer sends when an Event occurs.
- 376 **Notification Recipient** - the entity to which the Printer sends an Event Notification.
- 377 **Delivery Method** - the mechanism by which the Printer delivers the Event Notification, e.g., via email or via
378 SNMP.
- 379 **Delivery Method Document** - a document, separate from this document, that defines a Delivery Method.
- 380 **Compound Event Notification** - two or more Event Notifications that a Printer sends together as a single
381 entity. The Delivery Method Document specifies whether the Delivery Method supports Compound
382 Event Notifications.
- 383 **Subscription Object** - An object containing a set of attributes that indicate: the Notification Recipient, the
384 Delivery Method, the Subscribed Events that cause the Printer to send an Event Notification, and the
385 information to send in an Event Notification.
- 386 **Per-Job Subscription Object** - A Subscription Object that is associated with a single Job. The Create-Job-
387 Subscriptions operation and Job Creation operations create such an object.
- 388 **Per-Printer Subscription Object** - A Subscription Object that is associated with the Printer as a whole. The
389 Create-Printer-Subscriptions operation creates such an object.
- 390 **Subscribing Client** - The client that creates the Subscription Object.
- 391 **Subscription Creation Operation** - An operation that creates a Subscription Object: Job Creation
392 operations, Create-Job-Subscriptions operation, and Create-Printer-Subscriptions operation. In the
393 context of a Job Creation operation, a Subscription Creation Operation is the part of the Job Creation
394 operation that creates a Subscription object.
- 395 **Subscription Creation Request** – The request portion of a Subscription Creation Operation.
- 396 **Subscription Template Attributes** – Subscription Object attributes that a client can supply in a
397 Subscription Creation Operation and associated Printer Object attributes that specify supported and
398 default values for the Subscription Object attributes.
- 399 **Subscription Description Attributes** – Subscription Object attributes that a Printer supplies during a
400 Subscription Creation Operation.
- 401 **Subscription Template Attributes Group** – The attributes group in a request that contains Subscription
402 Object attributes that are Subscription Template Attributes.
- 403 **Subscription Attributes Group** – The attributes group in a response that contains Subscription Object
404 attributes.

405 **Human Consumable Event Notification** – localized text for human consumption only. There is no
406 standardized format and thus programs should not try to parse this text.

407 **Machine Consumable Event Notification** - bytes for program consumption. The bytes are formatted
408 according to the Delivery Method document.

409 **Printer** – the software that supports an output device or print server (see IPP/1.1 [RFC2911] which uses the
410 terms Printer and Printer object interchangeably). This document extends the IPP/1.1 Printer definition to
411 include the software that implements Subscription Creation Operations and the sending of Event
412 Notifications, even if the software for such a Printer would be distributed across a network (see section
413 2.3).

414 **Notification** – when not in the phrases ‘Event Notification’ and ‘Notification Recipient’ — the concepts of
415 this specification, i.e., Events, Subscription Objects, and Event Notifications.

416 **4 Object Relationships**

417 This section defines the object relationships between the Printer, Job, and Subscription Objects. It does not
418 define the implementation. For an illustration of these relationships, see Appendix E.

419 **4.1 Printer and Per-Printer Subscription Objects**

- 420 1. A Printer object can be associated with zero or more Per-Printer Subscription Objects.
- 421 2. Each Per-Printer Subscription Object is associated with exactly one Printer object.

422 **4.2 Printer, Job and Per-Job Subscription Objects**

- 423 1. A Printer object is associated with zero or more Job objects.
- 424 2. Each Job object is associated with exactly one Printer object.
- 425 3. A Job object is associated with zero or more Per-Job Subscription Objects.
- 426 4. Each Per-Job Subscription Object is associated with exactly one Job object.

427 **5 Subscription Object**

428 A Subscribing Client creates a Subscription Object with a Subscription Creation Operation in order to
429 indicate its interest in certain Events. See section 11 for a description of these operations. When an Event
430 occurs, the Subscription Object specifies to the Printer where to send Event Notifications, how to send them
431 and what to put in them. See section 9 for details on the contents of an Event Notification.

432 Using the IPP Job Template attributes as a model (see [RFC2911] section 4.2), the attributes of a
433 Subscription Object are divided into two categories: Subscription Template Attributes and Subscription
434 Description Attributes.

435 Subscription Template attributes are, in turn, like the Job Template attributes, divided into

- 436 1. Subscription Object attributes that a client can supply in a Subscription Creation Request and
- 437 2. their associated Printer Object attributes that specify supported and default values for the Subscription
438 Object attributes

439 The remainder of this section specifies general rules for Subscription Template Attributes and describes each
440 attribute in a Subscription Object.

441 **5.1 Rules for Support of Subscription Template Attributes**

442 Subscription Template Attributes are fundamental to the Notification model described in this specification. The
443 client supplies these attributes in Subscription Creation Operations and the Printer uses these attributes to
444 populate a newly created Subscription Object.

445 Subscription Objects attributes that are Subscription Template Attributes conform to the following rules:

- 446 1. Each attribute's name starts with the prefix string "notify-" and this document calls such attributes
447 "notify-xxx".
- 448 2. For each "notify-xxx" Subscription Object attribute defined in column 1 of Table 1 in section 5.3,
449 Table 1 specifies corresponding Printer attributes: "notify-xxx-default", "notify-xxx-supported", "yyy-
450 supported" and "notify-max-xxx-supported" defined in column 2 of Table 1. Note "xxx" stands for the
451 same string in each case and "yyy" stands for some other string.
- 452 3. If a Printer supports "notify-xxx" in column 1 of Table 1, then the Printer MUST support all associated
453 attributes specified in column 2 of Table 1. For example, Table 1 shows that if the Printer supports
454 "notify-events", it MUST support "notify-events-default", "notify-events-supported" and "notify-max-
455 events-supported".
- 456 4. If a Printer does not support "notify-xxx" in column 1 of Table 1, then the Printer MUST NOT support
457 any associated "notify-yyy" attributes specified in column 2 of Table 1. For example, Table 1 shows
458 that if the Printer doesn't support "notify-events", it MUST NOT support "notify-events-default",
459 "notify-events-supported" and "notify-max-events-supported". Note this rule does not apply to
460 attributes whose names do not start with the string "notify-" and are thus defined in another object and
461 used by other attributes.
- 462 5. Most "notify-xxx" attributes have a corresponding "yyy-supported" attribute that specifies the
463 supported values for "notify-xxx". Column 2 of Table 1 specifies the name of each "yyy-supported"

464 attribute. The naming rules of IPP/1.1 (see [RFC2911]) are used when “yyy-supported” is “notify-xxx-
465 supported”.

466 6. Some “notify-xxx” attributes have a corresponding “notify-xxx-default” attribute that specifies the value
467 for “notify-xxx” if the client does not supply it. Column 2 of Table 1 specifies the name of each “notify-
468 xxx-default” attribute. The naming rules of IPP/1.1 (see [RFC2911]) are used.

469 If a client wishes to present an end user with a list of supported values from which to choose, the client
470 SHOULD query the Printer for its supported value attributes. The client SHOULD also query the default
471 value attributes. If the client then limits selectable values to only those values that are supported, the client can
472 guarantee that the values supplied by the client in the create request all fall within the set of supported values at
473 the Printer. When querying the Printer, the client MAY enumerate each attribute by name in the Get-Printer-
474 Attributes Request, or the client MAY just supply the ‘subscription-template’ group name in order to get the
475 complete set of supported attributes (both supported and default attributes).

476 5.2 Rules for Processing Subscription Template Attributes

477 This section defines a detailed set of rules that a Printer follows when it processes Subscription Template
478 Attributes in a Subscription Creation Request. These rules for are similar to the rules for processing Operation
479 attributes in [RFC2911]. That is, the Printer may or may not support an attribute and a client may or may not
480 supply the attribute. Some combinations of these cases are OK. Others return warnings or errors, and
481 perhaps a list of unsupported attributes.

482 A Printer MUST implement the following behavior for processing Subscription Template Attributes in a
483 Subscription Creation Request:

- 484 1. If a client supplies a “notify-xxx” attribute from column 1 of Table 1 and the Printer supports it and its
485 value, the Printer MUST populate the attribute on the created Subscription Object.
- 486 2. If a client supplies a “notify-xxx” attribute from column 1 of Table 1 and the Printer doesn’t support it or
487 its value, the Printer MUST NOT populate the attribute on the created Subscription Object with it. The
488 Printer MUST do one of the following:
 - 489 a) If the value of the “notify-xxx” attribute is unsupported, the Printer MUST return the attribute with its
490 value in the Subscription Attributes Group of the response.
 - 491 b) If “notify-xxx” is an unsupported attribute, the Printer MUST return the attribute in the Subscription
492 Attributes Group of the response with the ‘unsupported’ out-of-band value.

493 Note: The rules of this step are the same as for Unsupported Attributes [RFC2911] section 3.1.7. except
494 that the unsupported attributes are returned in the Subscription Attributes Group rather than the
495 Unsupported Attributes Group because Subscription Creation Operations can create more than one
496 Subscription Object).

- 497 3. If a client is REQUIRED to supply a “notify-xxx” attribute from column 1 of Table 1 and the Printer
498 doesn’t support the supplied value, the Printer MUST NOT create a Subscription Object. The rules for
499 Unsupported Attributes in step #2 still apply.
- 500 4. If a client does not supply a “notify-xxx” attribute from column 1 of Table 1 and the attribute is
501 REQUIRED for the client to supply, the Printer MUST reject the Subscription Creation Operation
502 (including Job Creation operations) without creating a Subscription Object, and MUST return in the
503 response:
- 504 c) the status code ‘client-error-bad-request’ AND
- 505 d) no Subscription Attribute Groups.
- 506 5. If a client does not supply a “notify-xxx” attribute from column 1 of Table 1 that is OPTIONAL for the
507 client to supply, and column 2 of Table 1 either:
- 508 a) specifies a “notify-xxx-default” attribute, the Printer MUST behave as if the client had supplied the
509 “notify-xxx-default” attribute (see step #1) and populate the Subscription object with the value of the
510 “notify-xxx-default” attribute as part of the Subscription Creation operation (unlike Job Template
511 attributes where the Printer does not populate the Job object with defaults - see [RFC2911]) OR
- 512 b) does not specify a “notify-xxx-default” attribute, the Printer MUST populate the “notify-xxx” attribute
513 on the Subscription Object according to the definition of the “notify-xxx” attribute in a section 5.3. For
514 some attributes, the “notify-xxx” is populated with the value of some other attribute, and for others, the
515 “notify-xxx” is NOT populated on the Subscription object at all.
- 516 6. A Printer MUST create a Subscription Object for each Subscription Template Attributes group in a
517 request unless the Printer:
- 518 a) encounters some attributes in a Subscription Template Attributes Group that require the Printer not to
519 create the Subscription Object OR
- 520 b) would create a Per-Job Subscription Object when it doesn’t have space for another Per-Job
521 Subscription Object OR
- 522 c) would create a Per-Printer Subscription Object when it doesn’t have space for another Per-Printer
523 Subscription Object.
- 524 7. A response MUST contain one Subscription Attributes Group for each Subscription Template Attributes
525 Group in the request (and in the same order) whether the Printer creates a Subscription Object from the
526 Subscription Template Attributes Group or not. However, the attributes in each Subscription Attributes
527 Group can be in any order.
- 528 8. The Printer MUST populate each Subscription Attributes Group of the response such that each contains:

- 529 a) the “notify-subscription-id” attribute (see section 0), if and only if the Printer creates a Subscription
530 Object.
- 531 b) the “notify-lease-duration” attribute (see section 5.3.7), if and only if the Printer creates a Per-Printer
532 Subscription Object. The value of this attribute is the value of the Subscription Object’s “notify-lease-
533 duration” attribute. This value MAY be different from the client-supplied value (see section 5.3.7). If a
534 client supplies this attribute in the creation of a Per-Job Subscription Object, it MUST appear in this
535 group with the out-of-band value ‘unsupported’ to indicate that the Printer doesn’t support it in this
536 context.
- 537 c) all of the unsupported Subscription Template Attributes from step #2. Note, they are not returned in
538 the Unsupported Attributes Group in order to separate the unsupported attributes for each
539 Subscription Object.
- 540 d) the “notify-status-code” attribute if the Printer does not create the Subscription Object or if there are
541 unsupported attributes from step #2. The possible values of the “notify-status-code” attribute are
542 shown below (see section 17 for more details). The Printer returns the first value in the list below that
543 describes the status.
- 544 ‘client-error-uri-scheme-not-supported’: the Subscription Object was not created because the
545 scheme of the “notify-recipient-uri” attribute is not supported. See section 17.1 for more
546 details about this status code. See step #3 in this section for the case that causes this error,
547 and the resulting step #6a) that causes the Printer not to create the Subscription Object.
- 548 ‘client-error-too-many-subscriptions’: the Subscription Object was not created because the
549 Printer has no space for additional Subscription Objects. The client SHOULD try again later.
550 See section 17.2 for more details about this status code. See steps #6b) and #6c) in this
551 section for the cases that causes this error.
- 552 ‘successful-ok-too-many-events’: the Subscription Object was created without the “notify-
553 events” values included in this Subscription Attributes Group because the “notify-events”
554 attribute contains too many values. See section 17.3 for more details about this status code.
555 See step #2 in this section and section 5.3.2 for the cases that cause this status code.
- 556 ‘successful-ok-ignored-or-substituted-attributes’: the Subscription Object was created but some
557 supplied Subscription Template Attributes are unsupported. These unsupported attributes are
558 also in the Subscription Attributes Group. See section 17.4 for more details about this status
559 code. See step #2 in this section for the cases that cause this status code.
- 560 9. The Printer MUST validate all Subscription Template Attributes and MUST return all unsupported
561 attributes and values in the corresponding Subscription Attributes Group of the response (see step #2)
562 unless it determines that it could not create additional Subscription Objects because of condition #6b) or
563 condition #6c). Then, the Printer NEED NOT validate these additional Subscription Template Attributes
564 and the client MUST NOT expect to find unsupported attributes from step #2 in such additional
565 Subscription Attribute Groups.

566 5.3 Subscription Template Attributes

567 This section contains the Subscription Template Attributes defined for the Subscription and Printer objects.

568 Table 1 below shows the Subscription Template Attributes and has two columns:

- 569 • **Attribute in Subscription Object:** the name and attribute syntax of each Subscription Object
570 Attribute that is a Subscription Template Attribute
- 571 • **Default and Supported Printer Attributes:** the default attribute and supported Printer attributes
572 that are associated with the attribute in column 1.

573 A Printer MUST support all attributes in Table 1 below except for “notify-attributes” (and “notify-attributes-
574 supported”). A client MUST supply “notify-recipient-uri” and MAY omit any of the rest of the attributes in
575 column 1 of Table 1 in a Subscription Creation Request.

576 **Table 1 – Subscription Template Attributes**

Attribute in Subscription Object	Default and Supported Printer Attributes
notify-recipient-uri (uri)	notify-schemes-supported (1setOf uriScheme)
notify-events (1setOf type2 keyword)	notify-events-default (1setOf type2 keyword) notify-events-supported (1setOf type2 keyword) notify-max-events-supported (integer(2:MAX))
notify-attributes (1setOf type2 keyword)	notify-attributes-supported (1setOf type2 keyword)
notify-user-data (octetString(63))	
notify-charset (charset)	charset-supported (1setOf charset)
notify-natural-languages (naturalLanguage)	generated-natural-language-supported (1setOf naturalLanguage)
notify-lease-duration (integer(0:MAX))	notify-lease-duration-default (integer(0:67108863)) notify-lease-duration-supported (1setOf (integer(0: 67108863) rangeOfInteger(0:67108863)))
notify-time-interval (integer(0:MAX))	

577

578 5.3.1 notify-recipient-uri (uri)

579 This attribute’s value is a URL, which is a special case of a URI. Its value consists of a scheme and an
580 address. The address specifies the Notification Recipient and the scheme specifies the Delivery Method for
581 each Event Notification associated with this Subscription Object.

582 A Printer MUST support this attribute.

583 A client MUST supply this attribute in Subscription Creation Operation. Thus there is no need for a default
584 attribute.

585 The “notify-schemes-supported (1setOf uriScheme)” attribute MUST specify the schemes supported for this
586 attribute. Note: According to [RFC1738] the “:” terminates the scheme and so is not part of the scheme.
587 Therefore, values of this attribute do not include the “:”.

588 If the client supplies an unsupported scheme in the value of this attribute, then the Printer MUST not create the
589 Subscription Object and MUST return the “notify-status-code” attribute with the ‘client-error-uri-scheme-
590 not-supported’ value in the Subscription Attributes Group in the response.

591 The Printer MUST treat the address part of this attribute as opaque.

592 **5.3.2 notify-events (1setOf type2 keyword)**

593 This attribute contains a set of Subscribed Events. When an Event occurs and it “matches” a value of this
594 attribute, the Printer sends an Event Notification using information in the Subscription Object. The details of
595 “matching” are described subsection 5.3.2.2.

596 A Printer MUST support this attribute.

597 A client MAY supply this attribute in a Subscription Creation Operation. If the client does not supply this
598 attribute in Subscription Creation Operation, the Printer MUST populate this attribute on the Subscription
599 Object with its “notify-events-default” attribute value.

600 Each value of this attribute on a Subscription Object MUST be one of the values of the “notify-events-
601 supported (1setOf type2 keyword)” attribute.

602 The number of values of this attribute MUST NOT exceed the value of the “notify-max-events-supported”
603 attribute. A Printer MUST support at least 2 values per Subscription Object. If the number of values supplied
604 by a client in a Subscription Creation Operation exceeds the value of this attribute, the Printer MUST treat
605 extra values as unsupported values and MUST use the value of ‘successful-ok-too-many-events’ for the
606 “notify-status-code” attribute in the Subscription Attributes Group of the response.

607 **5.3.2.1 Standard Values for Subscribed Events**

608 Each value of this attribute is a keyword and it specifies a Subscribed Event that represents certain changes.
609 Some keywords represent a subset of changes of another keyword, e.g., ‘job-completed’ is an Event value
610 which is a sub-value of ‘job-state-change’. See section 5.3.2.2 for the case where this attribute contains both
611 a value and a sub-value.

612 The values in this section are divided into three categories: No Events, Job Events and Printer Events.

613 A Printer MUST support the Events indicated as “REQUIRED” and MAY support the Events indicated as
614 “OPTIONAL”.

615 5.3.2.1.1 No Events

616 The standard and only keyword value for No Events is:

617 **'none'**: REQUIRED - no Event Notifications for any Events. As the sole value of "notify-events-supported",
618 this value means that the Printer does not support the sending of Event Notifications. As the sole value of
619 "notify-events-default", this value means that a client MUST specify the "notify-events" attribute in order
620 for a Subscription Creation Operation to succeed. If the Printer receives this value as the sole value of a
621 Subscription Creation Operation, it does not create a Subscription Object. If a Printer receives this value
622 with other values of a Subscription Creation Operation, the Printer MUST treat this value as an
623 unsupported value.

624 5.3.2.1.2 Subscribed Printer Events

625 The standard keyword values for Subscribed Printer Events are:

626 **'printer-state-changed'**: REQUIRED - the Printer changed state from any state to any other state.
627 Specifically, the value of the Printer's "printer-state", "printer-state-reasons" or "printer-is-accepting-
628 jobs" attributes changed.

629
630 This Subscribed Event value has the following sub-values: 'printer-restarted' and 'printer-shutdown'. A
631 client can listen for any of these sub-values if it doesn't want to listen to all printer-state changes:

632 **'printer-restarted'**: OPTIONAL - when the printer is powered up .

633 **'printer-shutdown'**: OPTIONAL - when the device is being powered down .

634 **'printer-stopped'**: REQUIRED - when the printer stops printing, i.e. the value of the "printer-
635 state" Printer attribute becomes 'stopped'.

636 **'printer-config-changed'**: OPTIONAL - when the configuration of a Printer has changed, i.e., the value of
637 the "printer-message-from-operator" or any "configuration" Printer attribute has changed. A
638 "configuration" Printer attribute is an attribute which can change value because of some human interaction
639 either direct or indirect, and which is not covered by one of the other Events in this section. Examples of
640 "configuration" Printer attributes are any of the Job Template attributes, such as "xxx-supported", "xxx-
641 ready" and "xxx-default". Often, such a change is the result of a client performing a Set-Printer-Attributes
642 operation (see [ipp-set]) on the Printer. The client has to perform a Get-Printer-Attributes to find out the
643 new values of these changed attributes. This Event is useful for GUI clients and drivers to update the
644 available printer capabilities to the user.

645
646 This Event value has the following sub-values: 'printer-media-changed' and 'printer-finishings-changed'.
647 A client can listen for any of these sub-values if it doesn't want to listen to all printer-configuration
648 changes:

649 **‘printer-media-changed’**: OPTIONAL - when the media loaded on a printer has been changed,
650 i.e., the “media-ready” attribute has changed. This Event includes two cases: an input tray that
651 goes empty and an input tray that receives additional media of the same type or of a different
652 type. The client must check the “media-ready” Printer attribute (see [RFC2911] section
653 4.2.11) separately to find out what changed.

654 **‘printer-finishings-changed’**: OPTIONAL - when the finisher on a printer has been changed,
655 i.e., the “finishings-ready” attribute has changed. This Event includes two cases: a finisher that
656 goes empty and a finisher that is refilled (even if it is not full). The client must check the
657 “finishings-ready” Printer attribute separately to find out what changed.

658 **‘printer-queue-order-changed’**: OPTIONAL - the order of jobs in the Printer’s queue has changed, so that
659 an application that is monitoring the queue can perform a Get-Jobs operation to determine the new order.
660 This Event does not include when a job enters the queue (the ‘job-created’ Event covers that) and does
661 not include when a job leaves the queue (the ‘job-completed’ Event covers that).

662 5.3.2.1.3 Subscribed Job Events

663 The standard keyword values for Subscribed Job Events are:

664 **‘job-state-changed’**: REQUIRED - the job has changed from any state to any other state. Specifically, the
665 Printer sends this Event whenever the value of the “job-state” attribute or “job-state-reasons” attribute
666 changes. When a Job is removed from the Job History (see [RFC2911] 4.3.7.1), no Event is generated.
667

668 This Event value has the following sub-values: ‘job-created’, ‘job-completed’ and ‘job-stopped’. A
669 client can listen for any of these sub-values if it doesn’t want to listen to all ‘job-state changes’.

670 **‘job-created’**: REQUIRED - the Printer has accepted a Job Creation operation and the job’s
671 “time-at-creation” attribute value is set (see [RFC2911] section 4.3.14.1). The Printer puts
672 the job in the ‘pending’, ‘pending-held’ or ‘processing’ states..

673 **‘job-completed’**: REQUIRED - the job has reached one of the completed states, i.e., the value of
674 the job’s “job-state” attribute has changed to: ‘completed’, ‘aborted’, or ‘canceled’. The
675 Job’s “time-at-completed” and “date-time-at-completed” (if supported) attributes are set (see
676 [RFC2911] section 4.3.14).. The Printer also sends this Event when a Job is removed with
677 the Purge-Job operation. In this case, the Event Notification MUST report the ‘job-state’ as
678 ‘canceled’.

679 **‘job-stopped’**: OPTIONAL - when the job stops printing, i.e. the value of the “job-state” Job
680 attribute becomes ‘processing-stopped’.

681 **‘job-config-changed’**: OPTIONAL - when the configuration of a job has changed, i.e., the value of the
682 “job-message-from-operator” or any of the “configuration” Job attributes have changed. A
683 “configuration” Job attribute is an attribute that can change value because of some human interaction

684 either direct or indirect. Examples of “configuration” Job attributes are any of the job template attributes
685 and the “job-name” attribute. Often, such a change is the result of the user or the Operator performing a
686 Set-Job-Attributes operation (see [ipp-set]) on the Job object. The client performs a Get-Job-Attributes
687 to find out the new values of the changed attributes. This Event is useful for GUI clients and drivers to
688 update the job information to the user.

689 **‘job-progress’**: OPTIONAL – when the Printer has completed Printing a sheet. See the separate [ipp-prog]
690 specification for additional attributes that a Printer MAY send in an Event Notification caused by this
691 Event. The “notify-time-interval” attribute affects this Event by causing the Printer NOT to send an Event
692 Notification every time a ‘job-progress’ Events occurs. See section 5.3.8 for full details.

693 **5.3.2.2 Rules for Matching of Subscribed Events**

694 When an Event occurs, the Printer MUST find each Subscription object whose “notify-events” attribute
695 “matches” the Event. The rules for “matching” of Subscribed Events are described separately for Printer
696 Events and for Job Events. This section also describes some special cases.

697 **5.3.2.2.1 Rules for Matching of Printer Events**

698 Suppose that the Printer causes Printer Event E to occur. For each Per-Job or Per-Printer Subscription S in
699 the Printer, if E equals a value of this attribute in S or E is a sub-value of a value of this attribute in S, the
700 Printer MUST generate an Event Notification.

701 Consider the example. There are three Subscription Objects each with the Subscribed Printer Event ‘printer-
702 state-changed’. Subscription Object A is a Per-Printer Subscription Object. Subscription Object B is a Per-
703 Job Subscription Object for Job 1, and Subscription Object C is a Per-Job Subscription Object for Job 2.
704 When the Printer enters the ‘stopped’ state, the Printer sends an Event Notification to the Notification
705 Recipients of Subscription Objects A, B, and C because this is a Printer Event. Note if Job 1 has already
706 completed, the Printer would not send an Event Notification for its Subscription Object.

707 **5.3.2.2.2 Rules for Matching of Job Events**

708 Suppose that Job J causes Job Event E to occur.

- 709 1. For each Per-Printer Subscription S in the Printer, if E equals a value of this attribute in S or E is a sub-
710 value of a value of this attribute in S, the Printer MUST generate an Event Notification.
- 711 2. For each Per-Job Subscription S associated with Job J, if E equals a value of this attribute in S or E is
712 a sub-value of a value of this attribute in S, the Printer MUST generate an Event Notification.
- 713 3. For each Per-Job Subscription S that is NOT associated Job J, if E equals a value of this attribute in S
714 or E is a sub-value of a value of this attribute in, the Printer MUST NOT generate an Event
715 Notification from S.

716 Consider the example: There are three Subscription Objects listening for the Job Event ‘job-completed’.
717 Subscription Object A is a Per-Printer Subscription Object. Subscription Object B is a Per-Job Subscription
718 Object for Job 1, and Subscription Object C is a Per-Job Subscription Object for Job 2. In addition, Per-
719 Printer Subscription Object D is listening for the Job Event ‘job-state-changed’. When Job 1 completes, the
720 Printer sends an Event Notification to the Notification Recipient of Subscription Object A (because it is Per-
721 Printer) and Subscription Object B because it is a Per-Job Subscription Object associated with the Job
722 generating the Event. The Printer also sends an Event Notification to the Notification Recipient of
723 Subscription Object D because ‘job-completed’ is a sub-value of ‘job-state-changed’ – the value that
724 Subscription Object D is listening for. The Printer does not send an Event Notification to the Notification
725 Recipients of Subscription Object C because it is a Per-Job Subscription Object associated with some Job
726 other than the Job generating the Event.

727 **5.3.2.2.3 Special Cases for Matching Rules**

728 This section contains rule for special cases.

729 If an Event matches Subscribed Events in two different Subscription Objects and the Printer would send two
730 identical Event Notifications (except for the “notify-subscription-id” attribute) to the same Notification
731 Recipient using the same Delivery Method, the Printer **MUST** send both Event Notifications. That is, the
732 Printer **MUST NOT** try to consolidate seemingly identical Event Notifications that occur in separate
733 Subscription objects. Incidentally, the Printer **MUST NOT** reject Subscription Creation Operations that
734 would create this scenario.

735 If an Event matches two values of this “notify-events” attribute in a single Subscription object (e.g., a value and
736 its sub-value), a Printer **MAY** send one Event Notification for each matched value in the Subscription Object
737 or it **MAY** send only one Event Notification per Subscription Object. The rules in sections 5.3.2.2.1 and
738 5.3.2.2.2 are purposefully ambiguous about the number of Event Notification sent when Event E matches two
739 or more values in a Subscription Object.

740 Consider the example: There are two Per-Printer Subscription Objects when a Job completes. Subscription
741 Object A has the Subscribed Job Event ‘job-state-changed’. Subscription Object B has the Subscribed Job
742 Events ‘job-state-changed’ and ‘job-completed’. The Printer sends an Event Notification to the Notification
743 Recipient of Subscription Object A with the value of ‘job-state-changed’ for the “notify-subscribing-event”
744 attribute. The Printer sends either one or two Event Notifications to the Notification Recipient of Subscription
745 Object B, depending on implementation. If it sends two Event Notifications, one has the value of ‘job-state-
746 changed’ for the “notify-subscribing-event” attribute, and the other has the value of ‘job-completed’ for the
747 “notify-subscribing-event” attribute. If it sends one Event Notification, it has the value of either ‘job-state-
748 changed’ or ‘job-completed’ for the “notify-subscribing-event” attribute, depending on implementation. The
749 algorithm for choosing such a value is implementation dependent.

750 **5.3.3 notify-attributes (1setOf type2 keyword)**

751 This attribute contains a set of attribute names. When a Printer sends a Machine Consumable Event
752 Notification, it includes a fixed set of attributes (see section 9.1). If this attribute is present and the Event
753 Notification is Machine Consumable, the Printer also includes the attributes specified by this attribute.

754 A Printer MAY support this attribute.

755 A client MAY supply this attribute in a Subscription Creation Operation. If the client does not supply this
756 attribute in Subscription Creation Operation or the Printer does not support this attribute, the Subscription
757 Object MUST NOT contain the “notify-attributes” attribute. There is no “notify-attributes-default” attribute.

758 Each keyword value of this attribute on a Subscription Object MUST be a value of the “notify-attributes-
759 supported (1setOf type2 keyword)” attribute. The “notify-attributes-supported” MAY contain any Printer
760 attribute, Job attribute or Subscription Object attribute that the Printer supports in an Event Notification. It
761 MUST NOT contain any of the attributes in Section 9.1 that a Printer automatically puts in an Event
762 Notification; it would be redundant. If a client supplies an attribute in Section 9.1, the Printer MUST treat it as
763 an unsupported attribute value of the “notify-attributes” attribute.

764 The following rules apply to each keyword value N of the “notify-attributes” attribute: If the value N names:

- 765 a) a Subscription attribute, the Printer MUST use the attribute N in the Subscription Object that is being
766 used to generate the Event Notification.
- 767 b) a Job attribute and the Printer is generating an Event Notification from a Per-Job Subscription Object S,
768 the Printer MUST use the attribute N in the Job object associated with S.
- 769 c) a Job attribute and the Printer is generating an Event Notification from a Per-Printer Subscription Object
770 and the Event is:
- 771 • a Job Event, the Printer MUST use the attribute N in the Job object that caused the Event.
 - 772 • a Printer Event, the Printer MUST use the attribute N in the active Job.

773 If a Printer supports this attribute and a Subscription Object contains this attribute and the Delivery Method
774 generates a Machine Consumable Event Notification, the Printer MUST include in each Event Notification:

- 775 a) the attributes specified in section 9.1 and
- 776 b) each attribute named by this attribute.

777 The Printer MUST NOT use this attribute to generate a Human Consumable Event Notification.

778 **5.3.4 notify-user-data (octetString(63))**

779 This attribute contains opaque data that some Delivery Methods include in each Machine Consumable Event
780 Notification. The opaque data might contain, for example:

- 781 • the identity of the Subscriber
- 782 • a path or index to some Subscriber information
- 783 • a key that identifies to the Notification Recipient the ultimate recipient of the Event Notification
- 784 • the id for a Notification Recipient that had previously registered with an Instant Messaging Service

785 A Printer MUST support this attribute.

786 A client MAY supply this attribute in a Subscription Creation Operation. If the client does not supply this
787 attribute in Subscription Creation Operation, the Subscription Object MUST NOT contain the “notify-user-
788 data” attribute. There is no “notify-user-data-default” attribute.

789 There is no “user-data-supported” attribute. Rather, any octetString whose length does not exceed 63 octets
790 is a supported value. If the length exceeds 63 octets, the Printer MUST treat it as an unsupported value.

791 **5.3.5 notify-charset (charset)**

792 This attribute specifies the charset to be used in the Event Notification content sent to the Notification
793 Recipient, whether the Event Notification content is Machine Consumable or Human Consumable.

794 A Printer MUST support this attribute.

795 A client MAY supply this attribute in a Subscription Creation Operation. If the client does not supply this
796 attribute in Subscription Creation Operation or supplies an unsupported value, the Printer MUST populate this
797 attribute in the Subscription Object with the value of the “attributes-charset” operation attribute, which is a
798 REQUIRED attribute in all IPP requests (see [RFC2911]). If the value of the “attributes-charset” attribute is
799 unsupported, the Printer MUST populate this attribute in the Subscription Object with the value of the
800 Printer’s “charset-configured” attribute. There is no “notify-charset-default” attribute.

801 The value of this attribute on a Subscription Object MUST be a value of the “charset-supported (1setOf
802 charset)” attribute.

803 **5.3.6 notify-natural-language (naturalLanguage)**

804 This attribute specifies the natural language to be used in any human consumable text in the Event Notification
805 content sent to the Notification Recipient, whether the Event Notification content is Machine Consumable or
806 Human Consumable.

807 A Printer MUST support this attribute.

808 A client MAY supply this attribute in a Subscription Creation Operation. If the client does not supply this
809 attribute in Subscription Creation Operation or supplies an unsupported value, the Printer MUST populate this
810 attribute in the Subscription Object with the value of the “attributes-natural-language” operation attribute,
811 which is a REQUIRED attribute in all IPP requests (see [RFC2911]). If the value of the “attributes-natural-
812 language” attribute is unsupported, the Printer MUST populate this attribute in the Subscription Object with
813 the value of the Printer’s “natural-language-configured” attribute. There is no “notify-natural-language-default”
814 attribute.

815 The value of this attribute on a Subscription Object MUST be a value of the “generated-natural-language-
816 supported (1setOf type2 naturalLanguage)” attribute.

817 **5.3.7 notify-lease-duration (integer(0:67108863))**

818 This attribute specifies the duration of the lease (in seconds) associated with the Per-Printer Subscription
819 Object at the time the Subscription Object was created or the lease was renewed. The duration of the lease is
820 infinite if the value is 0, i.e., the lease never expires.

821 This attribute is not present on a Per-Job Subscription Object because the Subscription Object lasts exactly
822 as long as the associated Job object. See section 5.4.3 on “notify-lease-expiration-time (integer(0:MAX))” for
823 more details.

824 A Printer MUST support this attribute.

825 For a Subscription Object Creation operation of a Per-Job Subscription Object, the client MUST NOT
826 supply this attribute. If the client does supply this attribute, the Printer MUST treat it as an unsupported
827 attribute.

828 For a Subscription Creation Operation of a Per-Printer Subscription Object or a Renew-Subscription
829 operation, a client MAY supply this attribute. If the client does not supply this attribute, the Printer MUST
830 populate this attribute with its “notify-lease-duration-default” (0:67108863) attribute value. If the client
831 supplies this attribute with an unsupported value, the Printer MUST populate this attribute with a supported
832 value, and this value SHOULD be as close as possible to the value requested by the client. Note: this rule
833 implies that a Printer doesn’t assign the value of 0 (infinite) unless the client requests it.

834 After the Printer has populated this attribute with a supported value, the value represents the “granted
835 duration” of the lease in seconds and the Printer sets the value of the Subscription Object’s “notify-lease-
836 expiration-time” attribute as specified in section 5.4.3.

837 The value of this attribute on a Subscription Object MUST be a value of the “notify-lease-duration-
838 supported” (1setOf (integer(0:67108863) | rangeOfInteger(0:67108863))) attribute.

839 A Printer MAY require authentication in order to return the value of 0 (the lease never expires) as one of the
840 values of “notify-lease-duration-supported”, and to allow 0 as a value of the “notify-lease-duration” attribute.

841 Note: The maximum value 67,108,863 is 2 raised to the 26 power minus 1 and is about 2 years in seconds.
842 The value is considerably less than MAX so that there is virtually no chance of an overflow when it is added to
843 “printer-up-time” to produce “notify-lease-expiration-time”.

844 **5.3.8 notify-time-interval (integer(0:MAX))**

845 The ‘job-progress’ Event occurs each time that a Printer completes a sheet. Some Notification Recipients do
846 not want to receive an Event Notification every time this Event occurs. This attribute allows a Subscribing
847 Client to request how often it wants to receive Event Notifications for ‘job-progress’ Events. The value of this
848 attribute MAY be any nonnegative integer (0,MAX) indicating the minimum number of seconds between ‘job-
849 progress’ Event Notifications.

850 The Printer MUST support this attribute if and only if the Printer supports the ‘job-progress’ Event.

851 A client MAY supply this attribute in a Subscription Creation Operation. If the client does not supply this
852 attribute, the Printer MUST not populate this attribute on the Subscription Object. There is no “notify-time-
853 interval-default” attribute.

854 There is no “notify-time-interval-supported” attribute.

855 If the ‘job-progress’ Event occurs and a Subscription Object contains the ‘job-progress’ Event as a value of
856 the ‘notify-events’ attribute, there are two cases to consider:

857 1. This attribute is not present on the Subscription Object or has the value of 0. The Printer MUST generate
858 and send an Event Notification (as is the case with other Events).

859 2. This attribute is present with a nonzero value of N:

860 a) If the Printer has not sent an Event Notification for the ‘job-progress’ Event for the associated
861 Subscription Object within the past N seconds, the Printer MUST send an Event Notification for the
862 Event that just occurred. Note when the Printer completes the first page of a Job, this rule implies that
863 the Printer sends an Event Notification for a Per-Job Subscription Objects.

864 b) Otherwise, the Printer MUST NOT generate or send an Event Notification for the associated
865 Subscription Object. The Printer MUST NOT increase the value of the “notify-sequence-number”
866 Subscription Object attribute (i.e., the sequence of values of the “notify-sequence-number” attribute
867 counts the Event Notifications that the Printer sent and not the Events that do not cause an Event
868 Notification to be sent).

869 It is RECOMMENDED that a Subscribing Client use this attribute when it subscribes to the ‘job-progress’
870 Event, and that the value be sufficiently large to limit the frequency with which the Printer sends Event
871 Notifications requests.

872 This attribute MUST NOT effect any Events other than ‘job-progress’.

873 5.4 Subscription Description Attributes

874 Subscription Description Attributes are those attributes that a Printer adds to a Subscription Object at the time
875 of its creation.

876 A Printer MUST support all attributes in this Table 2.

877 A client MUST NOT supply the attributes in Table 2 in a Subscription Template Attributes Group of a
878 Subscription Creation Operation. If the client supplies them, the Printer MUST NOT set them and MUST
879 treat them as unsupported attributes. There are no corresponding default or supported attributes.

880 **Table 2 – Subscription Description Attributes**

Subscription Object attributes:
notify-subscription-id (integer(1:MAX))
notify-sequence-number (integer(0:MAX))
notify-lease-expiration-time (integer(0:MAX))
notify-printer-up-time (integer(1:MAX))
notify-printer-uri (uri)
notify-job-id (integer(1:MAX))
notify-subscriber-user-name (name(MAX))

881

882 5.4.1 notify-subscription-id (integer (1:MAX))

883 This attribute identifies a Subscription Object instance with a number that is unique within the context of the
884 Printer. The Printer generates this value at the time it creates the Subscription Object.

885 A Printer MUST support this attribute.

886 The Printer SHOULD NOT assign the value of this attribute sequentially as it creates Subscription Objects.
887 Sequential assignment makes it easy for rogue clients to guess the value of this attribute on other Subscription
888 Objects.

889 The Printer SHOULD avoid re-using recent values of this attribute during continuous operation of the Printer
890 as well as across power cycles. Then a Subscribing Client is unlikely to find that a stale reference accesses a
891 new Subscription Object.

892 The 0 value is not permitted in order to allow for compatibility with “job-id” and with SNMP index values,
893 which also cannot be 0.

894 5.4.2 notify-sequence-number (integer (0:MAX))

895 The value of this attribute indicates the number of times that the Printer has generated and attempted to send
896 an Event Notification. When an Event Notification contains this attribute, the Notification Recipient can

897 determine whether it missed some Event Notifications (i.e., numbers skipped) or received duplicates (i.e.,
898 same number twice).

899 A Printer MUST support this attribute.

900 When the Printer creates a Subscription Object, it MUST set the value of this attribute to 0. This value
901 indicates that the Printer has not sent any Event Notifications for this Subscription Object.

902 Each time the Printer sends a newly generated Event Notification, it MUST increase the value of this attribute
903 by 1. For some Delivery Methods, the Printer MUST include this attribute in each Event Notification, and the
904 value MUST be the value after it is increased by 1. That is, the value of this attribute in the first Event
905 Notification after Subscription object creation MUST be 1, the second MUST be 2, etc. If a Delivery
906 Method is defined such that the Notification Recipient returns a response, the Printer can re-try sending an
907 Event Notification a certain number of times with the same sequence number when the Notification Recipient
908 fails to return a response.

909 If a Subscription Object lasts long enough to reach the value of MAX, its next value MUST be 0, i.e., it
910 wraps.

911 **5.4.3 notify-lease-expiration-time (integer(0:MAX))**

912 This attribute specifies the time in the future when the lease on the Per-Printer Subscription Object will expire,
913 i.e. the “printer-up-time” value at which the lease will expire. If the value is 0, the lease never expires.

914 A Printer MUST support this attribute.

915 When the Printer creates a Per-Job Subscription Object, this attribute MUST NOT be present – the
916 Subscription Object lasts exactly as long as the associated Job object.

917 When the Printer creates a Per-Printer Subscription Object, it populates this attribute with a value that is the
918 sum of the values of the Printer’s “printer-up-time” attribute and the Subscription Object’s “notify-lease-
919 duration” attribute with the following exception. If the value of the Subscription Object’s “notify-lease-
920 duration” attribute is 0 (i.e., no expiration time), then the value of this attribute MUST be set to 0 (i.e., no
921 expiration time).

922 When the Printer powers up, it MUST set the value of this attribute in each persistent Subscription Object
923 using the algorithm in the previous paragraph.

924 When the “printer-up-time” equals the value of this attribute, the Printer MUST delete the Subscription
925 Object. A client can extend a lease of a Per-Printer Subscription Object with the Renew-Subscription
926 operation (see section 11.2.5).

927 Note: In order to compute the number of seconds remaining in a lease for a Per-Printer Subscription Object, a
928 client can subtract the Subscription’s “notify-printer-up-time” attribute (see section 5.4.4) from the
929 Subscription’s “notify-lease-expiration-time” attribute.

930 **5.4.4 notify-printer-up-time (integer(1:MAX))**

931 This attribute is an alias for the Printer's "printer-up-time" attribute " (see [RFC2911] section 4.4.29).

932 A Printer MUST support this attribute.

933 When the Printer creates a Per-Job Subscription Object, this attribute MUST NOT be present. When the
934 Printer creates a Per-Printer Subscription Object, this attribute MUST be present.

935 Note: this attribute exists in a Per-Printer Subscription Object so that a client using the Get-Subscription-
936 Attributes or Get-Subscription operations can convert the Per-Printer Subscription's "notify-lease-expiration-
937 time" attribute to wall clock time with one request. If the value of the "notify-lease-expiration-time" attribute is
938 not 0 (i.e., no expiration time), then the difference between the "notify-lease-expiration-time" attribute and the
939 "notify-printer-up-time" is the remaining number of seconds on the lease from the current time.

940 **5.4.5 notify-printer-uri (uri)**

941 This attribute identifies the Printer object that created this Subscription Object.

942 A Printer MUST support this attribute.

943 During a Subscription Creation Operation, the Printer MUST populate this attribute with the value of the
944 "printer-uri" operation attribute in the request. From the Printer URI, the client can, for example, determine
945 what security scheme was used.

946 **5.4.6 notify-job-id (integer(1:MAX))**

947 This attribute specifies whether the containing Subscription Object is a Per-Job or Per-Printer Subscription
948 Object, and for Per-Job Subscription Objects, it specifies the associated Job.

949 A Printer MUST support this attribute.

950 If this attribute is not present, the Subscription Object MUST be a Per-Printer Subscription. If this attribute is
951 present, the Subscription Object MUST be a Per-Job Subscription Object and this attribute MUST identify
952 the Job with which the Subscription Object is associated.

953 Note: This attribute could be useful to a Notification Recipient that receives an Event Notification generated
954 from a Per-Job Subscription Object and caused by a Printer Event. The Event Notification gives access to the
955 Printer and the Subscription Object. The Event Notification gives access to the associated Job only via this
956 attribute.

957 **5.4.7 notify-subscriber-user-name (name(MAX))**

958 This attribute contains the name of the user who performed the Subscription Creation Operation.

959 A Printer **MUST** support this attribute.

960 The Printer sets this attribute to the most authenticated printable name that it can obtain from the authentication
 961 service over which the Subscription Creation Operation was received. The Printer uses the same mechanism
 962 for determining the value of this attribute as it does for a Job's "job-originating-user-name" (see [RFC2911]
 963 section 4.3.6).

964 Note: To help with authentication, a Subscription Object may have additional private attributes about the
 965 user, e.g., a credential of a principal. Such private attributes are implementation-dependent and not defined in
 966 this document.

967 **6 Printer Description Attributes Related to Notification**

968 This section defines the Printer Description attributes that are related to Notification. Table 3 lists the Printer
 969 Description attributes, indicates the Printer support required for conformance, and whether or not the attribute
 970 is READ-ONLY (see section 3.1):

971 **Table 3 – Printer Description Attributes Associated with Notification**

Printer object attributes:	REQUIRED	READ-ONLY
printer-state-change-time (integer(1:MAX))	No	Yes
printer-state-change-date-time (dateTime)	No	Yes

972

973 **6.1 printer-state-change-time (integer(1:MAX))**

974 This attribute records the most recent time at which the 'printer-state-changed' Printer Event occurred
 975 whether or not any Subscription objects were listening for this event. This attribute helps a client or operator
 976 to determine how long the Printer has been in its current state.

977 A Printer **MAY** support this attribute and if so, the attribute **MUST** be READ-ONLY.

978 On power-up, the Printer **MUST** set the value of this attribute to be the value of its "printer-up-time" attribute,
 979 so that it always has a value. Whenever the 'printer-state-changed' Printer Event occurs, the Printer **MUST**
 980 set this attribute to the value of the Printer's "printer-up-time" attribute.

981 **6.2 printer-state-change-date-time (dateTime)**

982 This attribute records the most recent time at which the 'printer-state-changed' Printer Event occurred
 983 whether or not there were any Subscription Objects listening for this event. This attribute helps a client or
 984 operator to determine how long the Printer has been in its current state.

985 A Printer **MAY** support this attribute and if so, the attribute **MUST** be READ-ONLY.

986 On power-up, the Printer MUST set the value of this attribute to be the value of its “printer-current-time”
 987 attribute, so that it always has a value (see [RFC2911] section 4.4.30 on “printer-current-time”). Whenever
 988 the ‘printer-state-changed’ Printer Event occurs, the Printer MUST set this attribute to the value of the
 989 Printer’s “printer-current-time” attribute.

990 **7 New Values for Existing Printer Description Attributes**

991 This section contains those attributes for which additional values are added.

992 **7.1 operations-supported (1setOf type2 enum)**

993 The following “operation-id” values are added in order to support the new operations defined in this
 994 document:

995 **Table 4 – Operation-id assignments**

Value	Operation Name
0x0016	Create-Printer-Subscriptions
0x0017	Create-Job-Subscriptions
0x0018	Get-Subscription-Attributes
0x0019	Get-Subscriptions
0x001A	Renew-Subscription
0x001B	Cancel-Subscription

996 **8 Attributes Only in Event Notifications**

997 This section contains those attributes that exist only in Event Notifications and do not exist in any objects.

998 **8.1 notify-subscribed-event (type2 keyword)**

999 This attribute indicates the Subscribed Event that caused the Printer to send this Event Notification. This
 1000 attribute exists only in Event Notifications.

1001 This attribute MUST contain one of the values of the “notify-events” attribute in the Subscription Object, i.e.,
 1002 one of the Subscribed Event values. Its value is the Subscribed Event that “matches” the Event that caused the
 1003 Printer to send this Event Notification. This Subscribed Event value may be identical to the Event or the Event
 1004 may be a sub-value of the Subscribed Event. For example, the ‘job-completed’ Event (which is a sub-event
 1005 of the ‘job-state-changed’ event) would cause the Printer to send an Event Notification for either the ‘job-
 1006 completed’ or ‘job-state-changed’ Subscribed Events and to send the ‘job-completed’ or ‘job-state-
 1007 changed’ value for this attribute, respectively,. See section 5.3.2.2 for the “matching” rules of Subscribed
 1008 Events and for additional examples.

1009 The Delivery Method Document specifies whether the Printer includes the value of this attribute in an Event
 1010 Notification.

1011 **8.2 notify-text (text(MAX))**

1012 This attribute contains a Human Consumable text message (see section 0). This message describes the Event
1013 and is encoded as plain text, i.e., 'text/plain' with the charset specified by Subscription Object's "notify-
1014 charset" attribute.

1015 The Delivery Method Document specifies whether the Printer includes this attribute in an Event Notification.

1016 **9 Event Notification Content**

1017 This section defines the Event Notification content that the Printer sends when an Event occurs.

1018 When an Event occurs, the Printer **MUST** find each Subscription object whose "notify-events" attribute
1019 "matches" the Event. See section 5.3.2.2 for details on "matching". For each matched Subscription Object,
1020 the Printer **MUST** create an Event Notification with the content and format that the Delivery Method
1021 Document specifies. The content contains the value of attributes specified by the Delivery Method Document.
1022 The Printer obtains the values immediately after the Event occurs. For example, if the "printer-state" attribute
1023 changes from 'idle' to 'processing', the Event 'printer-state-changed' occurs and the Printer puts various
1024 attributes into the Event Notification, including "printer-up-time" and "printer-state" with the values that they
1025 have immediately after the Event occurs, i.e., the value of "printer-state" is 'processing'.

1026 If two different Events occur simultaneously, or nearly so (e.g., "printer-up-time" has the same value for both),
1027 the Printer **MUST** create a separate Event Notification for each Event, even if the associated Subscription
1028 Object is the same for both Events. However, the Printer **MAY** combine these distinct Event Notifications into
1029 a single Compound Event Notification if the Delivery Method supports Compound Event Notifications For
1030 example, suppose that two nearly-simultaneously Events represent two successive 'printer-state-changed'
1031 Events, one from 'idle' to 'processing' and another from 'processing' to 'stopped'. These two Events have
1032 the same name but are different instances of the Event. Then the Printer **MUST** create a separate Event
1033 Notification for each Event and **SHOULD** accurately report the "printer-state" of the first Event as
1034 'processing' and the second Event as 'stopped'.

1035 If a Subscription Object contains more than one Subscribed Event, and several Events occur in quick
1036 succession each matching a different Subscribed Event in the Subscription Object, the Printer **MUST NOT**
1037 generate a single Event Notification from several of these Events, but **MAY** combine distinct Event
1038 Notifications into a single Compound Event Notification if the Delivery Method supports Compound Event
1039 Notifications.

1040 After the Printer has created the Event Notification, the Printer delivers it via either a:

1041 Push Delivery Method: The Printer sends the Event Notification shortly after an Event occurs. For
1042 some Push Delivery Methods, the Notification Recipient **MUST** send a response; for others it **MUST**
1043 **NOT** send a response.

1044 Pull Delivery Method: The Printer saves Event Notifications for some event-lease time and expects the
1045 Notification Recipient to request Event Notifications. The Printer returns the Event Notifications in a
1046 response to such a request.

1047 If an error that meets the following conditions occurs, the Printer **MUST** cancel the Subscription Object.

1048 a) the error occurs during the sending of an Event Notification generated from Subscription Object S **AND**

1049 b) the error would continue to occur every time the Printer sends an Event Notification generated from
1050 Subscription Object S in the future.

1051 From example, if the address of the “notify-recipient-uri” of Subscription Object A references a non-existent
1052 target and the Printer determines that this fact, it **MUST** delete Subscription Object A.

1053 The next two sections describe the values that a Printer sends in the content of Machine Consumable and
1054 Human Consumable Event Notifications, respectively.

1055 The tables in the sub-sections of this section contain the following columns:

1056 a) **Source Value:** the name of the attribute that supplies the value for the Event Notification. Asterisks in
1057 this field refer to a note below the table.

1058 b) **Sends:** if the Printer supports the value (column 1) on the Source Object (column 3) the Delivery
1059 Method **MUST** specify:

1060 **MUST:** that the Printer **MUST** send the value.

1061 **SHOULD:** either that the Printer **MUST** send the value or that the value is incompatible with the
1062 Delivery Method.

1063 **MAY:** that the Printer **MUST**, **SHOULD**, **MAY**, **MUST NOT**, **SHOULD NOT**, or **NEED NOT**
1064 send the value. The Delivery Method specifies the level of conformance for the Printer.

1065 c) **Source Object:** the object from which the source value comes. If the object is “Event Notification”,
1066 the Printer fabricates the value when it sends the Event Notification. See section 8.

1067 9.1 Content of Machine Consumable Event Notifications

1068 This section defines the attributes that a Delivery Method **MUST** mention in a Delivery Method Document
1069 when specifying the Machine Consumable Event Notification’s contents.

1070 This document does not define the order of attributes in Event Notifications. However, Delivery Method
1071 Documents **MAY** define the order of some or all of the attributes.

1072 A Delivery Method Document **MUST** specify additional attributes (if any) that a Printer implementation sends
1073 in a Machine Consumable Event Notification.

1074 Notification Recipients **MUST** be able to accept Event Notifications containing attributes they do not
 1075 recognize. What a Notification Recipient does with an unrecognized attribute is implementation-dependent.
 1076 Notification Recipients **MAY** attempt to display unrecognized attributes anyway or **MAY** ignore them.

1077 The next three sections define the attributes in Event Notification Contents that are:

- 1078 1. for all Events
- 1079 2. for Job Events only
- 1080 3. for Printer Events only

1081 **9.1.1 Event Notification Content Common to All Events**

1082 This section lists the attributes that a Delivery Method Document **MUST** specify for all Events.

1083 Table 5 lists potential values in each Event Notification.

1084 **Table 5 – Attributes in Event Notification Content**

Source Value	Sends	Source Object
notify-subscription-id (integer(1:MAX))	MUST	Subscription
notify-printer-uri (uri)	MUST	Subscription
notify-subscribed-event (type2 keyword)	MUST	Event Notification
printer-up-time (integer(MIN:MAX))	MUST	Printer
printer-current-time (dateTime) *	MUST	Printer
notify-sequence-number (integer (0:MAX))	SHOULD	Subscription
notify-charset (charset)	SHOULD	Subscription
notify-natural-language (naturalLanguage)	SHOULD	Subscription
notify-user-data (octetString(63)) **	SHOULD	Subscription
notify-text (text)	SHOULD	Event Notification
attributes from the “notify-attributes” attribute ***	MAY	Printer
attributes from the “notify-attributes” attribute ***	MAY	Job
attributes from the “notify-attributes” attribute ***	MAY	Subscription

1085
 1086 *A Printer **MUST** send this value only if and only if it supports the Printer’s “printer-current-time” attribute.

1087 ** If the Subscription Object does not contain a “notify-user-data” attribute and the Delivery Method
 1088 document **REQUIRES** the Printer to send the “notify-user-data” source value in the Event Notification, the
 1089 Printer **MUST** send an octet-string of length 0.

1090 *** The last three rows represent additional attributes that a client **MAY** request via the “notify-attributes”
 1091 attribute. A Printer **MAY** support the “notify-attributes” attribute. The Delivery Method **MUST** say that the
 1092 Printer **MUST**, **SHOULD**, **MAY**, **MUST NOT**, **SHOULD NOT**, or **NEED NOT** support the “notify-
 1093 attributes” attribute and specific values of this attribute. The Delivery Method **MAY** say that support for the

1094 “notify-attributes” is conditioned on support of the attribute by the Printer or it MAY say that Printer MUST
 1095 support the “notify-attributes” attribute if the Printer supports the Delivery Method.

1096 9.1.2 Additional Event Notification Content for Job Events

1097 This section lists the additional attributes that a Delivery Method Document MUST specify for Job Events.
 1098 See Table 6.

1099 **Table 6 – Additional Event Notification Content for Job Events**

Source Value	Sends	Source Object
job-id (integer(1:MAX))	MUST	Job
job-state (type1 enum)	MUST	Job
job-state-reasons (1setOf type2 keyword)	MUST	Job
job-impressions-completed (integer(0:MAX)) *	MUST	Job

1100
 1101 * The Printer MUST send the “job-impressions-completed” attribute in an Event Notification only for the
 1102 combinations of Events and Subscribed Events shown in Table 7.

1103 **Table 7 – Combinations of Events and Subscribed Events for “job-impressions-completed”**

Job Event	Subscribed Job Event
‘job-progress’	‘job-progress’
‘job-completed’	‘job-completed’
‘job-completed’	‘job-state-changed’

1104

1105 9.1.3 Additional Event Notification Content for Printer Events

1106 This section lists the additional attributes that a Delivery Method Document MUST specify for Printer Events.
 1107 See Table 8.

1108 **Table 8 – Additional Event Notification Content for Printer Events**

Source Value	Sends	Source Object
printer-state (type1 enum)	MUST	Printer
printer-state-reasons (1setOf type2 keyword)	MUST	Printer
printer-is-accepting-jobs (boolean)	MUST	Printer

1109

1110 9.2 Content of Human Consumable Event Notification

1111 This section defines the information that a Delivery Method MUST mention in a Delivery Method Document
 1112 when specifying the Human Consumable Event Notifications contents or the value of the “notify-text” attribute.

1113 Such a Delivery Method MUST specify the following information and a Printer SHOULD send it:

1114 a) the Printer name (see Table 9)

1115 b) the time of the Event (see Table 11)

1116 c) for Printer Events only:

1117 i) the Event (see Table 10) and/or Printer state information (see Table 14)

1118 d) for Job Events only:

1119 i) the job identity (see Table 12)

1120 ii) the Event (see Table 10) and/or Job state information (see Table 13)

1121

1122 The subsections of this section specify the attributes that a Printer MUST use to obtain this information.

1123 A Delivery Method Document MUST specify additional information (if any) that a Printer implementation
1124 sends in a Human Consumable Event Notification or in the “notify-text” attribute.

1125 A client MUST NOT request additional attributes via the “notify-attributes” attribute because this attribute
1126 works only for Machine Consumable Event Notifications.

1127 Notification Recipients MUST NOT expect to be able to parse the Human Consumable Event Notification
1128 contents or the value of the “notify-text” attribute.

1129 The next three sections define the attributes in Event Notification Contents that are:

1130 a) for all Events

1131 b) for Job Events only

1132 c) for Printer Events only

1133

1134 **9.2.1 Event Notification Content Common to All Events**

1135 This section lists the source of the information that a Delivery Method MUST specify for all Events.

1136 There is a separate table for each piece of information. Each row in the table represents a source value for the
1137 information and the values are listed in order of preference, with the first one being the preferred one. An
1138 implementation SHOULD use the source value from the earliest row in each table. It MAY use the source
1139 value from another row instead, or it MAY combine the source values from several rows. An implementation
1140 is free to determine the best way to present this information.

1141 In all tables of this section, all rows contain a “MAY” in order to state that the Delivery Method specifies the
1142 conformance.

1143 Table 9 lists the source of the information for the Printer Name. The “printer-name” is more user-friendly
1144 unless the Notification Recipient is in a place where the Printer name is not meaningful. For example, an
1145 implementation could have the intelligence to send the value of the “printer-name” attribute to a Notification

1146 Recipient that can access the Printer via value of the “printer-name” attribute and otherwise send the value of
1147 the “notify-printer-uri” attribute.

1148 **Table 9 – Printer Name in Event Notification Content**

Source Value	Sends	Source Object
printer-name (name(127))	MAY	Printer
notify-printer-uri (uri)	MAY	Subscription

1149

1150 Table 10 lists the source of the information for the Event name. A Printer MAY combine this information with
1151 state information described for Jobs in Table 13 or for Printers in Table 14.

1152 **Table 10 – Event Name in Event Notification Content**

Source Value	Sends	Source Object
notify-subscribed-event (type2 keyword)	MAY	Subscription

1153

1154 Table 11 lists the source of the information for the time that the Event occurred. A Printer can send this value
1155 only if it supports the Printer’s “printer-current-time” attribute. If a Printer does not support the “printer-
1156 current-time” attribute, it MUST NOT send the “printer-up-time” value instead, since it is not an allowed
1157 option for human consumable information.

1158 **Table 11 – Event Time in Event Notification Content**

Source Value	Sends	Source Object
printer-current-time (dateTime)	MAY	Printer

1159

1160 **9.2.2 Additional Event Notification Content for Job Events**

1161 This section lists the source of the additional information that a Delivery Method MUST specify for Job
1162 Events.

1163 Table 12 lists the source of the information for the job name. The “job-name” is likely more meaningful to a
1164 user than “job-id”.

1165

Table 12 – Job Name in Event Notification Content

Source Value	Sends	Source Object
job-name (name(MAX))	MAY	Job
job-id (integer(1:MAX))	MAY	Job

1166

1167 Table 13 lists the source of the information for the job state. If a Printer supports the “job-state-message” and
 1168 “job-detailed-state-message” attributes, it SHOULD use those attributes for the job state information,
 1169 otherwise, it should fabricate such information from the “job-state” and “job-state-reasons”. For some Events,
 1170 a Printer MAY combine this information with Event information.

1171

Table 13 – Job State in Event Notification Content

Source Value	Sends	Source Object
job-state-message (text(MAX))	MAY	Job
job-detailed-status-messages (1setOf text(MAX))	MAY	Job
job-state (type1 enum)	MAY	Job
job-state-reasons (1setOf type2 keyword)	MAY	Job

1172

1173 9.2.3 Additional Event Notification Content for Printer Events

1174 This section lists the source of the additional information that a Delivery Method MUST specify for Printer
 1175 Events.

1176 Table 14 lists the source of the information for the printer state. If a Printer supports the “printer-state-
 1177 message”, it SHOULD use that attribute for the job state information, otherwise it SHOULD fabricate such
 1178 information from the “printer-state” and “printer-state-reasons”. For some Events, a Printer MAY combine
 1179 this information with Event information.

1180

Table 14 – Printer State in Event Notification Content

Source Value	Sends	Source Object
printer-state-message (text(MAX))	MAY	Printer
printer-state (type1 enum)	MAY	Printer
printer-state-reasons (1setOf type2 keyword)	MAY	Printer
printer-is-accepting-jobs (boolean)	MAY	Printer

1181 10 Delivery Methods

1182 A Delivery Method is the mechanism, i.e., protocol, by which the Printer delivers an Event Notification to a
 1183 Notification Recipient. There are several potential Delivery Methods for Event Notifications, standardized, as
 1184 well as proprietary. This document does not define any of these delivery mechanisms. Each Delivery Method

1185 MUST be defined in a Delivery Method Document that is separate from this document. New Delivery
 1186 Methods will be created as needed using an extension to the registration procedures defined in [RFC2911].
 1187 Such documents are registered with IANA (see section 13).

1188 The following sorts of Delivery Methods are expected:

- 1189 – The Notification Recipient polls for Event Notifications at intervals directed by the Printer
- 1190 – The Printer sends Event Notifications to the Notification Recipient using http as the transport.
- 1191 – The Printer sends an email message.

1192 This section specifies how to define a Delivery Method Document and what to put in such a document.

1193 A Delivery Method Document MUST contain an exact copy of the following paragraph, caption and table. In
 1194 addition, column 2 of the table in the Delivery Method Document MUST contain answers to questions in
 1195 column 1 for the Delivery Method. Also, the Delivery Method document MUST contain a reference to this
 1196 document and call that reference [ipp-ntfy] because the table contains an [ipp-ntfy] reference.

1197 If a Printer supports this Delivery Method, the following are its characteristics.

1198 **Table 15 – Information about the Delivery Method**

Document Method Conformance Requirement	Delivery Method Realization
1. What is the URL scheme name for the Delivery Method?	
2. Is the Delivery Method REQUIRED, RECOMMENDED, or OPTIONAL for an IPP Printer to support?	
3. What transport and delivery protocols does the Printer use to deliver the Event Notification Content, i.e., what is the entire network stack?	
4. Can several Event Notifications be combined into a Compound Event Notification?	
5. Is the Delivery Method initiated by the Notification Recipient (pull), or by the Printer (push)?	
6. Is the Event Notification content Machine Consumable or Human Consumable?	
7. What section in this document answers the following question? For a Machine Consumable Event Notification, what is the representation and encoding of values defined in section 9.1 of [ipp-ntfy] and the conformance requirements thereof? For a Human	

Consumable Event Notification, what is the representation and encoding of pieces of information defined in section 0 of [ipp-ntfy] and the conformance requirements thereof?	
8. What are the latency and reliability of the transport and delivery protocol?	
9. What are the security aspects of the transport and delivery protocol, e.g., how it is handled in firewalls?	
10. What are the content length restrictions?	
11. What are the additional values or pieces of information that a Printer sends in an Event Notification content and the conformance requirements thereof?	
12. What are the additional Subscription Template and/or Subscription Description attributes and the conformance requirements thereof?	
13. What are the additional Printer Description attributes and the conformance requirements thereof?	

1199

1200 **11 Operations for Notification**

1201 This section defines all of the operations for Notification. Section 7.1 assigns the “operation-id” for each
 1202 operation. The following two sub-sections define Subscription Creation Operations, and other operations.

1203 **11.1 Subscription Creation Operations**

1204 This section defines the Subscription Creation Operations. The first section on Create-Job-Subscriptions gives
 1205 most of the information. The other Subscription Creation Operations refer to the section on Create-Job-
 1206 Subscriptions, even though the Create-Job-Subscriptions operation is the only OPTIONAL operation in this
 1207 document (see section 12).

1208 A Printer **MUST** support Create-Printer-Subscriptions and the Subscription Template Attributes Group in
 1209 Job Creation operations. It **MAY** support Create-Job-Subscriptions operations.

1210 **11.1.1 Create-Job-Subscriptions Operation**

1211 The operation creates one or more Per-Job Subscription Objects. The client supplies one or more
 1212 Subscription Template Attributes Groups each containing one or more of Subscription Template Attributes
 1213 (defined in section 5.3).

1214 Except for errors, the Printer **MUST** create exactly one Per-Job Subscription Object from each Subscription
 1215 Template Attributes Group in the request, even if the newly created Subscription Object would have identical

1216 behavior to some existing Subscription Object. The Printer MUST associate each newly created Per-Job
1217 Subscription Object with the target Job, which is specified by the “notify-job-id” operation attribute.

1218 The Printer MUST accept the request in any of the target job’s ‘not-completed’ states, i.e., ‘pending’,
1219 ‘pending-held’, ‘processing’, or ‘processing-stopped’. The Printer MUST NOT change the job’s “job-state”
1220 attribute because of this operation. If the target job is in any of the ‘completed’ states, i.e., ‘completed’,
1221 ‘canceled’, or ‘aborted’, then the Printer MUST reject the request and return the ‘client-error-not-possible’
1222 status code; the response MUST NOT contain any Subscription Attribute Groups.

1223 Access Rights: To create Per-Job Subscription Objects, the authenticated user (see [RFC2911] section 8.3)
1224 performing this operation MUST either be the job owner or have Operator or Administrator access rights for
1225 this Printer (see [RFC2911] sections 1 and 8.5). Otherwise the Printer MUST reject the operation and
1226 return: the ‘client-error-forbidden’, ‘client-error-not-authenticated’, or ‘client-error-not-authorized’ status
1227 code as appropriate.

1228 11.1.1.1 Create-Job-Subscriptions Request

1229 The following groups of attributes are part of the Create-Job-Subscriptions Request:

1230 Group 1: Operation Attributes

1231 Natural Language and Character Set:

1232 The “attributes-charset” and “attributes-natural-language” attributes as described in [RFC2911]
1233 section 3.1.4.1.

1234

1235 Target:

1236 The “printer-uri” attribute which defines the target for this operation as described in [RFC2911]
1237 section 3.1.5.

1238

1239 Requesting User Name:

1240 The “requesting-user-name” attribute SHOULD be supplied by the client as described in
1241 [RFC2911] section 8.3.

1242

1243 notify-job-id (integer(1:MAX)):

1244 The client MUST supply this attribute and it MUST specify the Job object to associate the Per-Job
1245 Subscription with. The value of “notify-job-id” MUST be the value of the “job-id” of the associated
1246 Job object. If the client does not supply this attribute, the Printer MUST reject this request with a
1247 ‘client-error-bad-request’ status code.

1248

1249 Group 2-N: Subscription Template Attributes

1250 For each occurrence of this group:

1251

1252 The client **MUST** supply one or more Subscription Template Attributes in any order. See section
1253 5.3 for a description of each such attribute. See section 5.2 for details on processing these
1254 attributes.

1255 **11.1.1.2 Create-Job-Subscriptions Response**

1256 The Printer **MUST** return to the client the following sets of attributes as part of a Create-Job-Subscriptions
1257 response:

1258 Group 1: Operation Attributes

1259 Status Message:

1260 In addition to the **REQUIRED** status code returned in every response, the response **OPTIONALLY**
1261 includes a "status-message" (text(255)) and/or a "detailed-status-message" (text(MAX)) operation
1262 attribute as described in [RFC2911] sections 13 and 31.6.

1263
1264 In this group, the Printer can return any status codes defined in [RFC2911] and section 16. The
1265 following is a description of the important status codes:

1266
1267 **successful-ok:** the Printer created all Subscription Objects requested.

1268 **successful-ok-ignored-subscriptions:** the Printer created some Subscription Objects requested but
1269 some failed. The Subscription Attributes Groups with a "notify-status-code" attribute are the ones
1270 that failed.

1271 **client-error-ignored-all-subscriptions:** the Printer created no Subscription Objects requested and all
1272 failed. The Subscription Attributes Groups with a "notify-status-code" attribute are the ones that
1273 failed

1274 **client-error-not-possible:** For this operation and other Per-Job Subscription operations, this error
1275 can occur because the specified Job has already completed.

1276
1277 Natural Language and Character Set:

1278 The "attributes-charset" and "attributes-natural-language" attributes as described in [RFC2911]
1279 section 3.1.4.2.

1280
1281 Group 2: Unsupported Attributes

1282 See [RFC2911] section 3.1.7 for details on returning Unsupported Attributes. This group does not
1283 contain any unsupported Subscription Template Attributes; they are returned in the Subscription
1284 Attributes Group (see below).

1285
1286 Group 3-N: Subscription Attributes

1287 These groups **MUST** be returned unless the Printer is unable to interpret the entire request, e.g., the
1288 "status-code" parameter returned in Group 1 has the value: 'client-error-bad-request'.

1289

1290 “notify-status-code” (type2 enum):
1291 Indicates the status of this subscription (see section 17 for the status code definitions). Section 5.2
1292 defines when this attribute **MUST** be present in this group.

1293
1294 See section 5.2 for details on the contents of each occurrence of this group.

1295

1296 **11.1.2 Create-Printer-Subscriptions operation**

1297 The operation is identical to Create-Job-Subscriptions with exceptions noted in this section.

1298 The operation creates Per-Printer Subscription Objects instead of Per-Job Subscription Objects, and
1299 associates each newly created Per-Printer Subscription Object with the Printer specified by the operation
1300 target rather than with a specific Job.

1301 The Printer **MUST** accept the request in any of its states, i.e., ‘idle’, ‘processing’, or ‘stopped’. The Printer
1302 **MUST NOT** change its “printer-state” attribute because of this operation.

1303 Access Rights: To create Per-Printer Subscription Objects, the authenticated user (see [RFC2911] section
1304 8.3) performing this operation **MUST** have Operator or Administrator access rights for this Printer (see
1305 [RFC2911] sections 1 and 8.5). Otherwise, the Printer **MUST** reject the operation and return: the ‘client-
1306 error-forbidden’, ‘client-error-not-authenticated’, or ‘client-error-not-authorized’ status code as appropriate.

1307 **11.1.2.1 Create-Printer-Subscriptions Request**

1308 The groups are identical to the Create-Job-Subscriptions (see section 11.1.1.1) except that the Operation
1309 Attributes group **MUST NOT** contain the “notify-job-id” attribute. If the client does supply the “notify-job-
1310 id” attribute, then the Printer **MUST** treat it as any other unsupported Operation attribute and **MUST** return it
1311 in the Unsupported Attributes group.

1312 **11.1.2.2 Create-Printer-Subscriptions Response**

1313 The groups are identical to the Create-Job-Subscriptions (see section 11.1.1.2).

1314

1315 **11.1.3 Job Creation Operation – Extensions for Notification**

1316 This document extends the Job Creation operations to create Subscription Objects as a part of the operation.

1317 The operation is identical to Create-Job-Subscriptions with exceptions noted in this section.

1318 Unlike the Create-Job-Subscriptions operation, this operation associates the newly created Subscription
1319 Objects with the Job object created by this operation. The operation succeeds if and only if the Job creation
1320 succeeds. If the Printer does not create some or all of the requested Subscription Objects, the Printer **MUST**
1321 return a ‘successful-ok-ignored-subscriptions’ status-code instead of a ‘successful-ok’ status-code, but the
1322 Printer **MUST NOT** reject the operation because of a failure to create Subscription Objects.

1323 If the operation includes a Job Template group, the client MUST supply it after the Operation Attributes group
1324 and before the first Subscription Template Attributes Group.

1325 If a Printer does not support this Notification specification, then it MUST treat the Subscription Attributes
1326 Group like an unknown group and ignore it (see [RFC2911] section 5.2.2). Because the Printer ignores the
1327 Subscription Attributes Group, it doesn't return them in the response either, thus indicating to the client that the
1328 Printer doesn't support Notification.

1329 Access Rights: To create Per-Job Subscription Objects, the authenticated user (see [RFC2911] section 8.3)
1330 performing this operation MUST either have permission to create Jobs on the Printer. Otherwise the Printer
1331 MUST reject the operation and return: the 'client-error-forbidden', 'client-error-not-authenticated', or 'client-
1332 error-not-authorized' status code as appropriate.

1333 **11.1.3.1 Job Creation Request**

1334 The groups for this operation are sufficiently different from the Create-Job-Subscriptions operation that they
1335 are all presented here. The following groups of attributes are supplied as part of a Job Creation Request:

1336 Group 1: Operation Attributes

1337 Same as defined in [RFC2911] for Print-Job, Print-URI, and Create-Job requests.

1338 Group 2: Job Template Attributes

1339 The client OPTIONALLY supplies a set of Job Template attributes as defined in [RFC2911]
1340 section 4.2.

1341 Group 3 to N: Subscription Template Attributes

1342 The same as Group 2-N in Create-Job-Subscriptions. See section 11.1.1.1.

1343 Group N+1: Document Content (Print-Job only)

1344 The client MUST supply the document data to be processed.

1345

1346 **11.1.3.2 Job Creation Response**

1347 The Printer MUST return to the client the following sets of attributes as part of a Print-Job, Print-URI, and
1348 Create-Job Response:

1349 Group 1: Operation Attributes

1350

1351 Status Message:

1352

1353 As defined in [RFC2911] for Print-Job, Print-URI, and Create-Job requests.

1354

1355 In this group, the Printer can return any status codes defined in [RFC2911] and section 16. The
1356 following is a description of the important status codes:

1357

1358 **successful-ok:** the Printer created the Job and all Subscription Objects requested.

1359 **successful-ok-ignored-subscriptions:** the Printer created the Job and not all of the Subscription
1360 Objects requested. This status-code hides ‘successful-ok-xxx’ status-codes that could reveal
1361 problems in Job creation. The Printer **MUST** not return the ‘client-error-ignored-all-subscriptions’
1362 status code for Job Creation operations because the Printer returns an error status-code only when
1363 it fails to create a Job.

1364

1365 Natural Language and Character Set:

1366 The “attributes-charset” and “attributes-natural-language” attributes as described in [RFC2911]
1367 section 3.1.4.2.

1368

1369 Group 2: Unsupported Attributes

1370 See [RFC2911] section 3.1.7 for details on returning Unsupported Attributes. This group does not
1371 contain any unsupported Subscription Template Attributes; they are returned in the Subscription
1372 Attributes Group (see below).

1373

1374 Group 3: Job Object Attributes

1375 As defined in [RFC2911] for Print-Job, Print-URI, and Create-Job requests.

1376

1377 Group 4 to N: Subscription Attributes

1378 These groups **MUST** be returned if and only if the client supplied Subscription Template Attributes
1379 and the operation was accepted.

1380

1381 See section 5.2 for details on the contents of each occurrence of this group.

1382

1383 **11.2 Other Operations**

1384 This section defines other operations on Subscription objects.

1385 **11.2.1 Validate-Job Operation - Extensions for Notification**

1386 A client can test whether one or more Subscription Objects could be created using the Validate-Job
1387 operation. The client supplies one or more Subscription Template Attributes Groups (defined in section 5.3),
1388 just as in a Job Creation request.

1389 A Printer **MUST** support this extension to this operation.

1390 The Printer MUST accept requests that are identical to the Job Creation request defined in section 11.1.3.1,
1391 except that the request MUST not contain document data.

1392 The Printer MUST return the same groups and attributes as the Print-Job operation (section 11.1.3.1) with
1393 the following exceptions. The Printer MUST NOT return a Job Object Attributes Group because no Job is
1394 created. The Printer MUST NOT return the “notify-subscription-id” attribute in any Subscription Attribute
1395 Group because no Subscription Object is created.

1396 If the Printer would succeed in creating a Subscription Object, the corresponding Subscription Attributes
1397 Group either has no ‘status-code’ attribute or a ‘status-code’ attribute with a value of ‘successful-ok-too-
1398 many-events’ or ‘successful-ok-ignored-or-substituted-attributes’ (see sections 5.2 and 17). The status-codes
1399 have the same meaning as in Job Creation except the results state what “would happen”.

1400 The Printer MUST validate Subscription Template Attributes Groups in the same manner as the Job Creation
1401 operations.

1402 11.2.2 Get-Printer-Attributes - Extensions for Notification

1403 This operation is extended so that it returns Printer attributes defined in this document.

1404 A Printer MUST support this extension to this operation.

1405 In addition to the requirements of [RFC2911] section 3.2.5, a Printer MUST support the following additional
1406 values for the “requested-attributes” Operation attribute in this operation and return such attributes in the
1407 Printer Object Attributes group of its response.

- 1408 1. **Subscription Template Attributes:** Each supported attribute in column 2 of Table 1.
- 1409 2. **New Printer Description Attributes:** Each supported attribute in section 6.
- 1410 3. **New Group Name:** The ‘subscription-template’ group name, which names all supported Subscription
1411 Template Attribute in column 2 of Table 1. This group name is also used in the Get-Subscription-
1412 Attributes and Get-Subscriptions operation with an analogous meaning.
- 1413 4. **Extended Group Name:** The ‘all’ group name, which names all Printer attributes according to
1414 [RFC2911] section 3.2.5. In this extension ‘all’ names all attributes specified in [RFC2911] plus those
1415 named in items 1 and 2 of this list.

1416 11.2.3 Get-Subscription-Attributes operation

1417 This operation allows a client to request the values of the attributes of a Subscription Object.

1418 A Printer MUST support this operation.

1419 This operation is almost identical to the Get-Job-Attributes operation (see [RFC2911] section 3.3.4). The
1420 only differences are that the operation is directed at a Subscription Object rather than a Job object, and the
1421 returned attribute group contains Subscription Object attributes rather than Job object attributes.

1422 **11.2.3.1 Get-Subscription-Attributes Request**

1423 The following groups of attributes are part of the Get-Subscription-Attributes request:

1424 Group 1: Operation Attributes

1425 Natural Language and Character Set:

1426 The “attributes-charset” and “attributes-natural-language” attributes as described in section
1427 [RFC2911] 3.1.4.1.

1428

1429 Target:

1430 The “printer-uri” attribute which defines the target for this operation as described in [RFC2911]
1431 section 3.1.5.

1432

1433 “notify-subscription-id” (integer (1:MAX)):

1434 The client **MUST** supply this attribute. The Printer **MUST** support this attribute. This attribute
1435 specifies the Subscription Object from which the client is requesting attributes. If the client omits this
1436 attribute, the Printer **MUST** reject this request with the ‘client-error-bad-request’ status code.

1437

1438 Requesting User Name:

1439 The “requesting-user-name” attribute **SHOULD** be supplied by the client as described in
1440 [RFC2911] section 8.3.

1441

1442 “requested-attributes” (1setOf keyword):

1443 The client **OPTIONALLY** supplies this attribute. The Printer **MUST** support this attribute. This
1444 attribute specifies the attributes of the specified Subscription Object that the Printer **MUST** return in
1445 the response. Each value of this attribute is either an attribute name (defined in sections 5.3 and 5.4)
1446 or an attribute group name. The attribute group names are:

1447

1448 - ‘subscription-template’: all attributes that are both defined in section 5.3 and present on the specified
1449 Subscription Object (column 1 of Table 1).

1450 - ‘subscription-description’: all attributes that are both defined in section 5.4 and present on the
1451 specified Subscription Object (Table 2).

1452 - ‘all’: all attributes that are present on the specified Subscription Object.

1453 A Printer **MUST** support all these group names.

1454 If the client omits this attribute, the Printer **MUST** respond as if this attribute had been supplied with
1455 a value of ‘all’.

1456

1457 **11.2.3.2 Get-Subscription-Attributes Response**

1458 The Printer returns the following sets of attributes as part of the Get-Subscription-Attributes Response:

1459 Group 1: Operation Attributes

1460 Status Message:

1461 Same as [RFC2911].

1462

1463 Natural Language and Character Set:

1464 The “attributes-charset” and “attributes-natural-language” attributes as described in [RFC2911]
1465 section 3.1.4.2. The “attributes-natural-language” MAY be the natural language of the Subscription
1466 Object, rather than the one requested.

1467

1468 Group 2: Unsupported Attributes

1469 See [RFC2911] section 3.1.7 for details on returning Unsupported Attributes.

1470

1471 The response NEED NOT contain the “requested-attributes” operation attribute with any supplied
1472 values (attribute keywords) that were requested by the client but are not supported by the Printer. If
1473 the Printer does return unsupported attributes referenced in the “requested-attributes” operation
1474 attribute and that attribute included group names, such as ‘all’, the unsupported attributes MUST
1475 NOT include attributes described in the standard but not supported by the implementation.

1476

1477 Group 3: Subscription Attributes

1478 This group contains a set of attributes with their current values. Each attribute in this group:

1479

1480 a) MUST be specified by the “requested-attributes” attribute in the request, AND

1481 b) MUST be present on the specified Subscription Object AND

1482 c) MUST NOT be restricted by the security policy in force. For example, a Printer MAY
1483 prohibit a client who is not the creator of a Subscription Object from seeing some or all of its
1484 attributes. See [RFC2911] section 8.

1485 The Printer can return the attributes of the Subscription Object in any order. The client MUST
1486 accept the attributes in any order.

1487

1488 **11.2.4 Get-Subscriptions operation**

1489 This operation allows a client to retrieve the values of attributes of all Subscription Objects belonging to a Job
1490 or Printer.

1491 A Printer MUST supported this operation.

1492 This operation is similar to the Get-Subscription-Attributes operation, except that this Get-Subscriptions
1493 operation returns attributes from possibly more than one object.

1494 This operation is similar to the Get-Jobs operation (see [RFC2911] section 3.2.6), except that the operation
1495 returns Subscription Objects rather than Job objects.

1496 **11.2.4.1 Get-Subscriptions Request**

1497 The following groups of attributes are part of the Get-Subscriptions request:

1498 Group 1: Operation Attributes

1499 Natural Language and Character Set:

1500 The “attributes-charset” and “attributes-natural-language” attributes as described in [RFC2911]
1501 section 3.1.4.1.

1502

1503 Target:

1504 The “printer-uri” attribute which defines the target for this operation as described in [RFC2911]
1505 section 3.1.5.

1506

1507 Requesting User Name:

1508 The “requesting-user-name” attribute SHOULD be supplied by the client as described in
1509 [RFC2911] section 8.3.

1510

1511 “notify-job-id” (integer(1:MAX)):

1512 If the client specifies this attribute, the Printer returns the specified attributes of all Per-Job
1513 Subscription Objects associated with the Job whose “job-id” attribute value equals the value of this
1514 attribute. If the client does not specify this attribute, the Printer returns the specified attributes of all
1515 Per-Printer Subscription Objects. Note: there is no way to get all Per-Job Subscriptions.

1516

1517 “limit” (integer(1:MAX)):

1518 The client OPTIONALLY supplies this attribute. The Printer MUST support this attribute. It is an
1519 integer value that determines the maximum number of Subscription Objects that a client will receive
1520 from the Printer even if the “my-subscriptions” attribute constrains which Subscription Objects are
1521 returned. The limit is a “stateless limit” in that if the value supplied by the client is ‘N’, then only the
1522 first ‘N’ Subscription Objects are returned in the Get-Subscriptions Response. There is no
1523 mechanism to allow for the next ‘M’ Subscription Objects after the first ‘N’ Subscription Objects.
1524 If the client does not supply this attribute, the Printer responds with all applicable Subscription
1525 Objects.

1526

1527 “requested-attributes” (1setOf type2 keyword):

1528 The client OPTIONALLY supplies this attribute. The Printer MUST support this attribute. This
1529 attribute specifies the attributes of the specified Subscription Objects that the Printer MUST return in
1530 the response. Each value of this attribute is either an attribute name (defined in sections 5.3 and 5.4)

1531 or an attribute group name (defined in section 11.2.3.1). If the client omits this attribute, the Printer
1532 MUST respond as if the client had supplied this attribute with the one value: 'notify-subscription-id'.
1533

1534

“my-subscriptions” (boolean):

1535 The client OPTIONALLY supplies this attribute. The Printer MUST support this attribute. If the
1536 value is 'false', the Printer MUST consider the Subscription Objects from all users as candidates. If
1537 the value is 'true', the Printer MUST return the Subscription Objects created by the requesting user
1538 of this request. If the client does not supply this attribute, the Printer MUST respond as if the client
1539 had supplied the attribute with a value of 'false'. The means for authenticating the requesting user
1540 and matching the Subscription Objects is similar to that for Jobs which is described in [RFC2911]
1541 section 8.
1542

1543

11.2.4.2 Get-Subscriptions Response

1544 The Printer returns the following sets of attributes as part of the Get-Subscriptions Response:

1545

Group 1: Operation Attributes

1546

Status Message:

1547

Same as [RFC2911].

1548

1549

Natural Language and Character Set:

1550

The “attributes-charset” and “attributes-natural-language” attributes as described in [RFC2911]
1551 section 3.1.4.2.
1552

1553

Group 2: Unsupported Attributes

1554

Same as for Get-Subscription-Attributes.

1555

1556

Groups 3 to N: Subscription Attributes

1557

The Printer responds with one Subscription Attributes Group for each requested Subscription
1558 Object (see the “notify-job-id” attribute in the Operation Attributes Group of this operation).
1559

1560

The Printer returns Subscription Objects in any order.

1561

1562

If the “limit” attribute is present in the Operation Attributes group of the request, the number of
1563 Subscription Attributes Groups in the response MUST NOT exceed the value of the “limit” attribute.
1564

1565

If there are no Subscription Objects associated with the specified Job or Printer, the Printer MUST
1566 return zero Subscription Attributes Groups and it MUST NOT treat this case as an error, i.e., the
1567 status-code MUST be 'successful-ok' unless something else causes the status code to have some
1568 other value.
1569

1569

1570 See the Group 3 response (Subscription Attributes Group) of the Get-Subscription-Attributes
1571 operation (section 11.2.3.2) for the attributes that a Printer returns in this group.
1572

1573 **11.2.5 Renew-Subscription operation**

1574 This operation allows a client to request the Printer to extend the lease on a Per-Printer Subscription Object.

1575 The Printer **MUST** support this operation.

1576 The Printer **MUST** accept this request for a Per-Printer Subscription Object in any of the target Printer's
1577 states, i.e., 'idle', 'processing', or 'stopped', but **MUST NOT** change the Printer's "printer-state" attribute.

1578 The Printer **MUST** reject this request for a Per-Job Subscription Object because it has no lease (see section
1579 5.4.3). The status code returned **MUST** be 'client-error-not-possible'.

1580 *Access Rights:* The authenticated user (see [RFC2911] section 8.3) performing this operation **MUST** either
1581 be the owner of the Per-Printer Subscription Object or have Operator or Administrator access rights for the
1582 Printer (see [RFC2911] sections 1 and 8.5). Otherwise, the Printer **MUST** reject the operation and return:
1583 the 'client-error-forbidden', 'client-error-not-authenticated', or 'client-error-not-authorized' status code as
1584 appropriate.

1585 **11.2.5.1 Renew-Subscription Request**

1586 The following groups of attributes are part of the Renew-Subscription Request:

1587 Group 1: Operation Attributes

1588 Natural Language and Character Set:

1589 The "attributes-charset" and "attributes-natural-language" attributes as described in [RFC2911]
1590 section 3.1.4.1.

1591 Target:

1592 The "printer-uri" attribute which defines the target for this operation as described in [RFC2911]
1593 section 3.1.5.

1594 "notify-subscription-id" (integer (1:MAX)):

1595 The client **MUST** supply this attribute. The Printer **MUST** support this attribute. This attribute
1596 specifies the Per-Printer Subscription Object whose lease the Printer **MUST** renew. If the client
1597 omits this attribute, the Printer **MUST** reject this request with the 'client-error-bad-request' status
1598 code.
1599

1600 Requesting User Name:

1601 The "requesting-user-name" (name(MAX)) attribute **SHOULD** be supplied by the client as
1602 described in [RFC2911] section 8.3.
1603
1604

1605

1606 Group 2: Subscription Template Attributes

1607

1608 “notify-lease-duration” (integer(0:MAX)):

1609 The client MAY supply this attribute. It indicates the number of seconds to renew the lease for the
1610 specified Subscription Object. A value of 0 requests an infinite lease (which MAY require Operator
1611 access rights). If the client omits this attribute, the Printer MUST use the value of the Printer’s
1612 “notify-lease-duration-default” attribute. See section 5.3.7 for more details.

1613

1614 **11.2.5.2 Renew-Subscription Response**

1615 The Printer returns the following sets of attributes as part of the Renew-Subscription Response:

1616

Group 1: Operation Attributes

1617

Status Message:

1618

Same as [RFC2911].

1619

1620

The following are some of the status codes returned:

1621

1622 **successful-ok:** The operation successfully renewed the lease on the Subscription Object for the requested
1623 duration..

1624 **successful-ok-ignored-or-substituted-attributes:** The operation successfully renewed the lease on the
1625 Subscription Object for some duration other than the amount requested.

1626 **client-error-not-possible:** The operation failed because the “notify-subscription-id” Operation attribute
1627 identified a Per-Job Subscription Object.

1628 **client-error-not-found:** The operation failed because the “notify-subscription-id” Operation attribute
1629 identified a non-existent Subscription Object.

1630

1631

Natural Language and Character Set:

1632

The “attributes-charset” and “attributes-natural-language” attributes as described in [RFC2911]

1633

1634 section 3.1.4.2. The “attributes-natural-language” MAY be the natural language of the Subscription
1635 Object, rather than the one requested.

1635

1636

Group 2: Unsupported Attributes

1637

See [RFC2911] section 3.1.7 for details on returning Unsupported Attributes.

1638

1639

Group 3: Subscription Attributes

1640

The Printer MUST return the following Subscription Attribute:

1641 “notify-lease-duration” (integer(0:MAX)):
1642 The value of this attribute MUST be the number of seconds that the Printer has granted for the lease
1643 of the Subscription Object (see section 5.3.7 for details, such as the value of this attribute when the
1644 Printer doesn’t support the requested value).

1645
1646

1647 **11.2.6 Cancel-Subscription operation**

1648 This operation allows a client to delete a Subscription Object and stop the Printer from sending more Event
1649 Notifications. Once performed, there is no way to reference the Subscription Object.

1650 A Printer MUST supported this operation.

1651 The Printer MUST accept this request in any of the target Printer’s states, i.e., ‘idle’, ‘processing’, or
1652 ‘stopped’, but MUST NOT change the Printer’s “printer-state” attribute.

1653 If the specified Subscription Object is a Per-Job Subscription Object, the Printer MUST accept this request in
1654 any of the target Job’s states, but MUST NOT change the Job’s “job-state” attribute or affect the Job.

1655 *Access Rights:* The authenticated user (see [RFC2911] section 8.3) performing this operation MUST either
1656 be the owner of the Subscription Object or have Operator or Administrator access rights for the Printer (see
1657 [RFC2911] sections 1 and 8.5). Otherwise, the Printer MUST reject the operation and return: the ‘client-
1658 error-forbidden’, ‘client-error-not-authenticated’, or ‘client-error-not-authorized’ status code as appropriate.

1659 Note: There is no way to change any attributes on a Subscription Object, except the “notify-lease-duration”
1660 attribute (using the Renew-Subscription operation). In order to change other attributes, a client performs a
1661 Subscription Creation Operation and Cancel-Subscription operation on the old Subscription Object. If the
1662 client wants to avoid missing Event Notifications, it performs the Subscription Creation Operation first. If this
1663 order would create too many Subscription Objects on the Printer, the client reverses the order.

1664 **11.2.6.1 Cancel-Subscription Request**

1665 The following groups of attributes are part of the Cancel-Subscription Request:

1666 Group 1: Operation Attributes

1667 Natural Language and Character Set:

1668 The “attributes-charset” and “attributes-natural-language” attributes as described in [RFC2911]
1669 section 3.1.4.1.

1670

1671 Target:

1672 The “printer-uri” attribute which defines the target for this operation as described in [RFC2911]
1673 section 3.1.5.

1674

1675 “notify-subscription-id” (integer (1:MAX)):
1676 The client **MUST** supply this attribute. The Printer **MUST** support this attribute. This attribute
1677 specifies the Subscription Object that the Printer **MUST** cancel. If the client omits this attribute, the
1678 Printer **MUST** reject this request with the ‘client-error-bad-request’ status code.

1679
1680 Requesting User Name:
1681 The “requesting-user-name” attribute **SHOULD** be supplied by the client as described in
1682 [RFC2911] section 8.3.

1683

1684 **11.2.6.2 Cancel-Subscription Response**

1685 The Printer returns the following sets of attributes as part of the Cancel-Subscription Response:

1686 Group 1: Operation Attributes

1687 Status Message:
1688 Same as [RFC2911].

1689
1690 The following are some of the status codes returned:

1691

1692 **successful-ok:** The operation successfully canceled (deleted) the Subscription Object..

1693 **client-error-not-found:** The operation failed because the “notify-subscription-id” Operation attribute
1694 identified a non-existent Subscription Object.

1695

1696 Natural Language and Character Set:

1697 The “attributes-charset” and “attributes-natural-language” attributes as described in [RFC2911]
1698 section 3.1.4.2. The “attributes-natural-language” **MAY** be the natural language of the Subscription
1699 Object, rather than the one requested.

1700

1701 Group 2: Unsupported Attributes

1702 See [RFC2911] section 3.1.7 for details on returning Unsupported Attributes.

1703

1704 **12 Conformance Requirements**

1705 It is **OPTIONAL** to implement this Event Notification specification.

1706 If this Event Notification specification is implemented, Printers **MUST**:

- 1707
- meet the Conformance Requirements detailed in section 5 of [RFC2911].
 - support the Subscription Template Attributes Group in requests and the Subscription Attributes Group in responses.
- 1708
1709

1734 notify-events (1setOf type2 keyword) RFC NNNN
1735 5.3.2
1736 notify-attributes (1setOf type2 keyword) RFC NNNN
1737 5.3.3
1738 notify-user-data (octetString(63)) RFC NNNN
1739 5.3.4
1740 notify-charset (charset) RFC NNNN
1741 5.3.5
1742 notify-natural-language (naturalLanguage) RFC NNNN
1743 5.3.6
1744 notify-lease-duration (integer(0:67108863)) RFC NNNN
1745 5.3.7
1746 notify-time-interval (integer(0:MAX)) RFC NNNN
1747 5.3.8
1748
1749 Subscription Description Attributes:
1750 notify-subscription-id (integer (1:MAX))) RFC NNNN
1751 5.4.1
1752 notify-sequence-number (integer (0:MAX))) RFC NNNN
1753 5.4.2
1754 notify-lease-expiration-time (integer(0:MAX))) RFC NNNN
1755 5.4.3
1756 notify-printer-up-time (integer(1:MAX))) RFC NNNN
1757 5.4.4
1758 notify-printer-uri (uri) RFC NNNN
1759 5.4.5
1760 notify-job-id (integer(1:MAX))) RFC NNNN
1761 5.4.6
1762 notify-subscriber-user-name (name(MAX))) RFC NNNN
1763 5.4.7
1764
1765 Printer Description Attributes:
1766 printer-state-change-time (integer(1:MAX))) RFC NNNN
1767 6.1
1768 printer-state-change-date-time (dateTime) RFC NNNN
1769 6.2
1770
1771 Attributes Only in Event Notifications
1772 notify-subscribed-event (type2 keyword) RFC NNNN
1773 8.1
1774 notify-text (text(MAX)) RFC NNNN
1775 8.2
1776

1777 13.2 Keyword Attribute Value Registrations

1778 The keyword attribute values defined in this document will be published by IANA according to the
1779 procedures in RFC 2911 [RFC2911] section 6.1 with the following path:

1780 <ftp.isi.edu/iana/assignments/ipp/attribute-values/>

1781 The registry entry will contain the following information:

1782 Keyword Attribute Values: Ref.
1783 Section:
1784 New Values for Existing Printer Description Attributes
1785 operations-supported (1setOf type2 enum) RFC NNNN
1786 7.1
1787

1788 **13.3 Operation Registrations**

1789 The operations defined in this document will be published by IANA according to the procedures in RFC 2911
1790 [RFC2911] section 6.4 with the following path:

1791 <ftp.isi.edu/iana/assignments/ipp/operations/>

1792 The registry entry will contain the following information:

1793 Operations: Ref.
1794 Section:
1795 Create-Job-Subscriptions Operation RFC NNNN
1796 11.1.1
1797 Create-Printer-Subscriptions operation RFC NNNN
1798 11.1.2
1799 Job Creation Operations - Extensions RFC NNNN
1800 11.1.3
1801 Validate-Job Operation - Extensions RFC NNNN
1802 11.2.1
1803 Get-Printer-Attributes - Extensions RFC NNNN
1804 11.2.2
1805 Get-Subscription-Attributes operation RFC NNNN
1806 11.2.3
1807 Get-Subscriptions operation RFC NNNN
1808 11.2.4
1809 Renew-Subscription operation RFC NNNN
1810 11.2.5
1811 Cancel-Subscription operation RFC NNNN
1812 11.2.6
1813

1814 **13.4 Status code Registrations**

1815 The status codes defined in this document will be published by IANA according to the procedures in RFC
1816 2911 [RFC2911] section 6.6 with the following path:

1817 <ftp.isi.edu/iana/assignments/ipp/status-codes/>

1818 The registry entry will contain the following information:

1819	Status codes:	Ref.
1820	Section:	
1821	successful-ok-ignored-subscriptions (0x0003)	RFC NNNN
1822	16.1	
1823	client-error-ignored-all-subscriptions (0x0414)	RFC NNNN
1824	16.2	
1825		
1826	Status Codes in Subscription Attributes Groups:	
1827	client-error-uri-scheme-not-supported (0x040C)	RFC NNNN
1828	17.1	
1829	client-error-too-many-subscriptions (0x0415)	RFC NNNN
1830	17.2	
1831	successful-ok-too-many-events (0x0005)	RFC NNNN
1832	17.3	
1833	successful-ok-ignored-or-substituted-attributes (0x0001)	
1834		RFC NNNN
1835	17.4	
1836		

1837 **13.5 Attribute Group tag Registrations**

1838 The attribute group tags defined in this document will be published by IANA according to the procedures in
1839 RFC 2911 [RFC2911] section 6.5 with the following path:

1840 `ftp.isi.edu/iana/assignments/ipp/attribute-group-tags/`

1841 The registry entry will contain the following information:

1842	Attribute Group Tags:	Ref.
1843	Section:	
1844	subscription-attributes-tag	RFC NNNN
1845	18	
1846	event-notification-attributes-tag	RFC NNNN
1847	18	
1848		

1849 **13.6 Format for Event Notification Delivery Method Registration proposals**

1850 This section describes the procedures for registering Event Notification Delivery Method proposals with
1851 IANA to be used with this document. Such Delivery Method proposals that require a new URL scheme
1852 MUST be IETF standards track documents according to RFC 2717 [RFC2717].

1853 **13.7 Format and Requirements for IPP Delivery Method Registration Proposals**

1854 This section defines the format and requirements for an IPP Event Notification Delivery Method Registration
1855 Proposal. A Delivery Method Registration Proposal:

- 1856 1. MUST contain the following information:
- 1857 Type of registration: IPP Event Notification Delivery Method
- 1858 Name of this delivery method:
- 1859 Proposed URL scheme name of this delivery method:
- 1860 Name of proposer:
- 1861 Address of proposer:
- 1862 Email address of proposer:
- 1863 Is this delivery method REQUIRED or OPTIONAL for conformance to the IPP Event Notification
- 1864 Specification document:
- 1865 Is this delivery method defining Machine Consumable and/or Human Consumable content:
- 1866 2. MUST meet the conformance requirements for Delivery Method Documents specified in section 10.

1867 **14 Internationalization Considerations**

1868 This IPP Notification specification continues support for the internationalization of [RFC2911] of attributes
1869 containing text strings and names. Allowing a Subscribing Client to specify a different natural language and
1870 charset for each Subscription Object increases the internationalization support.

1871 The Printer MUST be able to localize the content of Human Consumable Event Notifications and to localize
1872 the value of “notify-text” attribute in Machine Consumable Event Notifications that it sends to Notification
1873 Recipients. For localization, the Printer MUST use the value of the “notify-charset” attribute and the “notify-
1874 natural-language” attribute in the Subscription Object supplied by the Subscribing Client.

1875 **15 Security Considerations**

1876 By far the biggest security concern is the abuse of notification: sending unwanted Event Notifications to third
1877 parties (i.e., spam). The problem is made worse by notification addresses that may be redistributed to
1878 multiple parties (e.g., mailing lists). There exist scenarios where third party notification is required (see
1879 Scenario #2 and #3 in [ipp-not-req]). The fully secure solution would require active agreement of all
1880 recipients before sending out anything. However, requirement #9 in [ipp-req] (“There is no requirement for
1881 IPP Printer receiving the print request to validate the identity of an Event recipient”) argues against this.
1882 Certain systems may decide to disallow third party Event Notifications (a traditional fax model).

1883 Clients submitting Notification requests to the IPP Printer has the same security issues as submitting an IPP/1.1
1884 print job request. The same mechanisms used by IPP/1.1 can therefore be used by the client Notification
1885 submission. Operations that require authentication can use the HTTP authentication. Operations that require
1886 privacy can use the HTTP/TLS privacy.

1887 The Notification access control model should be similar to the IPP access control model for Jobs. Creating a
1888 Per-Printer Subscription Object is associated with a user. Only the creator or an Operator can cancel the
1889 Subscription Object. The system may limit the listing of items to only those items owned by the user. Some

1890 Subscription Objects (e.g., those that have a lifetime longer than a job) can be done only by privileged users
1891 (users having Operator and/or Administrator access rights), if that is the authorization policy.

1892 The standard security concerns (delivery to the right user, privacy of content, tamper proof content) apply to
1893 the Delivery Method. IPP should use the security mechanism of the Delivery Method used. Some delivery
1894 mechanisms are more secure than others. Therefore, sensitive Event Notifications should use the Delivery
1895 Method that has the strongest security.

1896 **16 Status Codes**

1897 The following status codes are defined as extensions for Notification and are returned as the value of the
1898 “status-code” parameter in the Operation Attributes Group of a response (see [RFC2911] section 3.1.6.1).
1899 Operations in this document can also return the status codes defined in section 13 of [RFC2911]. The
1900 ‘successful-ok’ status code is an example of such a status code.

1901 **16.1 successful-ok-ignored-subscriptions (0x0003)**

1902 The Subscription Creation Operation was unable to create all requested Subscription Objects.

1903 For a Create-Job-Subscriptions or Create-Printer-Subscriptions operation, this status code means that the
1904 Printer created one or more Subscription Objects, but not all requested Subscription Objects.

1905 For a Job Creation operation, this status code means that the Printer created the Job along with zero or more
1906 Subscription Objects. The Printer returns this status code even if other job attributes are unsupported or in
1907 conflict. That is, if an IPP Printer finds a warning that would allow it to return ‘successful-ok-ignored-
1908 subscriptions’ and either ‘successful-ok-ignored-or-substituted-attributes’ and/or ‘successful-ok-conflicting-
1909 attributes’, it MUST return ‘successful-ok-ignored-subscriptions’.

1910 **16.2 client-error-ignored-all-subscriptions (0x0414)**

1911 This status code is the same as ‘successful-ok-ignored-subscriptions’ except that only the Create-Job-
1912 Subscriptions and Create-Printer-Subscriptions operation return it. They return this status code only when the
1913 Printer creates zero Subscription Objects.

1914 **17 Status Codes in Subscription Attributes Groups**

1915 This section contains values of the “notify-status-code” (type2 enum) attribute that the Printer returns in a
1916 Subscription Attributes Group in a response when the corresponding Subscription Object:

- 1917 1. is not created or
- 1918 2. is created and some of the client-supplied attributes are not supported.

1919 The following sections are ordered in decreasing order of importance of the status-codes.

1920 **17.1 client-error-uri-scheme-not-supported (0x040C)**

1921 This status code is defined in [RFC2911]. This document extends its meaning and allows it to be in a
1922 Subscription Attributes Group of a response.

1923 The scheme of the client-supplied URI in a “notify-recipient-uri” Subscription Template Attribute in a
1924 Subscription Creation Operation is not supported. See section 0.

1925 **17.2 client-error-too-many-subscriptions (0x0415)**

1926 The number of Subscription Objects supported by the Printer would be exceeded if this Subscription Object
1927 were created (see section 5.2).

1928 **17.3 successful-ok-too-many-events (0x0005)**

1929 The client supplied more Events in the “notify-events” operation attribute of a Subscription Creation Operation
1930 than the Printer supports, as indicated in its “notify-max-events-supported” Printer attribute (see section
1931 5.3.2).

1932 **17.4 successful-ok-ignored-or-substituted-attributes (0x0001)**

1933 This status code is defined in [RFC2911]. This document extends its meaning to include unsupported
1934 Subscription Template Attributes and it can appear in a Subscription Attributes Group.

1935 **18 Encodings of Additional Attribute Tags**

1936 This section assigns values to two attributes tags as extensions to the encoding defined in [RFC2910]).

1937 The “subscription-attributes-tag” delimits Subscription Template Attributes Groups in requests and
1938 Subscription Attributes Groups in responses.

1939 The “event-notification-attributes-tag” delimits Event Notifications in Delivery Methods that use an IPP-like
1940 encoding.

1941 The following table specifies the values for the delimiter tags:

Tag Value (Hex)	Meaning
0x06	“subscription-attributes-tag”
0x07	“event-notification-attributes-tag”

1942 19 References

- 1943 [IANA-CON]
 1944 Narte, T. and Alvestrand, H.T.: Guidelines for Writing an IANA Considerations Section in RFCs, Work
 1945 in Progress, draft-iesg-iana-considerations-04.txt, May 21, 1998.
- 1946 [ipp-not-req]
 1947 deBry, R., Lewis, H., Hastings, T., “Internet Printing Protocol/1.1: Requirements for IPP Notifications”,
 1948 <draft-ietf-ipp-not-05.txt>, work in progress, January 23, 2001.
- 1949 [ipp-prog]
 1950 Hastings, T., Bergman, R., Lewis, H., “IPP: Job Progress Attributes”, <draft-ietf-ipp-job-prog-03.txt>
 1951 work in progress, January 23, 2001.
- 1952 [ipp-set]
 1953 Kugler, C., Hastings, T., Herriot, R., Lewis, H., “Internet Printing Protocol (IPP): Job and Printer Set
 1954 Operations”, <draft-ietf-ipp-job-printer-set-ops-03.txt>, work in progress, January 22, 2001.
- 1955 [RFC2026]
 1956 S. Bradner, "The Internet Standards Process -- Revision 3", RFC 2026, October 1996.
- 1957 [RFC2119]
 1958 S. Bradner, “Key words for use in RFCs to Indicate Requirement Levels”, RFC 2119 , March 1997
- 1959 [RFC2566]
 1960 deBry, R., , Hastings, T., Herriot, R., Isaacson, S., Powell, P., “Internet Printing Protocol/1.0: Model and
 1961 Semantics”, RFC 2566, April 1999.
- 1962 [RFC2567]
 1963 Wright, D., “Design Goals for an Internet Printing Protocol”, RFC 2567, April 1999.
- 1964 [RFC2568]
 1965 Zilles, S., “Rationale for the Structure and Model and Protocol for the Internet Printing Protocol”, RFC
 1966 2568, April 1999.
- 1967 [RFC2569]
 1968 Herriot, R., Hastings, T., Jacobs, N., Martin, J., “Mapping between LPD and IPP Protocols”, RFC 2569,
 1969 April 1999.

- 1970 [RFC2717]
1971 R. Petke and I. King, "Registration Procedures for URL Scheme Names", RFC 2717, November 1999.
- 1972 [RFC2910]
1973 Herriot, R., Butler, S., Moore, P., Turner, R., "Internet Printing Protocol/1.1: Encoding and Transport",
1974 RFC 2910, September 2000.
- 1975 [RFC2911]
1976 deBry, R., , Hastings, T., Herriot, R., Isaacson, S., Powell, P., "Internet Printing Protocol/1.1: Model and
1977 Semantics", RFC 2911, September 2000.

1978 **20 Author's Addresses**

- 1979 Robert Herriot
1980 Xerox Corporation
1981 3400 Hillview Ave., Bldg #1
1982 Palo Alto, CA 94304
1983
1984 Phone: 650-813-7696
1985 Fax: 650-813-6860
1986 Email: robert.herriot@pahv.xerox.com
1987
- 1988 Tom Hastings
1989 Xerox Corporation
1990 737 Hawaii St. ESAE 231
1991 El Segundo, CA 90245
1992
1993 Phone: 310-333-6413
1994 Fax: 310-333-5514
1995 e-mail: hastings@cp10.es.xerox.com
1996
- 1997 Scott A. Isaacson
1998 Novell, Inc.
1999 122 E 1700 S
2000 Provo, UT 84606
2001
2002 Phone: 801-861-7366
2003 Fax: 801-861-2517
2004 e-mail: sisaacson@novell.com
2005
- 2006 Roger deBry
2007 Utah Valley State College

2008 Orem, UT 84058
2009
2010 Phone: (801) 222-8000
2011 EMail: debryro@uvsc.edu
2012
2013 Jay Martin
2014 Underscore Inc.
2015 9 Jacqueline St.
2016 Hudson, NH 03051-5308
2017 603-889-7000
2018 fax: 775-414-0245
2019 e-mail: jkm@underscore.com
2020
2021 Michael Shepherd
2022 Xerox Corporation
2023 800 Phillips Road MS 128-51E
2024 Webster, NY 14450
2025
2026 Phone: 716-422-2338
2027 Fax: 716-265-8871
2028 e-mail: mshepherd@crt.xerox.com
2029
2030 Ron Bergman
2031 Hitachi Koki Imaging Solutions
2032 1757 Tapo Canyon Road
2033 Simi Valley, CA 93063-3394
2034
2035 Phone: 805-578-4421
2036 Fax: 805-578-4001
2037 Email: rbergma@hitachi-hkis.com

2038 **A. Appendix - Model for Notification with Cascading Printers**


2039 With this model (see Figure 2), there is an intervening Print server between the human user and the output-
2040 device. So the system effectively has two Printers. There are two cases to consider.

- 2041 1. When the Printer 1 (in the server) generates Events, the system behaves like the client and Printer in Figure
2042 1. In this case, Printer 1 sends Event Notifications that are shown as Event Notifications (A) of Figure 2,.
- 2043 2. When the Printer 2 (in the output-device) generates Events, there are two possible system configurations:
 - 2044 a) Printer 1 forwards the client-supplied Subscription Creation Operations to the downstream Printer 2
2045 and lets Printer 2 send the Event Notifications directly to the Notification Recipients supplied by the
2046 Client (Event Notifications(C) in the diagram).

2047 b) Printer 1 performs the client-supplied Subscription Creation Operations and also forwards the
 2048 Subscription Creation Operations to Printer 2 with the Notification Recipient changed to be the Printer
 2049 1. When an Event occurs in Printer 2, Printer 2 sends the Event Notification (B) to Notification
 2050 Recipient of Printer 1, which relays the received Event Notification (B) to the client-supplied
 2051 Notification Recipient (as Event Notifications(A) in the diagram). Note, when a client performs a
 2052 Subscription Creation Operation, Printer 1 need not forward the Subscription Creation Operation to
 2053 Printer 2 if it would create a duplicate Subscription Object on Printer 2.

2054 Note: when Printer 1 is forwarding Subscription Creation Operations to Printer 2, it may request Printer 2 to
 2055 create additional Subscription Objects (called “piggy-backing”). Piggy-backing is useful when:

- 2056 • Device A is configured to accept (IPP or non-IPP) requests from other servers.
- 2057 • Server S wants to receive Job Events that the client didn’t request and Server S wants these Events
 2058 for jobs it submits and not for other jobs.



2079 **Figure 2 – Model for Notification with Cascading Printers**

2080 **B. Appendix - Distributed Model for Notification**

2081 A Printer implementation could use some other remote notification service to provide some or most of the
 2082 service. For example, the remote notification service could send Event Notifications using Delivery Methods
 2083 that are not directly supported by the output device or server. Or, the remote notification service could store
 2084 Subscription Objects (passed to it from the output device in response to Subscription Creation requests),
 2085 accept Events, format the Event Notification in the natural language of the Notification Recipient, and send the
 2086 Event Notifications to the Notification Recipient(s).

2087 Figure 3 shows this partitioning. The interface between the output device (or server) and the remote
 2088 notification service is outside the scope of this document and is intended to be transparent to the client and this
 2089 document. The combination of the output device (or server) and the notification service together constitute an
 2090 IPP Printer conforming to this Notification document.

2091

2092

2093

2094

2095

2096

2097

2098

2099

2100

2101

2102

2103

2104

2105

2106

2107

2108

2109

2110

2111


2112

2113

2114

2115

2116



2117 **Figure 3 – Opaque Use of a Notification Service Transparent to the Client**

2118 **C. Appendix - Extended Notification Recipient**

2119 The model allows for an extended Notification Recipient that is itself a notification service that forwards each
 2120 Event Notification to another recipient (called the Ultimate Notification Recipient in this section). The Delivery
 2121 Method to the Ultimate Recipient is probably different from the Delivery Method used by the Printer to the
 2122 extended Notification Recipient.


2123 This extended Notification Recipient is transparent to the Printer but not to the client.

2124 When a client performs a Subscription Creation Operation, it specifies the extended Notification Recipient as
 2125 it would any Notification Recipient. In addition, the client specifies the Ultimate Notification Recipient in the
 2126 Subscription Creation Operation in a manner specified by the extended Notification Recipient. Typically, it is

2127 either some bytes in the value of “notify-user-data” or some additional parameter in the value of “notify-
 2128 recipient-uri”. The client also subscribes directly with the extended Notification Recipient (by means outside
 2129 this document), since it is a notification service in its own right.

2130 The IPP Printer treats the extended Notification Recipient like any other Notification Recipient and the IPP
 2131 Printer is not aware of the forwarding. The Delivery Method that the extended Notification Recipient uses for
 2132 delivering the Event Notification to the Ultimate Notification Recipient is beyond the scope of this document
 2133 and is transparent to the IPP Printer.

2134 Examples of this extended Notification Recipient are paging, immediate messaging services, general
 2135 notification services, and NOS vendors’ infrastructure. Figure 4 shows this approach.



2155 **Figure 4 – Use of an Extended Notification Recipient transparent to the Printer**

2156 **D. Appendix - Details about Conformance Terminology**

2157 The following paragraphs provide more details about conformance terminology.

2158 **REQUIRED** - an adjective used to indicate that a conforming IPP Printer implementation **MUST** support the
 2159 indicated operation, object, attribute, attribute value, status code, or out-of-band value in requests and
 2160 responses. See [RFC2911] “Appendix A - Terminology for a definition of “support”. *Since support of*
 2161 *this entire Notification specification is OPTIONAL for conformance to IPP/1.0 or IPP/1.1, the*
 2162 *use of the term REQUIRED in this document means “REQUIRED if this OPTIONAL*
 2163 *Notification specification is implemented”.*

2164 **RECOMMENDED** - an adjective used to indicate that a conforming IPP Printer implementation is
 2165 recommended to support the indicated operation, object, attribute, attribute value, status code, or out-of-

2166 band value in requests and responses. *Since support of this entire Notification specification is*
2167 *OPTIONAL for conformance to IPP/1.0 or IPP/1.1, the use of the term RECOMMENDED in*
2168 *this document means “RECOMMENDED if this OPTIONAL Notification specification is*
2169 *implemented”.*

2170 **OPTIONAL** - an adjective used to indicate that a conforming IPP Printer implementation MAY, but is NOT
2171 REQUIRED to, support the indicated operation, object, attribute, attribute value, status code, or out-of-
2172 band value in requests and responses.

2173 **E. Appendix - Object Model for Notification**

2174 This section describes the Notification object model that adds a Subscription Object which together with the
2175 Job and Printer object provide the complete Notification semantics.

2176 The object relationships can be seen pictorially as:




Figure 5 – Object Model for Notification

2217 s1, s2, and s3 are Per-Printer Subscription Objects and can identify Printer and/or Job Events.
2218 s4, s5, and s6 are Per-Job Subscription Objects and can identify Printer and/or Job Events.

2219 **E.1 Appendix - Object relationships**

2220 This sub-section defines the object relationships between the Printer, Job, and Subscription Objects by
2221 example. Whether Per-Printer Subscription Objects are actually contained in a Printer object or are just bi-
2222 directionally associated with them in some way is IMPLEMENTATION DEPENDENT and is transparent to
2223 the client. Similarly, whether Per-Job Subscription Objects are actually contained in a Job object or are just
2224 bi-directionally associated with them in some way is IMPLEMENTATION DEPENDENT and is transparent
2225 to the client. The object relationships are defined as follows:

2226 **E.2 Printer Object and Per-Printer Subscription Objects**

- 2227 1. The Printer object contains (is associated with) zero or more Per-Printer Subscription Objects (p1
2228 contains s1-s3 Per-Printer Subscription Objects).
- 2229 2. Each Per-Printer Subscription Object (s1, s2, and s3) is contained in (or is associated with) exactly
2230 one Printer object (p1).

2231 **E.3 Job Object and Per-Job Subscription Objects**

- 2232 1. A Job object (j1, j2, j3) is associated with zero or more Per-Job Subscription Objects (s4-s6). Job j1
2233 is associated with Per-Job Subscription Object s4, Job j2 is associated with Per-Job Subscription
2234 Objects s5 and s6, and Job j3 is not associated with any Per-Job Subscription Object.
- 2235 2. Each Per-Job Subscription Object is associated with exactly one Job object.

2236 **F. Appendix - Per-Job versus Per-Printer Subscription Objects**

2237 Per-Job and Per-Printer Subscription Objects are quite similar. Either type of Subscription Object can
2238 subscribe to Job Events, Printer Events, or both. Both types of Subscription Objects can be queried using the
2239 Get-Subscriptions and Get-Subscription-Attributes operations and canceled using the Cancel-Subscription
2240 operation. Both types of Subscription Objects create Subscription Objects which have the same Subscription
2241 Object attributes defined. However, there are some semantic differences between Per-Job Subscription
2242 Objects and Per-Printer Subscription Objects. A Per-Job Subscription Object is established by the client
2243 when submitting a job and after creating the job using the Create-Job-Subscriptions operation by specifying
2244 the “job-id” of the Job with the “notify-job-id” attribute. A Per-Printer Subscription Object is established
2245 between a client and a Printer using the Create-Printer-Subscriptions operation. Some specific differences
2246 are:

- 2247 1. A client usually creates one or more Per-Job Subscription Objects as part of the Job Creation
2248 operations (Create-Job, Print-Job, and Print-URI), rather than using the OPTIONAL Create-Job-
2249 Subscriptions operation, especially since Printer implementations NEED NOT support the Create-Job-
2250 Subscriptions operation, since it is OPTIONAL.

- 2251 2. For Per-Job Subscription Objects, the Subscription Object is only valid while the job is “not-
2252 complete” (see sections 5.4.3) while for the Per-Printer Subscription Objects, the Subscription Object
2253 is valid until the time (in seconds) that the Printer returned in the “notify-lease-expiration-time”
2254 operation attribute.
- 2255 3. Job Events in a Per-Job Subscription Object apply only to “one job” (the Job created by the Job
2256 Creation operation or references by the Create-Job-Subscriptions operation) while Job Events in a
2257 Per-Printer Subscription Object apply to ALL jobs contained in the IPP Printer.

2258 **G. Appendix: Full Copyright Statement**

2259 Copyright (C) The Internet Society (1998,1999,2000,2001). All Rights Reserved

2260 This document and translations of it may be copied and furnished to others, and derivative works that
2261 comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and
2262 distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and
2263 this paragraph are included on all such copies and derivative works. However, this document itself may not
2264 be modified in any way, such as by removing the copyright notice or references to the Internet Society or
2265 other Internet organizations, except as needed for the purpose of developing Internet standards in which case
2266 the procedures for copyrights defined in the Internet Standards process must be followed, or as required to
2267 translate it into languages other than English.

2268 The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its
2269 successors or assigns.

2270 This document and the information contained herein is provided on an “AS IS” basis and THE INTERNET
2271 SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES,
2272 EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE
2273 OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED
2274 WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.