

1 INTERNET-DRAFT  
2 draft-ietf-ipp-implementers-guide-~~v11-0004~~.txt

T. Hastings  
Xerox Corporation  
C. Manros  
Xerox Corporation

C. Kugler  
IBM Printing Systems Co

H. Holst  
i-data Printing Systems

~~February 12,~~September 14, 1999

13 Internet Printing ~~Protocol/1.0:~~Protocol/1.1: Implementer's Guide  
14 Copyright (C) The Internet Society (1999). All Rights Reserved.

15 Status of this Memo

16 This document is an Internet-Draft and is in full conformance with all provisions of Section 10 of  
17 [RFC2026]. Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its  
18 areas, and its working groups. Note that other groups may also distribute working documents as Internet-  
19 Drafts.

20 Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or  
21 obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or  
22 to cite them other than as "work in progress".

23 The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/1id-abstracts.txt>

24 The list of Internet-Draft Shadow Directories can be accessed as <http://www.ietf.org/shadow.html>.

25

26 Abstract

27 This document is one of a set of documents, which together describe all aspects of a new Internet Printing  
28 Protocol (IPP). IPP is an application level protocol that can be used for distributed printing using Internet  
29 tools and technologies. This document contains information that supplements the IPP Model and  
30 Semantics [IPP-MOD] and the IPP Transport and Encoding [IPP-PRO] documents. It is intended to help  
31 implementers understand ~~IPP/1.0~~IPP/1.1 and some of the considerations that may assist them in the design  
32 of their client and/or IPP object implementations. For example, a typical order of processing requests is  
33 given, including error checking. Motivation for some of the specification decisions is also included.

34

35 The full set of IPP documents includes:

36 Design Goals for an Internet Printing Protocol ~~[IPP-REQ]~~[\[RFC2567\]](#)

37 Rationale for the Structure and Model and Protocol for the Internet Printing Protocol ~~[IPP-~~  
38 ~~RAT]~~[\[RFC2568\]](#)

39 Internet Printing ~~Protocol/1.0:Protocol/1.1:~~ Model and Semantics [IPP-MOD]

40 Internet Printing ~~Protocol/1.0:Protocol/1.1:~~ Encoding and Transport [IPP-PRO]

41 Mapping between LPD and IPP Protocols ~~[IPP-LPD]~~[\[RFC2569\]](#)

42 The document, "Design Goals for an Internet Printing Protocol", takes a broad look at distributed printing  
43 functionality, and it enumerates real-life scenarios that help to clarify the features that need to be included  
44 in a printing protocol for the Internet. It identifies requirements for three types of users: end users,  
45 operators, and administrators. The design goals document calls out a subset of end user requirements that  
46 are satisfied in ~~IPP/1.0:IPP/1.1.~~ Operator and administrator requirements are out of scope for version  
47 ~~1.0.1.1.~~

48 The document, "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol",  
49 describes IPP from a high level view, defines a roadmap for the various documents that form the suite of  
50 IPP specifications, and gives background and rationale for the IETF working group's major decisions.

51 The document, "Internet Printing ~~Protocol/1.0:Protocol/1.1:~~ Model and Semantics", describes a simplified  
52 model with abstract objects, their attributes, and their operations. The model introduces a Printer and a Job.  
53 The Job supports multiple documents per Job. The model document also addresses how security,  
54 internationalization, and directory issues are addressed.

55 The document, "Internet Printing ~~Protocol/1.0:Protocol/1.1:~~ Encoding and Transport", is a formal mapping  
56 of the abstract operations and attributes defined in the model document onto HTTP/1.1. It also defines the  
57 encoding rules for a new Internet media type called "application/ipp".

58 The document, "Mapping between LPD and IPP Protocols", gives some advice to implementers of  
59 gateways between IPP and LPD (Line Printer Daemon) implementations.

60

## 61 TABLE OF CONTENTS

62	<b>1 INTRODUCTION</b> .....	<b>6</b>
63	1.1 CONFORMANCE LANGUAGE.....	6
64	1.2 OTHER TERMINOLOGY.....	6
65	1.3 ISSUES RAISED FROM INTEROPERABILITY BAKE OFFS.....	6
66	<b>2 IPP OBJECTS</b> .....	<b>7</b>
67	<b>3 IPP OPERATIONS</b> .....	<b>8</b>
68	3.1 COMMON SEMANTICS.....	8
69	3.1.1 Summary of Operation Attributes.....	8
70	3.1.2 Suggested Operation Processing Steps for IPP Objects (Issue 1.21).....	15
71	3.1.2.1 Suggested Operation Processing Steps for all Operations.....	16
72	3.1.2.1.1 Validate version number.....	17
73	3.1.2.1.2 Likewise, it is advantageous for clients to support both versions to allow interoperability with new and legacy Printers. Validate operation identifier.....	18
74	3.1.2.1.3 Validate the request identifier.....	18
75	3.1.2.1.4 Validate attribute group and attribute presence and order.....	18
76	3.1.2.1.4.1 Validate the presence and order of attribute groups.....	18
77	3.1.2.1.4.2 Ignore unknown attribute groups in the expected position.....	18
78	3.1.2.1.4.3 Validate the presence of a single occurrence of required Operation attributes.....	19
79	3.1.2.1.5 Validate the values of the REQUIRED Operation attributes.....	26
80	3.1.2.1.6 Validate the values of the OPTIONAL Operation attributes.....	29
81	3.1.2.2 Suggested Additional Processing Steps for Operations that Create/Validate Jobs and Add Documents.....	32
82	3.1.2.2.1 Check that the Printer object is accepting jobs.....	33
83	3.1.2.2.2 Validate the values of the Job Template attributes.....	33
84	3.1.2.3 Algorithm for job validation.....	34
85	3.1.2.3.1 Check for conflicting Job Template attributes values.....	38
86	3.1.2.3.2 Decide whether to REJECT the request.....	38
87	3.1.2.3.3 Auto-sensing at Job submission time may be more difficult for the Printer when combined with compression. For auto-sensed Jobs, a client may be better off deferring compression to the transfer protocol layer, e.g.; by using the HTTP Content-Encoding header. For the Validate-Job operation, RETURN one of the success status codes.....	40
88	3.1.2.3.4 Create the Job object with attributes to support.....	40
89	3.1.2.3.5 Return one of the success status codes.....	41
90	3.1.2.3.6 Accept appended Document Content.....	42
91	3.1.2.3.7 Scheduling and Starting to Process the Job.....	42
92	3.1.2.3.8 Completing the Job.....	42
93	3.1.2.3.9 Destroying the Job after completion.....	42
94	3.1.2.3.10 Interaction with "ipp-attribute-fidelity".....	42
95	3.1.3 Some Printer object implementations may support "ipp-attribute-fidelity" set to 'true' and "pdl-override-supported" set to 'attempted' and yet still not be able to realize exactly what the client specifies in the create request. This is due to legacy decisions and assumptions that have been made about the role of job instructions embedded within the document data and external job instructions that accompany the document data and how to handle conflicts between such instructions. The inability to be 100% precise about how a given implementation will behave is also compounded by the fact that the two special attributes, "ipp-attribute-fidelity" and "pdl-override-supported", apply to the whole job rather than specific values for each attribute. For example, some implementations may be able to override almost all Job Template attributes except for "number-up". Character Sets, natural languages, and internationalization.....	42
96	3.1.3.1.1 Character set code conversion support (Issue 1.5).....	43
97	3.1.3.1.2 What charset to return when an unsupported charset is requested (Issue 1.19)?.....	44
98	3.1.3.1.3 Natural Language Override (NLO) (Issue 1.45).....	44
99	3.1.4 Status codes returned by operation (Issue 1.50).....	45
100	3.1.4.1 Printer Operations.....	45
101	3.1.4.1.1 Print-Job.....	45
102	3.1.4.1.2 Print-URI.....	47
103	3.1.4.1.3 Validate-Job.....	47
104	3.1.4.1.4 Create-Job.....	47
105	3.1.4.1.5 Get-Printer-Attributes.....	48

116	3.1.4.1.6	Get-Jobs.....	48
117	3.1.4.1.7	Pause-Printer.....	49
118	3.1.4.1.8	Resume-Printer.....	49
119	3.1.4.1.9	Purge-Printer.....	50
120	3.1.4.2	Job Operations.....	50
121	3.1.4.2.1	Send-Document.....	50
122	3.1.4.2.2	Send-URI.....	51
123	3.1.4.2.3	Cancel-Job.....	51
124	3.1.4.2.4	Get-Job-Attributes.....	52
125	3.1.4.2.5	Hold-Job.....	52
126	3.1.4.2.6	Release-Job.....	53
127	3.1.4.2.7	Restart-Job.....	53
128	3.1.5	Returning unsupported attributes in Get-Xxxx responses (Issue 1.18).....	53
129	3.1.6	Sending empty attribute groups (Issue 1.16).....	53
130	3.2	PRINTER OPERATIONS.....	54
131	3.2.1	Print-Job operation.....	54
132	3.2.1.1	Flow controlling the data portion of a Print-Job request (Issue 1.22).....	54
133	3.2.1.2	Returning job-state in Print-Job response (Issue 1.30).....	54
134	3.2.2	Get-Printer-Attributes operation.....	55
135	3.2.3	Get-Jobs operation.....	55
136	3.2.3.1	Get-Jobs, my-jobs='true', and 'requesting-user-name' (Issue 1.39)?.....	55
137	3.2.3.2	Why is there a "limit" attribute in the Get-Jobs operation?.....	55
138	3.2.4	Create-Job operation.....	56
139	3.3	JOB OPERATIONS.....	56
140	3.3.1	Validate-Job.....	56
141	4	OBJECT ATTRIBUTES.....	56
142	4.1	ATTRIBUTE SYNTAXES.....	56
143	4.1.1	The 'none' value for empty sets (Issue 1.37).....	57
144	4.1.2	Multi-valued attributes (Issue 1.31).....	57
145	4.1.3	Case Sensitivity in URIs (issue 1.6).....	57
146	4.2	JOB TEMPLATE ATTRIBUTES.....	58
147	4.2.1	multiple-document-handling(type2 keyword).....	58
148	4.2.1.1	Support of multiple document jobs.....	58
149	4.3	JOB DESCRIPTION ATTRIBUTES.....	58
150	4.4	PRINTER DESCRIPTION ATTRIBUTES.....	58
151	4.4.1	queued-job-count.....	58
152	4.4.1.1	Why is "queued-job-count" RECOMMENDED (Issue 1.14)?.....	59
153	4.4.1.2	Is "queued-job-count" a good measure of how busy a printer is (Issue 1.15)?.....	59
154	4.4.2	printer-current-time (dateTime).....	59
155	4.4.3	Printer-uri-supported.....	59
156	4.4.3.1	IPP Printer with a DNS name.....	59
157	4.4.3.2	Printer-uri.....	60
158	5	SECURITY CONSIDERATIONS.....	60
159	5.1	QUERYING JOBS WITH IPP THAT WERE SUBMITTED USING OTHER JOB SUBMISSION PROTOCOLS (ISSUE 1.32).....	60
160	6	ENCODING AND TRANSPORT.....	61
161	6.1	GENERAL HEADERS.....	62
162	6.2	REQUEST HEADERS.....	62
163	6.3	RESPONSE HEADERS.....	63
164	6.4	ENTITY HEADERS.....	64
165	6.5	OPTIONAL SUPPORT FOR HTTP/1.0.....	65
166	6.6	HTTP/1.1 CHUNKING.....	65
167	6.6.1	Disabling IPP Server Response Chunking.....	65
168	6.6.2	Warning About the Support of Chunked Requests.....	65

169 7 REFERENCES .....66

170 7.1 AUTHORS' ADDRESS .....66

171 8 NOTICES.....68

172 9 CHANGE HISTORY .....69

173 9.1 CHANGES TO PRODUCE THE FEBRUARY 12, 1999 VERSION FROM THE JANUARY 8, 1999 VERSION: .....69

174 9.2 CHANGES TO PRODUCE THE JANUARY 8, 1999 VERSION FROM THE DECEMBER 6, 1998 VERSION: .....69

175 9.3 CHANGES TO PRODUCE THE DECEMBER 6, 1998 VERSION FROM THE NOVEMBER 16, 1998 VERSION: .....70

176

177  
178  
179

## 180 **1 Introduction**

181 ~~This document~~The IPP Implementer's Guide (IIG) (this document) contains information that supplements  
182 the IPP Model and Semantics [IPP-MOD] and the IPP Transport and Encoding [IPP-PRO] documents. As  
183 such this information is not part of the formal specifications. Instead information is presented to help  
184 implementers understand the specification, including some of the motivation for decisions taken by the  
185 committee in developing the specification. Some of the implementation considerations are intended to help  
186 implementers design their client and/or IPP object implementations. If there are any contradictions between  
187 this document and [IPP-MOD] or [IPP-PRO], those documents take precedence over this document.

188 Platform-specific implementation considerations will be included in this guide as they become known.

189 In order to help the reader of the IIG and the IPP Model and Semantics document, the sections in this  
190 document parallel the corresponding sections in the Model document and are numbered the same for ease  
191 of cross reference. The sections that correspond to the IPP Transport and Encoding are correspondingly  
192 offset.

### 193 1.1 Conformance language

194 Usually, this document does not contain the terminology MUST, MUST NOT, MAY, NEED NOT,  
195 SHOULD, SHOULD NOT, REQUIRED, and OPTIONAL. However, when those terms do appear in this  
196 document, their intent is to repeat what the [IPP-MOD] and [IPP-PRO] documents require and allow, rather  
197 than specifying additional conformance requirements. These terms are defined in section 13 on  
198 conformance terminology in [IPP-MOD], most of which is taken from RFC 2119 [RFC2119].

199 Implementers should read section 13 (APPENDIX A) in [IPP-MOD] in order to understand these  
200 capitalized words. The words MUST, MUST NOT, and REQUIRED indicate what implementations are  
201 required to support in a client or IPP object in order to be conformant to [IPP-MOD] and [IPP-PRO].  
202 MAY, NEED NOT, and OPTIONAL indicate was is merely allowed as an implementer option. The verbs  
203 SHOULD and SHOULD NOT indicate suggested behavior, but which is not required or disallowed,  
204 respectively, in order to conform to the specification.

### 205 1.2 Other terminology

206 The term "sender" refers to the client that sends a request or an IPP object that returns a response. The term  
207 "receiver" refers to the IPP object that receives a request and to a client that receives a response.

### 208 1.3 Issues Raised from Interoperability Bake Offs

209 The IPP WG has conducted two open interoperability "Bake Offs". The first bake off was held in  
210 September 1998 and Bake Off2 was held in March 1999. See the summary reports in:

211 [ftp://ftp.pwg.org/pub/pwg/ipp/new\\_TES/](ftp://ftp.pwg.org/pub/pwg/ipp/new_TES/)

212 The issues raised from the first bake off are numbered 1.n in this document and are described in:

213 <ftp://ftp.pwg.org/pub/pwg/ipp/approved-clarifications/ipp-agreed-fixes-981030.pdf>

214 These issue resolutions have been incorporated into the November 16, "IPP/1.0 Model and Semantics" [ipp-  
215 mod] and the "IPP/1.0 Encoding and Transport" [ipp-pro] documents. However, some of the discussion is  
216 left here in the Implementer's Guide to help understanding.

217 The issues raised from Bake Off2 are numbered 2.n in this document and are described in:

218 <ftp://ftp.pwg.org/pub/pwg/ipp/issues/issues-raised-at-bake-off2.pdf>

## 219 **2 IPP Objects**

220 The term "client" in IPP is intended to mean any client that issues IPP operation requests and accepts IPP  
221 operation responses, whether it be a desktop or a server. In other words, the term "client" does not just  
222 mean end-user clients, such as those associated with desktops.

223 The term "IPP Printer" in IPP is intended to mean an object that accepts IPP operation requests and returns  
224 IPP operation responses, whether implemented in a server or a device. An IPP Printer object MAY, if  
225 implemented in a server, turn around and forward received jobs (and other requests) to other devices and  
226 print servers/services, either using IPP or some other protocol.

227 **3 IPP Operations**

228 2This section corresponds to Section 3 "IPP Operations" in the IPP/1.1 Model and Semantics document  
229 [IPP-MOD].

230 **3.1 Common Semantics**

231 This section discusses semantics common to all operations.

232 3.1.1 Summary of Operation Attributes

233 Legend for the following table:

234 R indicates a REQUIRED operation or attribute ~~for an implementation to support~~that MUST be supported  
235 by the receiver.

236 O indicates an OPTIONAL operation or attribute ~~for an implementation to support~~that MAY be supported  
237 by the receiver.



238 + indicates that this is not a IPP/1.0 operation, but is only a part of IPP/1.1 and future versions of IPP.

239 Note 1: "job-id" is REQUIRED only if used together with "printer-uri" to identify the target job; otherwise,  
240 "job-uri" is REQUIRED.

Table 1. Summary of operation attributes

<del>Operation-attributes</del>	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
<del>Operation-parameters</del>			R														
<del>Operation-parameters--R</del>																	
<del>Operation-parameters--R</del>																	
<del>Operation-parameters--R</del>																	
<del>Operation-parameters--R</del>																	
<del>Operation-parameters--R</del>																	
<del>Operation-parameters--R</del>																	
<del>Operation-parameters--R</del>																	
Printer-uri	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
<b>Operation attributes—RECOMMENDED to be supplied by the sender</b>																	
job-name	R	R	R														
Requesting-user-name	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R

Operation-Attributes	Requests					Responses	Requests				Responses
	Print-Job, Validate-Job	Print-URI (O)	Create-Job (O)	Get-Printer-Attributes	Get-Jobs	All Operations	Send-Document (O)	Send-URI (O)	Cancel-Job	Get-Job-Attributes	All Operations
<b>Operation attributes—RECOMMENDED to be supplied by the sender</b>											

241



244

**Table 4: Summary of response operation attributes**

<u>Operation Attributes</u>	<u>Printer Operations</u>								<u>Job Operations</u>						
	<u>Print-Job-Validate-job</u>	<u>Print-URI (O)</u>	<u>Create-Job (O)</u>	<u>Get-Printer-Attributes</u>	<u>Get-Jobs</u>	<u>Pause-Printer (O) +</u>	<u>Resume-Printer (O) +</u>	<u>Purge-Printer (O) +</u>	<u>Send-Document (O)</u>	<u>Send-URI (O)</u>	<u>Cancel-Job</u>	<u>Get-Job-Attributes</u>	<u>Hold-Job (O) +</u>	<u>Release-Job (O) +</u>	<u>Restart-Job (O) +</u>
<b>Operation parameters--REQUIRED to be supplied by the sender</b>															
<u>operation-id</u>															
<u>status-code</u>	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
<u>request-id</u>	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
<u>version-number</u>	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
<b>Operation attributes—REQUIRED to be supplied by the sender</b>															
<u>Attributes-charset</u>	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
<u>Attributes-natural-language</u>	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
<b>Operation attributes—OPTIONALLY to be supplied by the sender</b>															
<u>Status-message</u>	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
<u>Detailed-status-message</u>	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
<u>Document-access-error</u>		O								O					

245

**Table 5: Summary of response job object attributes**

<u>Job Object Attributes</u>	<u>Printer Operations</u>								<u>Job Operations</u>						
	<u>Print-Job</u>	<u>Print-URI (O)</u>	<u>Create-Job (O)</u>	<u>Get-Printer-Attributes</u>	<u>Get-Jobs</u>	<u>Pause-Printer (O)+</u>	<u>Resume-Printer (O)+</u>	<u>Purge-Printer (O)+</u>	<u>Send-Document (O)</u>	<u>Send-URI (O)</u>	<u>Cancel-Job</u>	<u>Get-Job-Attributes</u>	<u>Hold-Job (O)+</u>	<u>Release-Job (O)+</u>	<u>Restart-Job (O)+</u>
<b><u>Job Object attributes—REQUIRED to be supplied by the sender</u></b>															
<u>Job-uri</u>	<u>R</u>	<u>R</u>	<u>R</u>						<u>R</u>	<u>R</u>					
<u>Job-id</u>	<u>R</u>	<u>R</u>	<u>R</u>						<u>R</u>	<u>R</u>					
<u>Job-state</u>	<u>R</u>	<u>R</u>	<u>R</u>						<u>R</u>	<u>R</u>					
<b><u>Job Object attributes—OPTIONALLY to be supplied by the sender</u></b>															
<u>Job-state-reasons</u>	<u>O</u>	<u>O</u>	<u>O</u>						<u>O</u>	<u>O</u>					
<u>Job-state-message</u>	<u>O</u>	<u>O</u>	<u>O</u>						<u>O</u>	<u>O</u>					
<u>Number-of-intervening-jobs</u>	<u>O</u>	<u>O</u>	<u>O</u>						<u>O</u>	<u>O</u>					

246

247



248 3.1.2 Suggested Operation Processing Steps for IPP Objects (Issue 1.21)

249 This section suggests the steps and error checks that an IPP object MAY perform when processing requests  
250 and returning responses. An IPP object MAY perform some or all of the error checks. However, some  
251 implementations MAY choose to be more forgiving than the error checks shown here, in order to be able to  
252 accept requests from non-conforming clients. Not performing all of these error checks is a so-called  
253 "forgiving" implementation. On the other hand, clients that successfully submit requests to IPP objects that  
254 do perform all the error checks will be more likely to be able to interoperate with other IPP object  
255 implementations. Thus an implementer of an IPP object needs to decide whether to be a "forgiving" or a  
256 "strict" implementation. Therefore, the error status codes returned may differ between implementations.  
257 Consequentially, client SHOULD NOT expect exactly the error code processing described in this section.

258 When an IPP object receives a request, the IPP object either accepts or rejects the request. In order to  
259 determine whether or not to accept or reject the request, the IPP object SHOULD execute the following  
260 steps. The order of the steps may be rearranged and/or combined, including making one or multiple passes  
261 over the request.


262 A client MUST supply requests that would pass all of the error checks indicated here in order to be a  
263 conforming client. Therefore, a client SHOULD supply requests that are conforming, in order to avoid  
264 being rejected by some IPP object implementations and/or risking different semantics by different  
265 implementations of forgiving implementations. For example, a forgiving implementation that accepts  
266 multiple occurrences of the same attribute, rather than rejecting the request might use the first occurrences,  
267 while another might use the last occurrence. Thus such a non-conforming client would get different results  
268 from the two forgiving implementations.

269 In the following, processing continues step by step until a "RETURNS the xxx status code ..." statement is  
270 encountered. Error returns are indicated by the verb: "REJECTS". Since clients have difficulty getting the  
271 status code before sending all of the document data in a Print-Job request, clients SHOULD use the  
272 Validate-Job operation before sending large documents to be printed, in order to validate whether the IPP  
273 Printer will accept the job or not.

274 It is assumed that security authentication and authorization has already taken place at a lower layer.

275 3.1.2.1 Suggested Operation Processing Steps for all Operations

276 This section is intended to apply to all operations. The next section contains the additional steps for the  
277 Print-Job, Validate-Job, Print-URI, Create-Job, Send-Document, and Send-URI operations that create jobs,  
278 adds documents, and validates jobs.





## 289 3.1.2.1.1 Validate version number

290 Every request and every response contains the "version-number" attribute. The value of this attribute is the  
 291 major and minor version number of the syntax and semantics that the client and IPP object is using,  
 292 respectively. The "version-number" attribute remains in a fixed position across all future versions so that  
 293 all clients and IPP object that support future versions can determine which version is being used. The IPP  
 294 object checks to see if the major version number supplied in the request is supported. If not, the Printer  
 295 object REJECTS the request and RETURNS the 'server-error-version-not-supported' status code in the  
 296 response. The IPP object returns in the "version-number" response attribute the major and minor version  
 297 for the error response. Thus the client can learn at least one major and minor version that the IPP object  
 298 supports. The IPP object is encouraged to return the closest version number to the one supplied by the  
 299 client.

300 The checking of the minor version number is implementation dependent, however if the client supplied  
 301 minor version is explicitly supported, the IPP object MUST respond using that identical minor version  
 302 number. If the ~~requested minor version is not supported (the requested minor version is either higher or~~  
 303 ~~lower) than a major version number matches, but the minor version number does not, the Printer SHOULD~~  
 304 ~~accept and supported minor version, the IPP object SHOULD return the closest supported minor~~  
 305 ~~version attempt to process the request, or MAY reject the request and return the 'server-error-version-not-~~  
 306 ~~supported' status code. In all cases, the Printer MUST return the nearest version number that it supports.~~  
 307 ~~For example, suppose that an IPP/1.2 Printer supports versions '1.1' and '1.2'. The following responses are~~  
 308 ~~conforming:~~

309 **Table 6 – Examples of validating IPP version**

<u>Client supplies</u>	<u>Printer Accept Request?</u>	<u>Printer returns</u>
<u>1.0</u>	<u>yes (SHOULD)</u>	<u>1.1</u>
	<u>no (SHOULD NOT)</u>	<u>1.1</u>
<u>1.1</u>	<u>yes (MUST)</u>	<u>1.1</u>
<u>1.2</u>	<u>yes (MUST)</u>	<u>1.2</u>
<u>1.3</u>	<u>yes (SHOULD)</u>	<u>1.2</u>
	<u>no (SHOULD NOT)</u>	<u>1.2</u>

310

311 It is advantageous for Printers to support both IPP/1.1 and IPP/1.0, so that they can interoperate with either  
 312 client implementations. Some implementations may allow an Administrator to explicitly disable support  
 313 for one or the other by setting the "ipp-versions-supported" Printer description attribute.

314 3.1.2.1.2 Likewise, it is advantageous for clients to support both versions to allow interoperability  
315 with new and legacy Printers. Validate operation identifier

316 The Printer object checks to see if the "operation-id" attribute supplied by the client is supported as  
317 indicated in the Printer object's "operations-supported" attribute. If not, the Printer REJECTS the request  
318 and returns the 'server-error-operation-not-supported' status code in the response.

319 3.1.2.1.3 Validate the request identifier

320 The Printer object SHOULD NOT check to see if the "request-id" attribute supplied by the client is in  
321 range: between 1 and  $2^{31} - 1$  (inclusive), but copies all 32 bits.

322 Note: The "version-number", "operation-id", and the "request-id" parameters are in fixed octet positions in  
323 the ~~IPP/1.0~~IPP/1.1 encoding. The "version-number" parameter will be the same fixed octet position in all  
324 versions of the protocol. These fields are validated before proceeding with the rest of the validation.

325 3.1.2.1.4 Validate attribute group and attribute presence and order

326 The order of the following validation steps depends on implementation.

327 *3.1.2.1.4.1 Validate the presence and order of attribute groups*

328 Client requests and IPP object responses contain attribute groups that Section 3 requires to be present and in  
329 a specified order. An IPP object verifies that the attribute groups are present and in the correct order in  
330 requests supplied by clients (attribute groups without an \* in the following tables).

331 If an IPP object receives a request with (1) required attribute groups missing, or (2) the attributes groups are  
332 out of order, or (3) the groups are repeated, the IPP object REJECTS the request and RETURNS the 'client-  
333 error-bad-request' status code. For example, it is an error for the Job Template Attributes group to occur  
334 before the Operation Attributes group, for the Operation Attributes group to be omitted, or for an attribute  
335 group to occur more than once, except in the Get-Jobs response.

336 Since this kind of attribute group error is most likely to be an error detected by a client developer rather  
337 than by a customer, the IPP object NEED NOT return an indication of which attribute group was in error in  
338 either the Unsupported Attributes group or the Status Message. Also, the IPP object NEED NOT find all  
339 attribute group errors before returning this error.

340 *3.1.2.1.4.2 Ignore unknown attribute groups in the expected position*

341 Future attribute groups may be added to the specification at the end of requests just before the Document  
342 Content and at the end of response, except for the Get-Jobs response, where it maybe there or before the  
343 first job attributes returned. If an IPP object receives an unknown attribute group in these positions, it  
344 ignores the entire group, rather than returning an error, since that group may be a new group in a later minor  
345 version of the protocol that can be ignored. (If the new attribute group cannot be ignored without confusing  
346 the client, the major version number would have been increased in the protocol document and in the

347 request). If the unknown group occurs in a different position, the IPP object REJECTS the request and  
348 RETURNS the 'client-error-bad-request' status code.

349 Clients also ignore unknown attribute groups returned in a response.

350 Note: By validating that requests are in the proper form, IPP objects force clients to use the proper form  
351 which, in turn, increases the chances that customers will be able to use such clients from multiple vendors  
352 with IPP objects from other vendors.

#### 353 *3.1.2.1.4.3 Validate the presence of a single occurrence of required Operation attributes*

354 Client requests and IPP object responses contain Operation attributes that [IPP-MOD] Section 3 requires to  
355 be present. Attributes within a group may be in any order, except for the ordering of target, charset, and  
356 natural languages attributes. These attributes MUST be first, and MUST be supplied in the following order:  
357 charset, natural language, and then target. An IPP object verifies that the attributes that Section 4 requires to  
358 be supplied by the client have been supplied in the request (attributes without an \* in the following tables).  
359 An asterisk (\*) indicates groups and Operation attributes that the client may omit in a request or an IPP  
360 object may omit in a response.

361 If an IPP object receives a request with required attributes missing or repeated from a group or in the wrong  
362 position, the behavior of the IPP object is IMPLEMENTATION DEPENDENT. Some of the possible  
363 implementations are:

- 364 1. REJECTS the request and RETURNS the 'client-error-bad-request' status code
- 365 2. accepts the request and uses the first occurrence of the attribute no matter where it is
- 366 3. accepts the request and uses the last occurrence of the attribute no matter where it is
- 367 4. accept the request and assume some default value for the missing attribute

368 Therefore, client MUST send conforming requests, if they want to receive the same behavior from all IPP  
369 object implementations. For example, it is an error for the "attributes-charset" or "attributes-natural-  
370 language" attribute to be omitted in any operation request, or for an Operation attribute to be supplied in a  
371 Job Template group or a Job Template attribute to be supplied in an Operation Attribute group in a create  
372 request. It is also an error to supply the "attributes-charset" attribute twice.

373 Since these kinds of attribute errors are most likely to be detected by a client developer rather than by a  
374 customer, the IPP object NEED NOT return an indication of which attribute was in error in either the  
375 Unsupported Attributes group or the Status Message. Also, the IPP object NEED NOT find all attribute  
376 errors before returning this error.

377 The following tables list all the attributes for all the operations by attribute group in each request and each  
378 response. The order of the groups is the order that the client supplies the groups as specified in [IPP-MOD]  
379 Section 3. The order of the attributes within a group is arbitrary, except as noted for some of the special  
380 operation attributes (charset, natural language, and target). The tables below use the following notation:

- 381 R indicates a REQUIRED attribute or operation that an IPP object MUST support  
382 O indicates an OPTIONAL attribute or operation that an IPP object NEED NOT support  
383 \* indicates that a client MAY omit the attribute in a request and that an IPP object MAY omit the  
384 attribute in a response. The absence of an \* means that a client MUST supply the  
385 attribute in a request and an IPP object MUST supply the attribute in a response.  
386 + indicates that this is not a IPP/1.0 operation, but is only a part of IPP/1.1 and future versions of IPP.

387  
388

### Operation Requests

389 The tables below show the attributes in their proper attribute groups for operation requests:

390 Note: All operation requests contain "version-number", "operation-id",  
391 and "request-id" parameters.

392

393 Print-Job Request (R):

394 Group 1: Operation Attributes (R)  
395 attributes-charset (R)  
396 attributes-natural-language (R)  
397 printer-uri (R)  
398 requesting-user-name (R\*)  
399 job-name (R\*)  
400 ipp-attribute-fidelity (R\*)  
401 document-name (R\*)  
402 document-format (R\*)  
403 document-natural-language (O\*)  
404 compression (O\*)  
405 job-k-octets (O\*)  
406 job-impressions (O\*)  
407 job-media-sheets (O\*)  
408 Group 2: Job Template Attributes (R\*)  
409 <Job Template attributes> (O\*)  
410 (see [IPP-MOD] Section 4.2)  
411 Group 3: Document Content (R)  
412 <document content>

413

414 Validate-Job Request (R):

415 Group 1: Operation Attributes (R)  
416 attributes-charset (R)  
417 attributes-natural-language (R)  
418 printer-uri (R)  
419 requesting-user-name (R\*)  
420 job-name (R\*)  
421 ipp-attribute-fidelity (R\*)  
422 document-name (R\*)  
423 document-format (R\*)  
424 document-natural-language (O\*)  
425 compression (O\*)

426           job-k-octets (O\*)  
427           job-impressions (O\*)  
428           job-media-sheets (O\*)  
429       Group 2: Job Template Attributes (R\*)  
430           <Job Template attributes> (O\*)  
431           (see [IPP-MOD] Section 4.2)  
432  
433 Print-URI Request (O):  
434       Group 1: Operation Attributes (R)  
435           attributes-charset (R)  
436           attributes-natural-language (R)  
437           printer-uri (R)  
438           document-uri (R)  
439           requesting-user-name (R\*)  
440           job-name (R\*)  
441           ipp-attribute-fidelity (R\*)  
442           document-name (R\*)  
443           document-format (R\*)  
444           document-natural-language (O\*)  
445           compression (O\*)  
446           job-k-octets (O\*)  
447           job-impressions (O\*)  
448           job-media-sheets (O\*)  
449       Group 2: Job Template Attributes (R\*)  
450           <Job Template attributes> (O\*) (see  
451           (see [IPP-MOD] Section 4.2)  
452  
453 Create-Job Request (O):  
454       Group 1: Operation Attributes (R)  
455           attributes-charset (R)  
456           attributes-natural-language (R)  
457           printer-uri (R)  
458           requesting-user-name (R\*)  
459           job-name (R\*)  
460           ipp-attribute-fidelity (R\*)  
461           job-k-octets (O\*)  
462           job-impressions (O\*)  
463           job-media-sheets (O\*)  
464       Group 2: Job Template Attributes (R\*)  
465           <Job Template attributes> (O\*) (see  
466           (see [IPP-MOD] Section 4.2)  
467  
468 Get-Printer-Attributes Request (R):  
469       Group 1: Operation Attributes (R)  
470           attributes-charset (R)  
471           attributes-natural-language (R)  
472           printer-uri (R)  
473           requesting-user-name (R\*)  
474           requested-attributes (R\*)  
475           document-format (R\*)

476  
477 Get-Jobs Request (R):  
478     Group 1: Operation Attributes (R)  
479         attributes-charset (R)  
480         attributes-natural-language (R)  
481         printer-uri (R)  
482         requesting-user-name (R\*)  
483         limit (R\*)  
484         requested-attributes (R\*)  
485         which-jobs (R\*)  
486         my-jobs (R\*)  
487  
488 Send-Document Request (O):  
489     Group 1: Operation Attributes (R)  
490         attributes-charset (R)  
491         attributes-natural-language (R)  
492         (printer-uri & job-id) | job-uri (R)  
493         last-document (R)  
494         requesting-user-name (R\*)  
495         document-name (R\*)  
496         document-format (R\*)  
497         document-natural-language (O\*)  
498         compression (O\*)  
499     Group 2: Document Content (R\*)  
500         <document content>  
501  
502 Send-URI Request (O):  
503     Group 1: Operation Attributes (R)  
504         attributes-charset (R)  
505         attributes-natural-language (R)  
506         (printer-uri & job-id) | job-uri (R)  
507         last-document (R)  
508         document-uri (R)  
509         requesting-user-name (R\*)  
510         document-name (R\*)  
511         document-format (R\*)  
512         document-natural-language (O\*)  
513         compression (O\*)  
514  
515 Cancel-Job Request (R):  
516 Release-Job Request (O+):  
517     Group 1: Operation Attributes (R)  
518         attributes-charset (R)  
519         attributes-natural-language (R)  
520         (printer-uri & job-id) | job-uri (R)  
521         requesting-user-name (R\*)  
522         message (O\*)  
523  
524 Get-Job-Attributes Request (R):  
525     Group 1: Operation Attributes (R)

526 attributes-charset (R)  
 527 attributes-natural-language (R)  
 528 (printer-uri & job-id) | job-uri (R)  
 529 requesting-user-name (R\*)  
 530 requested-attributes (R\*)  
 531

## 532 ~~Operation Responses~~

533 ~~The tables below show the response attributes in their proper attribute groups for responses.~~

534 ~~Note: All operation responses contain "version number", "status code",~~  
 535 ~~and "request id" parameters.~~

536  
 537 ~~Print-Job Response:~~  
 538 ~~Print-URI Response:~~  
 539 ~~Create Job Response:~~  
 540 ~~Send Document Response:~~  
 541 ~~Send-URI Response:~~Pause-Printer Request (O+):  
 542 Resume-Printer Request (O+):  
 543 Purge-Printer Request (O+):

544     Group 1: Operation Attributes (R)  
 545         attributes-charset (R)  
 546         attributes-natural-language (R)  
 547         ~~status message (O\*)~~  
 548 ~~Group 2: Unsupported Attributes (R\*) (see Note 3)~~  
 549 ~~<unsupported attributes> (R\*)~~  
 550 ~~Group 3: Job Object Attributes (R\*) (see Note 2)~~  
 551 ~~job-uri (R)~~  
 552 ~~job-id (R)~~  
 553 ~~job-state (R)~~  
 554 ~~job-state-reasons (O\*)~~  
 555 ~~job-state message (O\*)~~  
 556 ~~number of intervening jobs (O\*)~~

557  
 558 ~~Validate-Job Response:~~  
 559 ~~Cancel-Job Response:~~printer-uri (R)  
 560 requesting-user-name (R\*)

561  
 562 Hold-Job Request (O+):  
 563 Restart-Job Request (O+):  
 564     Group 1: Operation Attributes (R)  
 565         attributes-charset (R)  
 566         attributes-natural-language (R)  
 567         ~~status message (O\*)~~  
 568 ~~Group 2: Unsupported Attributes (R\*) (see Note 3)~~  
 569 ~~<unsupported attributes> (R\*)~~  
 570

571 ~~Note 2—the Job Object Attributes and Printer Object Attributes are returned only if the IPP object returns~~  
 572 ~~one of the success status codes.~~

573

574 ~~Note 3—the Unsupported Attributes Group is present only if the client included some Operation and/or Job~~  
 575 ~~Template attributes or values that the Printer doesn't support whether a success or an error return.~~

576

577 ~~Get-Printer-Attributes-Response: (printer-uri & job-id) | job-uri (R)~~  
 578 ~~\_\_\_\_\_ requesting-user-name (R\*)~~  
 579 ~~\_\_\_\_\_ job-hold-until (R\*)~~  
 580 ~~\_\_\_\_\_ message (O\*)~~  
 581

582

### Operation Responses

583 The tables below show the response attributes in their proper attribute groups for responses.

584 Note: All operation responses contain "version-number", "status-code",  
 585 and "request-id" parameters.

586

587 Print-Job Response (R):

588 Create-Job Response (O):

589 Send-Document Response (O):

590     Group 1: Operation Attributes (R)

591         attributes-charset (R)

592         attributes-natural-language (R)

593         status-message (O\*)

594         detailed-status-message (O\*)

595     Group 2: Unsupported Attributes (R\*) (see Note 4)3)

596         <unsupported attributes> (R\*)

597     Group 3: ~~Printer~~Job Object Attributes (R\*) (see Note 2)

598         <~~requested attributes~~> (R\*)

599

600 ~~Note 4—the Unsupported Attributes Group is present only if the client included some Operation attributes~~  
 601 ~~that the Printer doesn't support whether a success or an error return.~~

602

603 ~~Get-Job-Attributes-Response: job-uri (R)~~

604 ~~\_\_\_\_\_ job-id (R)~~

605 ~~\_\_\_\_\_ job-state (R)~~

606 ~~\_\_\_\_\_ job-state-reasons (O\*)~~

607 ~~\_\_\_\_\_ job-state-message (O\*)~~

608 ~~\_\_\_\_\_ number-of-intervening-jobs (O\*)~~

609

610 Validate-Job Response (R):

611 Cancel-Job Response (R):

612 Hold-Job Response (O+):

613 Release-Job Response (O+):



614 Restart-Job Response (O+):  
615     Group 1: Operation Attributes (R)  
616         attributes-charset (R)  
617         attributes-natural-language (R)  
618         status-message (O\*)  
619         detailed-status-message (O\*)  
620     Group 2: Unsupported Attributes (R\*) (see Note ~~4~~3)  
621         <unsupported attributes> (R\*)  
622 ~~Group 3: Job Object Attributes(R\*) (see Note 2)~~  
623 ~~<requested attributes> (R\*)~~  
624  
625 ~~Get-Jobs Response:~~  
626 Print-URI Response (O):  
627 Send-URI Response (O):  
628     Group 1: Operation Attributes (R)  
629         attributes-charset (R)  
630         attributes-natural-language (R)  
631         status-message (O\*)  
632         detailed-status-message (O\*)  
633         document-access-error (O\*)  
634     Group 2: Unsupported Attributes (R\*) (see Note 3)  
635         <unsupported attributes> (R\*)  
636     Group 3: Job Object Attributes(R\*) (see Note 2)  
637         job-uri (R)  
638         job-id (R)  
639         job-state (R)  
640         job-state-reasons (O\*)  
641         job-state-message (O\*)  
642         number-of-intervening-jobs (O\*)  
643  
644 Get-Printer-Attributes Response (R):  
645     Group 1: Operation Attributes (R)  
646         attributes-charset (R)  
647         attributes-natural-language (R)  
648         status-message (O\*)  
649         detailed-status-message (O\*)  
650     Group 2: Unsupported Attributes (R\*) (see Note 4)  
651         <unsupported attributes> (R\*)  
652     Group 3: Printer Object Attributes(R\*) (see Note 2)  
653         <requested attributes> (R\*)  
654  
655 Get-Jobs Response (R):  
656     Group 1: Operation Attributes (R)  
657         attributes-charset (R)  
658         attributes-natural-language (R)  
659         status-message (O\*)  
660         detailed-status-message (O\*)  
661     Group 2: Unsupported Attributes (R\*) (see Note 4)  
662         <unsupported attributes> (R\*)  
663     Group 3: Job Object Attributes(R\*) (see Note 2, 5)

664           <requested attributes> (R\*)  
 665  
 666   Get-Job-Attributes Response (R):  
 667       Group 1: Operation Attributes (R)  
 668           attributes-charset (R)  
 669           attributes-natural-language (R)  
 670           status-message (O\*)  
 671           detailed-status-message (O\*)  
 672       Group 2: Unsupported Attributes (R\*) (see Note 4)  
 673           <unsupported attributes> (R\*)  
 674       Group 3: Job Object Attributes (R\*) (see Note 2)  
 675           <requested attributes> (R\*)  
 676  
 677   Pause-Printer Response (O+):  
 678   Resume-Printer Response (O+):  
 679   Purge-Printer Response (O+):  
 680       Group 1: Operation Attributes (R)  
 681           attributes-charset (R)  
 682           attributes-natural-language (R)  
 683           status-message (O\*)  
 684           detailed-status-message (O\*)  
 685       Group 2: Unsupported Attributes (R\*) (see Note 4)  
 686           <unsupported attributes> (R\*)  
 687

688   Note 2 - the Job Object Attributes and Printer Object Attributes are returned only if the IPP object returns  
 689   one of the success status codes.

690   Note 3 - the Unsupported Attributes Group is present only if the client included some Operation and/or Job  
 691   Template attributes or values that the Printer doesn't support whether a success or an error return.

692   Note 4 - the Unsupported Attributes Group is present only if the client included some Operation attributes  
 693   that the Printer doesn't support whether a success or an error return.

694   Note 5: for the Get-Jobs operation the response contains a separate Job Object Attributes group 3 to N  
 695   containing requested-attributes for each job object in the response.

696   3.1.2.1.5       Validate the values of the REQUIRED Operation attributes

697   An IPP object validates the values supplied by the client of the REQUIRED Operation attribute that the IPP  
 698   object MUST support. The next section specifies the validation of the values of the OPTIONAL Operation  
 699   attributes that IPP objects MAY support.

700   The IPP object performs the following syntactic validation checks of each Operation attribute value:

701   a)           that the length of each Operation attribute value is correct for the attribute syntax tag supplied by  
 702           the client according to [IPP-MOD] Section 4.1,

- 703 b) that the attribute syntax tag is correct for that Operation attribute according to [IPP-MOD]  
704 Section 3,
- 705 c) that the value is in the range specified for that Operation attribute according to [IPP-MOD]  
706 Section 3,
- 707 d) that multiple values are supplied by the client only for operation attributes that are multi-valued,  
708 i.e., that are 1setOf X according to [IPP-MOD] Section 3.

709

710 If any of these checks fail, the IPP object REJECTS the request and RETURNS the 'client-error-bad-  
711 request' or the 'client-error-request-value-too-long' status code. Since such an error is most likely to be an  
712 error detected by a client developer, rather than by an end-user, the IPP object NEED NOT return an  
713 indication of which attribute had the error in either the Unsupported Attributes Group or the Status  
714 Message. The description for each of these syntactic checks is explicitly expressed in the first IF statement  
715 in the following table.

716 In addition, the IPP object checks each Operation attribute value against some Printer object attribute or  
717 some hard-coded value if there is no "xxx-supported" Printer object attribute defined. If its value is not  
718 among those supported or is not in the range supported, then the IPP object REJECTS the request and  
719 RETURNS the error status code indicated in the table by the second IF statement. If the value of the Printer  
720 object's "xxx-supported" attribute is 'no-value' (because the system administrator hasn't configured a value),  
721 the check always fails.

722

723 -----  
attributes-charset (charset)

724 IF NOT a single non-empty 'charset' value, REJECT/RETURN 'client-error-bad-request'.  
725 IF the value length is greater than 63 octets, REJECT/RETURN 'client-error-request-value-too-long'.  
726 IF NOT in the Printer object's "charset-supported" attribute, REJECT/RETURN "client-error-charset-  
727 not-supported".  
728

729 attributes-natural-language(naturalLanguage)

730 IF NOT a single non-empty 'naturalLanguage' value, REJECT/RETURN 'client-error-bad-request'.  
731 IF the value length is greater than 63 octets, REJECT/RETURN 'client-error-request-value-too-long'.  
732 ACCEPT the request even if not a member of the set in the Printer object's "generated-natural-language-  
733 supported" attribute. If the supplied value is not a member of the Printer object's "generated-natural-  
734 language-supported" attribute, use the Printer object's "natural-language-configured" value.  
735

736 requesting-user-name

737 IF NOT a single 'name' value, REJECT/RETURN 'client-error-bad-request'.  
738 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-long'.  
739 IF the IPP object can obtain a ~~better-authenticated~~better-authenticated name, use it instead.

740

741 job-name(name)

742 IF NOT a single 'name' value, REJECT/RETURN 'client-error-bad-request'.

743 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-long'.

744 IF NOT supplied by the client, the Printer object creates a name from the document-name or document-

745 uri.

746

747 document-name (name)

748 IF NOT a single 'name' value, REJECT/RETURN 'client-error-bad-request'.

749 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-long'.

750

751 ipp-attribute-fidelity (boolean)

752 IF NEITHER a single 'true' NOR a single 'false' 'boolean' value, REJECT/RETURN 'client-error-bad-

753 request'.

754 IF the value length is NOT equal to 1 octet, REJECT/RETURN 'client-error-request-value-too-long'

755 IF NOT supplied by the client, the IPP object assumes the value 'false'.

756

757 document-format (mimeType)

758 IF NOT a single non-empty 'mimeType' value, REJECT/RETURN 'client-error-bad-request'.

759 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-long'.

760 IF NOT in the Printer object's "document-format-supported" attribute, REJECT/RETURN 'client-error-

761 document-format-not-supported'

762 IF NOT supplied by the client, the IPP object assumes the value of the Printer object's "document-

763 format-default" attribute.

764

765 document-uri (uri)

766 IF NOT a single non-empty 'uri' value, REJECT/RETURN 'client-error-bad-request'.

767 IF the value length is greater than 1023 octets, REJECT/RETURN 'client-error-request-value-too-long'.

768 IF the URI syntax is not valid, REJECT/RETURN 'client-error-bad-request'.

769 ~~IF the client-supplied URI scheme is NOT not supported, i.e. the value is not~~ in the Printer object's

770 ~~"reference-uri-schemes-supported" attribute, REJECT/RETURN 'client-error-uri-scheme-not-~~

771 ~~supported'.~~

772 referenced-uri-scheme-supported" attribute, the Printer object MUST reject the request and return the

773 'client-error-uri-scheme-not-supported' status code. The Printer object MAY check to see if the

774 document exists and is accessible. If the document is not found or is not accessible,

775 REJECT/RETURN 'client-error-not found'.

776 last-document (boolean)

777 IF NEITHER a single 'true' NOR a single 'false' 'boolean' value, REJECT/RETURN 'client-error-bad-

778 request'.

779 IF the value length is NOT equal to 1 octet, REJECT/RETURN 'client-error-request-value-too-long'

780

781 job-id (integer(1:MAX))

782 IF NOT an single 'integer' value equal to 4 octets AND in the range 1 to MAX, REJECT/RETURN  
783 'client-error-bad-request'.

784 IF NOT a job-id of an existing Job object, REJECT/RETURN 'client-error-not-found' or 'client-error-  
785 gone' status code, if keep track of recently deleted jobs.

786

787 requested-attributes (1setOf keyword)

788 IF NOT one or more 'keyword' values, REJECT/RETURN 'client-error-bad-request'.

789 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-long'.

790 Ignore unsupported values, which are the keyword names of unsupported attributes. Don't bother to  
791 copy such requested (unsupported) attributes to the Unsupported Attribute response group since the  
792 response will not return them.

793

794 which-jobs (type2 keyword)

795 IF NOT a single 'keyword' value, REJECT/RETURN 'client-error-bad-request'.

796 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-long'.

797 IF NEITHER 'completed' NOR 'not-completed', copy the attribute and the unsupported value to the  
798 Unsupported Attributes response group and REJECT/RETURN 'client-error-attributes-or-values-  
799 not-supported'.

800 Note: a Printer still supports the 'completed' value even if it keeps no completed/canceled/aborted jobs:  
801 by returning no jobs when so queried.

802 IF NOT supplied by the client, the IPP object assumes the 'not-completed' value.

803

804 my-jobs (boolean)

805 IF NEITHER a single 'true' NOR a single 'false' 'boolean' value, REJECT/RETURN 'client-error-bad-  
806 request'.

807 IF the value length is NOT equal to 1 octet, REJECT/RETURN 'client-error-request-value-too-long'

808 IF NOT supplied by the client, the IPP object assumes the 'false' value.

809

810 limit (integer(1:MAX))

811 IF NOT a single 'integer' value equal to 4 octets AND in the range 1 to MAX, REJECT/RETURN  
812 'client-error-bad-request'.

813 IF NOT supplied by the client, the IPP object returns all jobs, no matter how many.

814

815 -----

816

817 3.1.2.1.6 Validate the values of the OPTIONAL Operation attributes

818 OPTIONAL Operation attributes are those that an IPP object MAY or MAY NOT support. An IPP object  
819 validates the values of the OPTIONAL attributes supplied by the client. The IPP object performs the same  
820 syntactic validation checks for each OPTIONAL attribute value as in Section [2.2.1.5.3.1.2.1.5](#). As in  
821 Section [2.2.1.5.3.1.2.1.5](#), if any fail, the IPP object REJECTS the request and RETURNS the 'client-error-  
822 bad-request' or the 'client-error-request-value-too-long' status code.

823 In addition, the IPP object checks each Operation attribute value against some Printer attribute or some  
824 hard-coded value if there is no "xxx-supported" Printer attribute defined. If its value is not among those  
825 supported or is not in the range supported, then the IPP object REJECTS the request and RETURNS the  
826 error status code indicated in the table. If the value of the Printer object's "xxx-supported" attribute is 'no-  
827 value' (because the system administrator hasn't configured a value), the check always fails.

828 If the IPP object doesn't recognize/support an attribute, the IPP object treats the attribute as an unknown or  
829 unsupported attribute (see the last row in the table below).

830 -----

831 document-natural-language (naturalLanguage)

832 IF NOT a single non-empty 'naturalLanguage' value, REJECT/RETURN 'client-error-bad-request'.  
833 IF the value length is greater than 63 octets, REJECT/RETURN 'client-error-request-value-too-long'.  
834 IF NOT a value that the Printer object supports in document formats, (no corresponding "xxx-  
835 supported" Printer attribute), REJECT/RETURN 'client-error-natural-language-not-supported'.  
836

837 compression (type3 keyword)

838 IF NOT a single 'keyword' value, REJECT/RETURN 'client-error-bad-request'.  
839 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-long'.  
840 IF NOT in the Printer object's "compression-supported" attribute, copy the attribute and the unsupported  
841 value to the Unsupported Attributes response group and REJECT/RETURN 'client-error-attributes-  
842 or-values-not-supported'.  
843

844 Note to IPP/1.0 implementers: Support for the compression attribute was optional in IPP/1.0. However, an  
845 IPP/1.0 object SHOULD at least check for the "compression" attribute being present and reject the create  
846 request, if they don't support "compression". Not checking is a bug, since the data will be unintelligible.  
847 job-k-job k-octets (integer(0:MAX))

848 IF NOT a single 'integer' value equal to 4 octets,  
849 REJECT/RETURN 'client-error-bad-request'.  
850 IF NOT in the range of the Printer object's "job-k-octets-supported" attribute, copy the attribute and the  
851 unsupported value to the Unsupported Attributes response group and REJECT/RETURN 'client-  
852 error-attributes-or-values-not-supported'.  
853

854 job-impressions (integer(0:MAX))

855 IF NOT a single 'integer' value equal to 4 octets,

856 REJECT/RETURN 'client-error-bad-request'.  
857 IF NOT in the range of the Printer object's "job-impressions-supported" attribute, copy the attribute and  
858 the unsupported value to the Unsupported Attributes response group and REJECT/RETURN 'client-  
859 error-attributes-or-values-not-supported'.  
860

861 job-media-sheets (integer(0:MAX))

862 IF NOT a single 'integer' value equal to 4 octets,  
863 REJECT/RETURN 'client-error-bad-request'.  
864 IF NOT in the range of the Printer object's "job-media-sheets-supported" attribute, copy the attribute  
865 and the unsupported value to the Unsupported Attributes response group and REJECT/RETURN  
866 'client-error-attributes-or-values-not-supported'.  
867

868 message (text(127))

869 IF NOT a single 'text' value, REJECT/RETURN 'client-error-bad-request'.  
870 IF the value length is greater than 127 octets,  
871 REJECT/RETURN 'client-error-request-value-too-long'.  
872

873 unknown or unsupported attribute


874 IF the attribute syntax supplied by the client is supported but the length is not legal for that attribute  
875 syntax, REJECT/RETURN 'client-error-request-value-too-long'.  
876 ELSE copy the attribute and value to the Unsupported Attributes response group and change the  
877 attribute value to the "out-of-band" 'unsupported' value, but otherwise ignore the attribute.  
878

879 Note: Future Operation attributes may be added to the protocol specification that may occur anywhere in  
880 the specified group. When the operation is otherwise successful, the IPP object returns the 'successful-ok-  
881 ignored-or-substituted-attributes' status code. Ignoring unsupported Operation attributes in all operations is  
882 analogous to the handling of unsupported Job Template attributes in the create and Validate-Job operations  
883 when the client supplies the "ipp-attribute-fidelity" Operation attribute with the 'false' value. This last rule is  
884 so that we can add OPTIONAL Operation attributes to future versions of IPP so that older clients can ~~inter-~~  
885 ~~inter-~~work with new IPP objects and newer clients can inter-work with older IPP objects. (If the new  
886 attribute cannot be ignored without performing unexpectedly, the major version number would have been  
887 increased in the protocol document and in the request). This rule for Operation attributes is independent of  
888 the value of the "~~ipp-attribute-~~~~ipp-attribute-~~fidelity" attribute. For example, if an IPP object doesn't  
889 support the OPTIONAL "job-k-octets" attribute', the IPP object treats "job-k-octets" as an unknown  
890 attribute and only checks the length for the 'integer' attribute syntax supplied by the client. If it is not four  
891 octets, the IPP object REJECTS the request and RETURNS the 'client-error-bad-request' status code, else  
892 the IPP object copies the attribute to the Unsupported Attribute response group, setting the value to the  
893 "out-of-band" 'unsupported' value, but otherwise ignores the attribute.



894 3.1.2.2 Suggested Additional Processing Steps for Operations that Create/Validate Jobs and Add  
895 Documents

896 This section in combination with the previous section recommends the processing steps for the Print-Job,  
897 Validate-Job, Print-URI, Create-Job, Send-Document, and Send-URI operations that IPP objects SHOULD  
898 use. These are the operations that create jobs, validate a Print-Job request, and add documents to a job.





899 Default "ipp-attribute-fidelity" if not supplied

900 The Printer object checks to see if the client supplied an "ipp-attribute-fidelity" Operation attribute. If the  
901 attribute is not supplied by the client, the IPP object assumes that the value is 'false'.

902 3.1.2.2.1 Check that the Printer object is accepting jobs

903 If the value of the Printer object's "printer-is-accepting-jobs" is 'false', the Printer object REJECTS the  
904 request and RETURNS the 'server-error-not-accepting-jobs' status code.

905 3.1.2.2.2 Validate the values of the Job Template attributes

906 An IPP object validates the values of all Job Template attribute supplied by the client. The IPP object  
907 performs the analogous syntactic validation checks of each Job Template attribute value that it performs for  
908 Operation attributes (see Section [2.2.1.5](#));[3.1.2.1.5](#)):

909 a) that the length of each value is correct for the attribute syntax tag supplied by the client  
910 according to [IPP-MOD] Section 4.1.

911 b) that the attribute syntax tag is correct for that attribute according to [IPP-MOD] Sections 4.2 to  
912 4.4.

913 c) that multiple values are supplied only for multi-valued attributes, i.e., that are 1setOf X  
914 according to [IPP-MOD] Sections 4.2 to 4.4.

915 As in Section [2.2.1.5](#),[3.1.2.1.5](#), if any of these syntactic checks fail, the IPP object REJECTS the request  
916 and RETURNS the 'client-error-bad-request' or 'client-error-request-value-too-long' status code as  
917 appropriate, independent of the value of the "ipp-attribute-fidelity". Since such an error is most likely to be  
918 an error detected by a client developer, rather than by an end-user, the IPP object NEED NOT return an  
919 indication of which attribute had the error in either the Unsupported Attributes Group or the Status  
920 Message. The description for each of these syntactic checks is explicitly expressed in the first IF statement  
921 in the following table.

922 Each Job Template attribute MUST occur no more than once. If an IPP Printer receives a create request  
923 with multiple occurrences of a Job Template attribute, it MAY:

924 1. reject the operation and return the ~~'client-error-bad-syntax'~~['client-error-bad syntax'](#) error status  
925 code

926 2. accept the operation and use the first occurrence of the attribute

927 3. accept the operation and use the last occurrence of the attribute

928 depending on implementation. Therefore, clients MUST NOT supply multiple occurrences of the same Job  
929 Template attribute in the Job Attributes group in the request.

## 930 3.1.2.3 Algorithm for job validation

931 The process of validating a Job-Template attribute "xxx" against a Printer attribute "xxx-supported" can use  
 932 the following validation algorithm (see section 3.2.1.2 in [ipp-mod]).

933 To validate the value U of Job-Template attribute "xxx" against the value V of Printer "xxx-supported",  
 934 perform the following algorithm:

935 ~~1.~~If U is multi-valued, validate each value X of U by performing the algorithm in Table 7 with each  
 936 value X. Each validation is separate from the standpoint of returning unsupported values.

937 1. Example: If U is "finishings" that the client supplies with 'staple', 'bind' values, then X takes on the  
 938 successive values: 'staple', then 'bind'

939 ~~2.~~If V is multi-valued, validate X against each Z of V by performing the algorithm in Table 7 with  
 940 each value Z. If a value Z validates, the validation for the attribute value X succeeds. If it fails,  
 941 the algorithm is applied to the next value Z of V. If there are no more values Z of V, validation  
 942 ~~fails.~~

943 2. ~~fails.~~ Example" If V is "~~sides-~~sides-supported" with values: 'one-sided', 'two-sided-long', and 'two-  
 944 sided-short', then Z takes on the successive values: 'one-sided', 'two-sided-long', and 'two-sided-short'.  
 945 If the client supplies "sides" with 'two-sided-long', the first comparison fails ('one-sided' is not equal to  
 946 'two-sided-long'), the second comparison succeeds ('~~two-~~(two-sided-long' is equal to 'two-sided-long)'),  
 947 and the third comparison ('two-sided-short' with 'two-sided-long') is not even performed.

948 3. If both U and V are single-valued, let X be U and Z be V and use the validation rules in Table 7.

949 **Table 7 - Rules for validating single values X against Z**

<del>attribute syntax</del> of X	<del>attribute syntax of Z</del>	<del>validated if:</del>
<u>Attribute syntax</u> of X	<u>attribute syntax of Z</u>	<u>validated if:</u>
integer	rangeOfInteger	X is within the range of Z
uri	uriScheme	the uri scheme in X is equal to Z
any	boolean	the value of Z is TRUE
any	any	X and Z are of the same type and are equal.

950

951 If the value of the Printer object's "xxx-supported" attribute is 'no-value' (because the system administrator  
 952 hasn't configured a value), the check always fails. If the check fails, the IPP object copies the attribute to  
 953 the Unsupported Attributes response group with its unsupported value. If the attribute contains more than  
 954 one value, each value is checked and each unsupported value is separately copied, while supported values  
 955 are not copied. If an IPP object doesn't recognize/support a Job Template attribute, i.e., there is no  
 956 corresponding Printer object "xxx-supported" attribute, the IPP object treats the attribute as an unknown or  
 957 unsupported attribute (see the last row in the table below).

958 If some Job Template attributes are supported for some document formats and not for others or the values  
959 are different for different document formats, the IPP object SHOULD take that into account in this  
960 validation using the value of the "document-format" supplied by the client (or defaulted to the value of the  
961 Printer's "document-format-default" attribute, if not supplied by the client). For example, if "number-up" is  
962 supported for the 'text/plain' document format, but not for the 'application/postscript' document format, the  
963 check SHOULD (though it NEED NOT) depend on the value of the "document-format" operation attribute.  
964 See "document-format" in [IPP-MOD] section 3.2.1.1 and 3.2.5.1.

965 Note: whether the request is accepted or rejected is determined by the value of the "ipp-attribute-fidelity"  
966 attribute in a subsequent step, so that all Job Template attribute supplied are examined and all unsupported  
967 attributes and/or values are copied to the Unsupported Attributes response group.

968 -----

969 job-priority (integer(1:100))

970 IF NOT a single 'integer' value with a length equal to 4 octets, REJECT/RETURN 'client-error-bad-  
971 request'.

972 IF NOT supplied by the client, use the value of the Printer object's "job-priority-default" attribute at job  
973 submission time.

974 IF NOT in the range 1 to 100, inclusive, copy the attribute and the unsupported value to the  
975 Unsupported Attributes response group.

976 Map the value to the nearest supported value in the range 1:100 as specified by the number of discrete  
977 values indicated by the value of the Printer's "job-priority-supported" attribute. See the formula in  
978 [IPP-MOD] Section 4.2.1.

979

980 job-hold-until (type3 keyword | name)

981 IF NOT a single 'keyword' or 'name' value, REJECT/RETURN 'client-error-bad-request'.

982 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-long'.

983 IF NOT supplied by the client, use the value of the Printer object's "job-hold-until" attribute at job  
984 submission time.

985 IF NOT in the Printer object's "job-hold-until-supported" attribute, copy the attribute and the  
986 unsupported value to the Unsupported Attributes response group.

987

988 job-sheets (type3 keyword | name)

989 IF NOT a single 'keyword' or 'name' value, REJECT/RETURN 'client-error-bad-request'.

990 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-long'.

991 IF NOT in the Printer object's "job-sheets-supported" attribute, copy the attribute and the unsupported  
992 value to the Unsupported Attributes response group.

993

994 multiple-document-handling (type2 keyword)

995 IF NOT a single 'keyword' value, REJECT/RETURN 'client-error-bad-request'.

996 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-long'.

997 IF NOT in the Printer object's "multiple-document-handling-supported" attribute, copy the attribute and  
998 the unsupported value to the Unsupported Attributes response group.  
999

1000 copies (integer(1:MAX))

1001 IF NOT a single 'integer' value with a length equal to 4 octets,  
1002 REJECT/RETURN 'client-error-bad-request'.

1003 IF NOT in range of the Printer object's "copies-supported" attribute  
1004 copy the attribute and the unsupported value to the Unsupported Attributes response group.  
1005

1006 finishings (1setOf type2 enum)

1007 IF NOT an 'enum' value(s) each with a length equal to 4 octets, REJECT/RETURN 'client-error-bad-  
1008 request'.

1009 IF NOT in the Printer object's "finishings-supported" attribute, copy the attribute and the unsupported  
1010 value(s), but not any supported values, to the Unsupported Attributes response group.  
1011

1012 page-ranges (1setOf rangeOfInteger(1:MAX))

1013 IF NOT a 'rangeOfInteger' value(s) each with a length equal to 8 octets, REJECT/RETURN 'client-  
1014 error-bad-request'.

1015 IF first value is greater than second value in any range, the ranges are not in ascending order, or ranges  
1016 overlap, REJECT/RETURN 'client-error-bad-request'.

1017 IF the value of the Printer object's "page-ranges-supported" attribute is 'false', copy the attribute to the  
1018 Unsupported Attributes response group and set the value to the "out-of-band" 'unsupported' value.  
1019

1020 sides (type2 keyword)

1021 IF NOT a single 'keyword' value, REJECT/RETURN 'client-error-bad-request'.

1022 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-long'.

1023 IF NOT in the Printer object's "sides-supported" attribute, copy the attribute and the unsupported value  
1024 to the Unsupported Attributes response group.  
1025

1026 number-up (integer(1:MAX))

1027 IF NOT a single 'integer' value with a length equal to 4 octets,  
1028 REJECT/RETURN 'client-error-bad-request'.

1029 IF NOT a value or in the range of one of the values of the Printer object's "number-up-supported"  
1030 attribute, copy the attribute and value to the Unsupported Attribute response group.  
1031

1032 orientation-requested (type2 enum)

1033 IF NOT a single 'enum' value with a length equal to 4 octets,  
1034 REJECT/RETURN 'client-error-bad-request'.

1035 IF NOT in the Printer object's "orientation-requested-supported" attribute, copy the attribute and the  
1036 unsupported value to the Unsupported Attributes response group.

1037

1038 media (type3 keyword | name)

1039 IF NOT a single 'keyword' or 'name' value, REJECT/RETURN 'client-error-bad-request'.

1040 IF the value length is greater than 255 octets, REJECT/RETURN 'client-error-request-value-too-long'.

1041 IF NOT in the Printer object's "media-supported" attribute, copy the attribute and the unsupported value  
1042 to the Unsupported Attributes response group.

1043

1044 printer-resolution (resolution)

1045 IF NOT a single 'resolution' value with a length equal to 9 octets,

1046 REJECT/RETURN 'client-error-bad-request'.

1047 IF NOT in the Printer object's "printer-resolution-supported" attribute, copy the attribute and the  
1048 unsupported value to the Unsupported Attributes response group.

1049

1050 print-quality (type2 enum)

1051 IF NOT a single 'enum' value with a length equal to 4 octets,

1052 REJECT/RETURN 'client-error-bad-request'.

1053 IF NOT in the Printer object's "print-quality-supported" attribute, copy the attribute and the unsupported  
1054 value to the Unsupported Attributes response group.

1055

1056 unknown or unsupported attribute (i.e., there is no corresponding Printer object "xxx-supported" attribute)

1057 IF the attribute syntax supplied by the client is supported but the length is not legal for that attribute  
1058 syntax,1059 REJECT/RETURN 'client-error-bad-request' if the length of the attribute syntax is fixed or 'client-error-  
1060 request-value-too-long' if the length of the attribute syntax is variable.1061 ELSE copy the attribute and value to the Unsupported Attributes response group and change the  
1062 attribute value to the "out-of-band" 'unsupported' value. Any remaining Job Template Attributes are  
1063 either unknown or unsupported Job Template attributes and are validated algorithmically according  
1064 to their attribute syntax for proper length (see below).

1065 -----

1066

1067 If the attribute syntax is supported AND the length check fails, the IPP object REJECTS the request and  
1068 RETURNS the 'client-error-bad-request' if the length of the attribute syntax is fixed or the 'client-error-  
1069 request-value-too-long' status code if the length of the attribute syntax is variable. Otherwise, the IPP object  
1070 copies the unsupported Job Template attribute to the Unsupported Attributes response group and changes  
1071 the attribute value to the "out-of-band" 'unsupported' value. The following table shows the length checks  
1072 for all attribute syntaxes. In the following table: "<=" means less than or equal, "=" means equal to:

1073 Name Octet length check for read-write attributes

1074 -----

1075 'textWithLanguage &lt;= 1023 AND 'naturalLanguage' &lt;= 63

```

1076 'textWithoutLanguage' <= 1023
1077 'nameWithLanguage' <= 255 AND 'naturalLanguage' <= 63
1078 'nameWithoutLanguage' <= 255
1079 'keyword' <= 255
1080 'enum' = 4
1081 'uri' <= 1023
1082 'uriScheme' <= 63
1083 'charset' <= 63
1084 'naturalLanguage' <= 63
1085 'mimeType' <= 255
1086 'octetString' <= 1023
1087 'boolean' = 1
1088 'integer' = 4
1089 'rangeOfInteger' = 8
1090 'dateTime' = 11
1091 'resolution' = 9
1092 'lsetOf X'
1093

```

1094 Note: It's possible for a Printer to receive a zero length keyword in a request. Since this is a keyword, its  
1095 value needs to be compared with the supported values. Assuming that the printer doesn't have any values in  
1096 its corresponding "xxx-supported" attribute that are keywords of zero length, the comparison will fail.  
1097 Then the request will be accepted or rejected depending on the value of "ipp-attributes-fidelity" being 'false'  
1098 or 'true', respectively. No special handling is required for

### 1099 3.1.2.3.1 Check for conflicting Job Template attributes values

1100 Once all the Operation and Job Template attributes have been checked individually, the Printer object  
1101 SHOULD check for any conflicting values among all the supported values supplied by the client. For  
1102 example, a Printer object might be able to staple and to print on transparencies, however due to physical  
1103 stapling constraints, the Printer object might not be able to staple transparencies. The IPP object copies the  
1104 supported attributes and their conflicting attribute values to the Unsupported Attributes response group.  
1105 The Printer object only copies over those attributes that the Printer object either ignores or substitutes in  
1106 order to resolve the conflict, and it returns the original values which were supplied by the client. For  
1107 example suppose the client supplies "finishings" equals 'staple' and "media" equals 'transparency', but the  
1108 Printer object does not support stapling transparencies. If the Printer chooses to ignore the stapling request  
1109 in order to resolve the conflict, the Printer objects returns "finishings" equal to 'staple' in the Unsupported  
1110 Attributes response group. If any attributes are multi-valued, only the conflicting values of the attributes  
1111 are copied.

1112 Note: The decisions made to resolve the conflict (if there is a choice) is implementation dependent.

### 1113 3.1.2.3.2 Decide whether to REJECT the request

1114 If there were any unsupported Job Template attributes or unsupported/conflicting Job Template attribute  
1115 values and the client supplied the "ipp-attribute-fidelity" attribute with the 'true' value, the Printer object  
1116 REJECTS the request and return the status code:

- 1117 (1) 'client-error-conflicting-attributes' status code, if there were any conflicts between attributes supplied  
1118 by the client.  
1119 (2) 'client-error-attributes-or-values-not-supported' status code, otherwise.  
1120

1121 Note: Unsupported Operation attributes or values that are returned do not affect the status returned in this  
1122 step. If the unsupported Operation attribute was a serious error, the above already rejected the request in a  
1123 previous step. If control gets to this step with unsupported Operation attributes being returned, they are not  
1124 serious errors.

1125 In general, the final results of Job processing are unknown at Job submission time. The client has to rely on  
1126 notifications or polling to find out what happens at Job processing time. However, there are cases in which  
1127 some Printers can determine at Job submission time that Job processing is going to fail. As an  
1128 optimization, we'd like to have the Printer reject the Job in these cases.

1129 There are three types of "processing" errors that might be detectable at Job submission time:

1130 • 'client-error-document-format-not-supported': For the Print-Job, Send-Document, Print-URI, and  
1131 Send-URI operations, if all these conditions are true:

- 1132 • the Printer supports auto-sensing,
- 1133 • the request "document-format" operation attribute is 'application/octet-stream',
- 1134 • the Printer receives document data before responding,
- 1135 • the Printer auto-senses the document format before responding,
- 1136 • the sensed document format is not supported by the Printer

1137 then the Printer should respond with 'client-error-document-format-not-supported' status.

1138 • 'client-error-compression-error': For the Print-Job, Send-Document, Print-URI, and Send-URI  
1139 operations, if all these conditions are true:

- 1140 • the client supplies a supported value for the "compression" operation attribute in the request
- 1141 • the Printer receives document data before responding,
- 1142 • the Printer attempts to decompress the document data before responding,
- 1143 • the document data cannot be decompressed using the algorithm specified by the

1144 "compression" operation attribute

1145 then the Printer should respond with 'client-error-compression-error' status.

1146 • 'client-error-document-access-error': For the Print-URI, and Send-URI operations, if the Printer  
1147 attempts and fails to pull the referenced document data before responding, it should respond with 'client-  
1148 error-document-access-error' status.

1149 Some Printers are not able to detect these errors until Job processing time. In that case, the errors are  
1150 recorded in the corresponding job-state and job-state reason attributes. (There is no standard way for a  
1151 client to determine whether a Printer can detect these errors at Job submission time.) For example, if auto-  
1152 sensing happens AFTER the job is accepted (as opposed to auto-sensing at submit time before returning the  
1153 response), the implementation aborts the job, puts the job in the 'aborted' state and sets the 'unsupported-  
1154 document-format' value in the job's "job-state-reasons".

1155 A client should always provide a valid "document-format" operation attribute whenever practical. In the  
1156 absence of other information, a client itself may sniff the document data to determine document format.

1157 3.1.2.3.3 Auto sensing at Job submission time may be more difficult for the Printer when combined  
1158 with compression. For auto-sensed Jobs, a client may be better off deferring compression to the transfer  
1159 protocol layer, e.g.: by using the HTTP Content-Encoding header. For the Validate-Job operation,  
1160 RETURN one of the success status codes

1161 If the requested operation is the Validate-Job operation, the Printer object returns:

- 1162 (1) the "successful-ok" status code, if there are no unsupported or conflicting Job Template attributes or  
1163 values.
- 1164 (2) the "successful-ok-conflicting-attributes, if there are any conflicting Job Template attribute or  
1165 values.
- 1166 (3) the "successful-ok-ignored-or-substituted-attributes, if there are only unsupported Job Template  
1167 attributes or values.

1168

1169 Note: Unsupported Operation attributes or values that are returned do not affect the status returned in this  
1170 step. If the unsupported Operation attribute was a serious error, the above already rejected the request in a  
1171 previous step. If control gets to this step with unsupported Operation attributes being returned, they are not  
1172 serious errors.

1173 3.1.2.3.4 Create the Job object with attributes to support

1174 If "ipp-attribute-fidelity" is set to 'false' (or it was not supplied by the client), the Printer object:

- 1175 (1) creates a Job object, assigns a unique value to the job's "job-uri" and "job-id" attributes, and  
1176 initializes all of the job's other supported Job Description attributes.
- 1177 (2) removes all unsupported attributes from the Job object.
- 1178 (3) for each unsupported value, removes either the unsupported value or substitutes the unsupported  
1179 attribute value with some supported value. If an attribute has no values after removing unsupported  
1180 values from it, the attribute is removed from the Job object (so that the normal default behavior at  
1181 job processing time will take place for that attribute).
- 1182 (4) for each conflicting value, removes either the conflicting value or substitutes the conflicting attribute  
1183 value with some other supported value. If an attribute has no values after removing conflicting  
1184 values from it, the attribute is removed from the Job object (so that the normal default behavior at  
1185 job processing time will take place for that attribute).

1186

1187 If there were no attributes or values flagged as unsupported, or the value of "ipp-attribute-fidelity" was  
1188 'false', the Printer object is able to accept the create request and create a new Job object. If the "ipp-  
1189 attribute-fidelity" attribute is set to 'true', the Job Template attributes that populate the new Job object are  
1190 necessarily all the Job Template attributes supplied in the create request. If the "ipp-attribute-fidelity"  
1191 attribute is set to 'false', the Job Template attributes that populate the new Job object are all the client



1192 supplied Job Template attributes that are supported or that have value substitution. Thus, some of the  
1193 requested Job Template attributes may not appear in the Job object because the Printer object did not  
1194 support those attributes. The attributes that populate the Job object are persistently stored with the Job  
1195 object for that Job. A Get-Job-Attributes operation on that Job object will return only those attributes that  
1196 are persistently stored with the Job object.

1197 Note: All Job Template attributes that are persistently stored with the Job object are intended to be  
1198 "override values"; that is, they take precedence over whatever other embedded instructions might be in  
1199 the document data itself. However, it is not possible for all Printer objects to realize the semantics of  
1200 "override". End users may query the Printer's "pdl-override-supported" attribute to determine if the Printer  
1201 either attempts or does not attempt to override document data instructions with IPP attributes.

1202 There are some cases, where a Printer supports a Job Template attribute and has an associated default value  
1203 set for that attribute. In the case where a client does not supply the corresponding attribute, the Printer does  
1204 not use its default values to populate Job attributes when creating the new Job object; only Job Template  
1205 attributes actually in the create request are used to populate the Job object. The Printer's default values are  
1206 only used later at Job processing time if no other IPP attribute or instruction embedded in the document  
1207 data is present.

1208 Note: If the default values associated with Job Template attributes that the client did not supply were to be  
1209 used to populate the Job object, then these values would become "override values" rather than defaults. If  
1210 the Printer supports the 'attempted' value of the "pdl-override-supported" attribute, then these override  
1211 values could replace values specified within the document data. This is not the intent of the default value  
1212 mechanism. A default value for an attribute is used only if the create request did not specify that attribute  
1213 (or it was ignored when allowed by "ipp-attribute-fidelity" being 'false') and no value was provided within  
1214 the content of the document data.

1215 If the client does not supply a value for some Job Template attribute, and the Printer does not support that  
1216 attribute, as far as IPP is concerned, the result of processing that Job (with respect to the missing attribute)  
1217 is undefined.

#### 1218 3.1.2.3.5 Return one of the success status codes

1219 Once the Job object has been created, the Printer object accepts the request and returns to the client:

- 1220 (1) the 'successful-ok' status code, if there are no unsupported or conflicting Job Template attributes or  
1221 values.
- 1222 (2) the 'successful-ok-conflicting-attributes' status code, if there are any conflicting Job Template  
1223 attribute or values.
- 1224 (3) the 'successful-ok-ignored-or-substituted-attributes' status code, if there are only unsupported Job  
1225 Template attributes or values.

1226  
1227 Note: Unsupported Operation attributes or values that are returned do not affect the status returned in this  
1228 step. If the unsupported Operation attribute was a serious error, the above already rejected the request in a

1229 previous step. If control gets to this step with unsupported Operation attributes being returned, they are not  
1230 serious errors.

1231 The Printer object also returns Job status attributes that indicate the initial state of the Job ('pending',  
1232 'pending-held', 'processing', etc.), etc. See Print-Job Response, [IPP-MOD] section 3.2.1.2.

### 1233 3.1.2.3.6 Accept appended Document Content

1234 The Printer object accepts the appended Document Content data and either starts it printing, or spools it for  
1235 later processing.

### 1236 3.1.2.3.7 Scheduling and Starting to Process the Job

1237 The Printer object uses its own configuration and implementation specific algorithms for scheduling the Job  
1238 in the correct processing order. Once the Printer object begins processing the Job, the Printer changes the  
1239 Job's state to 'processing'. If the Printer object supports PDL override (the "pdl-override-supported" attribute  
1240 set to 'attempted'), the implementation does its best to see that IPP attributes take precedence over  
1241 embedded instructions in the document data.

### 1242 3.1.2.3.8 Completing the Job

1243 The Printer object continues to process the Job until it can move the Job into the 'completed' state. If an  
1244 Cancel-Job operation is received, the implementation eventually moves the Job into the 'canceled' state. If  
1245 the system encounters errors during processing that do not allow it to progress the Job into a completed  
1246 state, the implementation halts all processing, cleans up any resources, and moves the Job into the 'aborted'  
1247 state.

### 1248 3.1.2.3.9 Destroying the Job after completion

1249 Once the Job moves to the 'completed', 'aborted', or 'canceled' state, it is an implementation decision as to  
1250 when to destroy the Job object and release all associated resources. Once the Job has been destroyed, the  
1251 Printer would return either the "client-error-not-found" or "client-error-gone" status codes for operations  
1252 directed at that Job.

1253 Note: the Printer object SHOULD NOT re-use a "job-uri" or "job-id" value for a sufficiently long time  
1254 after a job has been destroyed, so that stale references kept by clients are less likely to access the wrong  
1255 (newer) job.

### 1256 3.1.2.3.10 Interaction with "ipp-attribute-fidelity"

1257 3.1.3 Some Printer object implementations may support "ipp-attribute-fidelity" set to 'true' and "pdl-  
1258 override-supported" set to 'attempted' and yet still not be able to realize exactly what the client

1259 specifies in the create request. This is due to legacy decisions and assumptions that have been made  
1260 about the role of job instructions embedded within the document data and external job instructions  
1261 that accompany the document data and how to handle conflicts between such instructions. The  
1262 inability to be 100% precise about how a given implementation will behave is also compounded by  
1263 the fact that the two special attributes, "ipp-attribute-fidelity" and "pdl-override-supported", apply to  
1264 the whole job rather than specific values for each attribute. For example, some implementations may  
1265 be able to override almost all Job Template attributes except for "number-up". Character Sets,  
1266 natural languages, and internationalization

1267 This section discusses character set support, natural language support and internationalization.

#### 1268 3.1.3.1.1 Character set code conversion support (Issue 1.5)

1269 IPP clients and IPP objects are REQUIRED to support UTF-8. They MAY support additional charsets. It  
1270 is RECOMMENDED that an IPP object also support US-ASCII, since many clients support US-ASCII, and  
1271 indicate that UTF-8 and US-ASCII are supported by populating the Printer's "charset-supported" with 'utf-8'  
1272 and 'us-ascii' values. An IPP object is required to code covert with as little loss as possible between the  
1273 charsets that it supports, as indicated in the Printer's "charsets-supported" attribute.

1274 How should the server handle the situation where the "attributes-charset" of the response itself is "us-ascii",  
1275 but one or more attributes in that response is in the "utf-8" format?

1276 Example: Consider a case where a client sends a Print-Job request with "utf-8" as the value of "attributes-  
1277 charset" and with the "job-name" attribute supplied. Later another client submits a Get-Job-Attribute or  
1278 Get-Jobs request. This second request contains the "attributes-charset" with value "us-ascii" and  
1279 "requested-attributes" attribute with exactly one value "job-name".

1280 According to the IPP-Mod document (section 3.1.4.2), the value of the "attributes-charset" for the response  
1281 of the second request must be "us-ascii" since that is the charset specified in the request. The "job-name"  
1282 value, however, is in "utf-8" format. Should the request be rejected even though both "utf-8" and "us-ascii"  
1283 charsets are supported by the server? or should the "job-name" value be converted to "us-ascii" and return  
1284 "successful-ok-conflicting-attributes" (0x0002) as the status code?

1285 Answer: An IPP object that supports both utf-8 (REQUIRED) and us-ascii, the second paragraph of section  
1286 3.1.4.2 applies so that the IPP object MUST accept the request, perform code set conversion between these  
1287 two charsets with "the highest fidelity possible" and return 'successful-ok', rather than a warning  
1288 'successful-ok-conflicting-attributes, or an error. The printer will do the best it can to convert between each  
1289 of the character sets that it supports--even if that means providing a string of question marks because none  
1290 of the characters are representable in US ASCII. If it can't perform such conversion, it MUST NOT  
1291 advertise us-ascii as a value of its "attributes-charset-supported" and MUST reject any request that requests  
1292 'us-ascii'.

1293 One IPP object implementation strategy is to convert all request text and name values to a Unicode internal  
1294 representation. This is 16-bit and virtually universal. Then convert to the specified operation attributes-  
1295 charset on output.

1296 Also it would be smarter for a client to ask for 'utf-8', rather than 'us-ascii' and throw away characters that it  
1297 doesn't understand, rather than depending on the code conversion of the IPP object.

1298 3.1.3.1.2 What charset to return when an unsupported charset is requested (Issue 1.19)?

1299 Section 3.1.4.1 Request Operation attributes was clarified in November 1998 as follows:

1300 All clients and IPP objects MUST support the 'utf-8' charset [RFC2044] and MAY support additional  
1301 charsets provided that they are registered with IANA [IANA-CS]. If the Printer object does not support the  
1302 client supplied charset value, the Printer object MUST reject the request, set the "attributes-charset" to 'utf-  
1303 8' in the response, and return the 'client-error-charset-not-supported' status code and any 'text' or 'name'  
1304 attributes using the 'utf-8' charset.

1305 Since the client and IPP object MUST support UTF-8, returning any text or name attributes in UTF-8 when  
1306 the client requests a charset that is not supported should allow the client to display the text or name.

1307 Since such an error is a client error, rather than a user error, the client should check the status code first so  
1308 that it can avoid displaying any other returned 'text' and 'name' attributes that are not in the charset  
1309 requested.

1310 Furthermore, [ipp-mod] section 14.1.4.14 client-error-charset-not-supported (0x040D) was clarified in  
1311 November 1998 as follows:

1312 For any operation, if the IPP Printer does not support the charset supplied by the client in the  
1313 "attributes-charset" operation attribute, the Printer MUST reject the operation and return this status  
1314 and any 'text' or 'name' attributes using the 'utf-8' charset (see Section 3.1.4.1).

1315 3.1.3.1.3 Natural Language Override (NLO) (Issue 1.45)

1316 The 'text' and 'name' attributes each have two forms. One has an implicit natural language, and the other  
1317 has an explicit natural language. The 'textWithoutLanguage' and 'textWithLanguage' are the two 'text'  
1318 forms. The 'nameWithoutLanguage' and 'nameWithLanguage' are the two 'name' forms. If a receiver (IPP  
1319 object or IPP client) supports an attribute with attribute syntax 'text', it MUST support both forms in a  
1320 request and a response. A sender (IPP client or IPP object) MAY send either form for any such attribute.  
1321 When a sender sends a WithoutLanguage form, the implicit natural language is specified in the "attributes-  
1322 natural-language" operation attribute, which all senders MUST include in every request and response.

1323 When a sender sends a WithLanguage form, it MAY be different from the implicit natural language  
1324 supplied by the sender or it MAY be the same. The receiver MUST treat either form equivalently.

1325 There is an implementation decision for senders, whether to always send the WithLanguage forms or use  
1326 the WithoutLanguage form when the attribute's natural language is the same as the request or response. The  
1327 former approach makes the sender implementation simpler. The latter approach is more efficient on the  
1328 wire and allows inter-working with non-conforming receivers that fail to support the WithLanguage forms.  
1329 As each approach have advantages, the choice is completely up to the implementer of the sender.

1330 Furthermore, when a client receives a 'text' or 'name' job attribute that it had previously supplied, that client  
1331 MUST NOT expect to see the attribute in the same form, i.e., in the same WithoutLanguage or  
1332 WithLanguage form as the client supplied when it created the job. The IPP object is free to transform the  
1333 attribute from the WithLanguage form to the WithoutLanguage form and vice versa, as long as the natural  
1334 language is preserved. However, in order to meet this latter requirement, it is usually simpler for the IPP  
1335 object implementation to store the natural language explicitly with the attribute value, i.e., to store using an  
1336 internal representation that resembles the WithLanguage form.

1337 The IPP Printer MUST copy the natural language of a job, i.e., the value of the "attributes-natural-language"  
1338 operation attribute supplied by the client in the create operation, to the Job object as a Job Description  
1339 attribute, so that a client is able to query it. In returning a Get-Job-Attributes response, the IPP object MAY  
1340 return one of three natural language values in the response's "attributes-natural-language" operation  
1341 attribute: (1) that requested by the requester, (2) the natural language of the job, or (3) the configured  
1342 natural language of the IPP Printer, if the requested language is not supported by the IPP Printer.

1343 This "attributes-natural-language" Job Description attribute is useful for an IPP object implementation that  
1344 prints start sheets in the language of the user who submitted the job. This same Job Description attribute is  
1345 useful to a multi-lingual operator who has to communicate with different job submitters in different natural  
1346 languages. This same Job Description attribute is expected to be used in the future to generate notification  
1347 messages in the natural language of the job submitter.

1348 Early drafts of [IPP-MOD] contained a job-level natural language override (NLO) for the Get-Jobs  
1349 response. A job-level (NLO) is an (unrequested) Job Attribute which then specified the implicit natural  
1350 language for any other WithoutLanguage job attributes returned in the response for that job.  
1351 Interoperability testing of early implementations showed that no one was implementing the job-level NLO  
1352 in Get-Job responses. So the job-level NLO was eliminated from the Get-Jobs response. This  
1353 simplification makes all requests and responses consistent in that the implicit natural language for any  
1354 WithoutLanguage 'text' or 'name' form is always supplied in the request's or response's "attributes-natural-  
1355 language" operation attribute.

#### 1356 3.1.4 Status codes returned by operation (Issue 1.50)

1357 [This section corresponds to \[IPP-MOD\] section 3.1.6 "Operation Response Status Codes and Status](#)  
1358 [Messages"](#). This section lists all status codes once in the first operation (Print-Job). Then it lists the status  
1359 codes that are different or specialized for subsequent operations under each operation.

##### 1360 3.1.4.1 Printer Operations

###### 1361 3.1.4.1.1 Print-Job

1362 The Printer object MUST return one of the following "status-code" values for the indicated reason.  
1363 Whether all of the document data has been accepted or not before returning the success or error response  
1364 depends on implementation. See Section [4.13 in \[IPP-MOD\]](#) for a more complete description of each  
1365 status code.

- 1366 For the following success status codes, the Job object has been created and the "job-id", and "job-uri"  
1367 assigned and returned in the response:
- 1368     successful-ok: no request attributes were substituted or ignored.
  - 1369     successful-ok-ignored-or-substituted-attributes: some supplied (1) attributes were ignored or (2)  
1370         unsupported attribute syntaxes or values were substituted with supported values or were ignored.  
1371         Unsupported attributes, attribute ~~syntaxes~~,syntax's, or values MUST be returned in the Unsupported  
1372         Attributes group of the response.
  - 1373     successful-ok-conflicting-attributes: some supplied attribute values conflicted with the values of other  
1374         supplied attributes and were either substituted or ignored. Attributes or values which conflict with  
1375         other attributes and have been substituted or ignored MUST be returned in the Unsupported  
1376         Attributes group of the response as supplied by the client.  
1377
- 1378 [ipp-mod] section 3.1.6 Operation Status Codes and Messages states (Issue 1.19):
- 1379 If the Printer object supports the "status-message" operation attribute, it SHOULD use the REQUIRED 'utf-  
1380 8' charset to return a status message for the following error status codes (see section ~~44~~:13 in [IPP-MOD]):  
1381 'client-error-bad-request', 'client-error-charset-not-supported', 'server-error-internal-error', 'server-error-  
1382 operation-not-supported', and 'server-error-version-not-supported'. In this case, it MUST set the value of  
1383 the "attributes-charset" operation attribute to 'utf-8' in the error response.
- 1384 For the following error status codes, no job is created and no "job-id" or "job-uri" is returned:
- 1385     client-error-bad-request: The request syntax does not conform to the specification.
  - 1386     client-error-forbidden: The request is being refused for authorization or authentication reasons. The  
1387         implementation security policy is to not reveal whether the failure is one of authentication or  
1388         authorization.
  - 1389     client-error-not-authenticated: Either the request requires authentication information to be supplied or  
1390         the authentication information is not sufficient for authorization.
  - 1391     client-error-not-authorized: The requester is not authorized to perform the request on the target object.
  - 1392     client-error-not-possible: The request cannot be carried out because of the state of the system. See also  
1393         'server-error-not-accepting-jobs' status code, which MUST take precedence if the Printer object's  
1394         "printer-accepting-jobs" attribute is 'false'.
  - 1395     client-error-timeout: not applicable.
  - 1396     client-error-not-found: the target object does not exist.
  - 1397     client-error-gone: the target object no longer exists and no forwarding address is known.
  - 1398     client-error-request-entity-too-large: the size of the request and/or print data exceeds the capacity of the  
1399         IPP Printer to process it.
  - 1400     client-error-request-value-too-long: the size of request variable length attribute values, such as 'text' and  
1401         'name' attribute ~~syntaxes~~,syntax's, exceed the maximum length specified in [IPP-MOD] for the  
1402         attribute and MUST be returned in the Unsupported Attributes Group.
  - 1403     client-error-document-format-not-supported: the document format supplied is not supported. The  
1404         "document-format" attribute with the unsupported value MUST be returned in the Unsupported  
1405         Attributes Group. This error SHOULD take precedence over any other 'xxx-not-supported' error,  
1406         except 'client-error-charset-not-supported'.

1407 client-error-attributes-or-values-not-supported: one or more supplied attributes, attribute  
1408 [syntaxes,syntax's](#), or values are not supported and the client supplied the "ipp-attributes-fidelity"  
1409 operation attribute with a 'true' value. They MUST be returned in the Unsupported Attributes Group  
1410 as explained below.

1411 client-error-uri-scheme-not-supported: not applicable.

1412 client-error-charset-not-supported: the charset supplied in the "attributes-charset" operation attribute is  
1413 not supported. The Printer's "configured-charset" MUST be returned in the response as the value of  
1414 the "attributes-charset" operation attribute and used for any 'text' and 'name' attributes returned in the  
1415 error response. This error SHOULD take precedence over any other error, unless the request syntax  
1416 is so bad that the client's supplied "attributes-charset" cannot be determined.

1417 client-error-conflicting-attributes: one or more supplied attribute values conflicted with each other and  
1418 the client supplied the "ipp-attributes-fidelity" operation attribute with a 'true' value. They MUST  
1419 be returned in the Unsupported Attributes Group as explained below.

1420 server-error-internal-error: an unexpected condition prevents the request from being fulfilled.

1421 server-error-operation-not-supported: not applicable (since Print-Job is REQUIRED).

1422 server-error-service-unavailable: the service is temporarily overloaded.

1423 server-error-version-not-supported: the version in the request is not supported. The "closest" version  
1424 number supported MUST be returned in the response.

1425 server-error-device-error: a device error occurred while receiving or spooling the request or document  
1426 data or the IPP Printer object can only accept one job at a time.

1427 server-error-temporary-error: a temporary error such as a buffer full write error, a memory overflow, or  
1428 a disk full condition occurred while receiving the request and/or the document data.

1429 server-error-not-accepting-jobs: the Printer object's "printer-is-not-accepting-jobs" attribute is 'false'.

1430 server-error-busy: the Printer is too busy processing jobs to accept another job at this time.

1431 server-error-job-canceled: the job has been canceled by an operator or the system while the client was  
1432 transmitting the document data.

#### 1433 3.1.4.1.2 Print-URI

1434 All of the Print-Job status codes described in Section [3.2.1.23.1.4.1.1](#) Print-Job Response are applicable to  
1435 Print-URI with the following specializations and differences. See Section 14 for a more complete  
1436 description of each status code.

1437 ~~server-error-uri-scheme-not-supported:~~[client-error-uri-scheme-not-supported:](#) the URI scheme supplied  
1438 in the "document-uri" operation attribute is not supported and is returned in the Unsupported  
1439 Attributes group.

1440 [server-error-operation-not-supported: the Print-URI operation is not supported.](#)

1441

#### 1442 3.1.4.1.3 Validate-Job

1443 All of the Print-Job status codes described in Section [3.2.1.23.1.4.1.1](#) Print-Job Response are applicable to  
1444 Validate-Job. See Section [4413 in \[IPP-MOD\]](#) for a more complete description of each status code.

#### 1445 3.1.4.1.4 Create-Job



1446 All of the Print-Job status codes described in Section 3.2.1.23.1.4.1.1 Print-Job Response are applicable to  
1447 Create-Job with the following specializations and differences. See Section 4.13 in [IPP-MOD] for a more  
1448 complete description of each status code.

1449     server-error-operation-not-supported: the Create-Job operation is not supported.

#### 1450 3.1.4.1.5     Get-Printer-Attributes

1451 All of the Print-Job status codes described in Section 3.2.1.23.1.4.1.1 Print-Job Response are applicable to  
1452 the Get-Printer-Attributes operation with the following specialization's and differences. See Section 4.13  
1453 in [IPP-MOD] for a more complete description of each status code.

1454 For the following success status codes, the requested attributes are returned in Group 3 in the response:

1455     successful-ok: no request attributes were substituted or ignored (same as Print-Job) and no requested  
1456     attributes were unsupported.

1457     successful-ok-ignored-or-substituted-attributes: same as Print-Job, except the "requested-attributes"  
1458     operation attribute MAY, but NEED NOT, be returned with the unsupported values.

1459     successful-ok-conflicting-attributes: same as Print-Job.

1460 For the error status codes, Group 3 is returned containing no attributes or is not returned at all:

1461     client-error-not-possible: Same as Print-Job, in addition the Printer object is not accepting any requests.

1462     client-error-request-entity-too-large: same as Print-job, except that no print data is involved.

1463     client-error-attributes-or-values-not-supported: not applicable, since unsupported operation attributes  
1464     MUST be ignored and 'successful-ok-ignored-or-substituted-attributes' returned.

1465     client-error-conflicting-attributes: same as Print-Job, except that "ipp-attribute-fidelity" is not involved.

1466     server-error-operation-not-supported: not applicable (since Get-Printer-Attributes is REQUIRED).

1467     server-error-device-error: same as Print-Job, except that no document data is involved.

1468     server-error-temporary-error: same as Print-Job, except that no document data is involved.

1469     server-error-not-accepting-jobs: not applicable..

1470     server-error-busy: same as Print-Job, except the IPP object is too busy to accept even query requests.

1471     server-error-job-canceled: not applicable..

#### 1472 3.1.4.1.6     Get-Jobs

1473 All of the Print-Job status codes described in Section 3.2.1.23.1.4.1.1 Print-Job Response are applicable to  
1474 the Get-Jobs operation with the following specialization's and differences. See Section 4.13 in [IPP-  
1475 MOD] for a more complete description of each status code.

1476 For the following success status codes, the requested attributes are returned in Group 3 in the response:

1477     successful-ok: no request attributes were substituted or ignored (same as Print-Job) and no requested  
1478     attributes were unsupported.

1479     successful-ok-ignored-or-substituted-attributes: same as Print-Job, except the "requested-attributes"  
1480     operation attribute MAY, but NEED NOT, be returned with the unsupported values.

1481     successful-ok-conflicting-attributes: same as Print-Job.



1482 For any error status codes, Group 3 is returned containing no attributes or is not returned at all. The  
1483 following brief error status code descriptions contain unique information for use with Get-Jobs operation.  
1484 See section 14 for the other error status codes that apply uniformly to all operations:

- 1485 client-error-not-possible: Same as Print-Job, in addition the Printer object is not accepting any requests.
- 1486 client-error-request-entity-too-large: same as Print-job, except that no print data is involved.
- 1487 client-error-document-format-not-supported: not applicable.
- 1488 client-error-attributes-or-values-not-supported: not applicable, since unsupported operation attributes  
1489 MUST be ignored and 'successful-ok-ignored-or-substituted-attributes' returned.
- 1490 client-error-conflicting-attributes: same as Print-Job, except that "ipp-attribute-fidelity" is not involved.
- 1491 server-error-operation-not-supported: not applicable (since Get-Jobs is REQUIRED).
- 1492 server-error-device-error: same as Print-Job, except that no document data is involved.
- 1493 server-error-temporary-error: same as Print-Job, except that no document data is involved.
- 1494 server-error-not-accepting-jobs: not applicable.
- 1495 server-error-job-canceled: not applicable.

#### 1496 3.1.4.1.7 Pause-Printer

1497 All of the Print-Job status codes described in Section 3.1.4.1.1 Print-Job Response are applicable to Pause-  
1498 Printer with the following specializations and differences. See Section 13 in [IPP-MOD] for a more  
1499 complete description of each status code.

1500 For the following success status codes, the Printer object is being stopped from scheduling jobs on all its  
1501 devices.

- 1502 successful-ok: no request attributes were substituted or ignored (same as Print-Job).
- 1503 successful-ok-ignored-or-substituted-attributes: same as Print-Job.
- 1504 successful-ok-conflicting-attributes: same as Print-Job.

1506 For any of the error status codes, the Printer object has not been stopped from scheduling jobs on all its  
1507 devices.

- 1508 client-error-not-possible: not applicable.
- 1509 client-error-not-found: the target Printer object does not exist.
- 1510 client-error-gone: the target Printer object no longer exists and no forwarding address is known.
- 1511 client-error-request-entity-too-large: same as Print-Job, except no document data is involved.
- 1512 client-error-document-format-not-supported: not applicable.
- 1513 client-error-conflicting-attributes: same as Print-Job, except that the Printer's "printer-is-accepting-  
1514 jobs" attribute is not involved.
- 1515 server-error-operation-not-supported: the Pause-Printer operation is not supported.
- 1516 server-error-device-error: not applicable.
- 1517 server-error-temporary-error: same as Print-Job, except no document data is involved.
- 1518 server-error-not-accepting-jobs: not applicable.
- 1519 server-error-job-canceled: not applicable.

#### 1520 3.1.4.1.8 Resume-Printer

1521 All of the Print-Job status code descriptions in Section 3.1.4.1.1 Print-Job Response with the  
1522 specialization's described for Pause-Printer are applicable to Resume-Printer. See Section 13 in [IPP-  
1523 MOD] for a more complete description of each status code.

1524 For the following success status codes, the Printer object resumes scheduling jobs on all its devices.

1525 successful-ok: no request attributes were substituted or ignored (same as Print-Job).

1526 successful-ok-ignored-or-substituted-attributes: same as Print-Job.

1527 successful-ok-conflicting-attributes: same as Print-Job.

1528 For any of the error status codes, the Printer object does not resume scheduling jobs.

1529 server-error-operation-not-supported: the Resume-Printer operation is not supported.

### 1530 3.1.4.1.9 Purge-Printer

1531 All of the Print-Job status code descriptions in Section 3.1.4.1.1 Print-Job Response with the  
1532 specialization's described for Pause-Printer are applicable to Purge-Printer. See Section 13 in [IPP-MOD]  
1533 for a more complete description of each status code.

1534 For the following success status codes, the Printer object purges all it's jobs.

1535 successful-ok: no request attributes were substituted or ignored (same as Print-Job).

1536 successful-ok-ignored-or-substituted-attributes: same as Print-Job.

1537 successful-ok-conflicting-attributes: same as Print-Job.

1538 For any of the error status codes, the Printer object does not purge any jobs.

1539 server-error-operation-not-supported: the Purge-Printer operation is not supported.

### 1540 3.1.4.2 Job Operations

#### 1541 3.1.4.2.1 Send-Document

1542 All of the Print-Job status codes described in Section ~~3.2.1.23~~ 3.1.4.1.1 Print-Job Response are applicable to  
1543 the Get-Printer-Attributes operation with the following specialization's and differences. See Section ~~14~~13  
1544 in [IPP-MOD] for a more complete description of each status code.

1545 For the following success status codes, the document has been added to the specified Job object and the  
1546 job's "number-of-documents" attribute has been incremented:

1547 successful-ok: no request attributes were substituted or ignored (same as Print-Job).

1548 successful-ok-ignored-or-substituted-attributes: same as Print-Job.

1549 successful-ok-conflicting-attributes: same as Print-Job.

1550 For the error status codes, no document has been added to the Job object and the job's "number-of-  
1551 documents" attribute has not been incremented:

1552 client-error-not-possible: Same as Print-Job, except that the Printer's "printer-is-accepting-jobs"

1553 attribute is not involved, so that the client is able to finish submitting a multi-document job after this

1554 attribute has been set to 'true'. Another condition is that the state of the job precludes Send-  
 1555 Document, i.e., the job has already been closed out by the client. However, if the IPP Printer closed  
 1556 out the job due to timeout, the 'client-error-timeout' error status SHOULD be returned instead.  
 1557 client-error-timeout: This request was sent after the Printer closed the job, because it has not received a  
 1558 Send-Document or Send-URI operation within the Printer's "multiple-operation-time-out" period .  
 1559 client-error-request-entity-too-large: same as Print-Job.  
 1560 client-error-conflicting-attributes: same as Print-Job, except that "ipp-attributes-fidelity" operation  
 1561 attribute is not involved..  
 1562 server-error-operation-not-supported: the Send-Document request is not supported.  
 1563 server-error-not-accepting-jobs: not applicable.  
 1564 server-error-job-canceled: the job has been canceled by an operator or the system while the client was  
 1565 transmitting the data.

#### 1566 3.1.4.2.2 Send-URI

1567 All of the Print-Job status code descriptions in Section [3.2.1.23.1.4.1.1 Print-Job Response](#) with the  
 1568 specialization's described for Send-Document are applicable to Send-URI. See Section [4.13 in \[IPP-  
 1569 MOD\]](#) for a more complete description of each status code.

1570 ~~server-error-uri-scheme-not-supported:~~client-error-uri-scheme-not-supported: the URI scheme supplied  
 1571 in the "document-uri" operation attribute is not supported and the "document-uri" attribute MUST  
 1572 be returned in the Unsupported Attributes group.  
 1573 server-error-operation-not-supported: the Send-URI operation is not supported.  
 1574

#### 1575 3.1.4.2.3 Cancel-Job

1576 All of the Print-Job status codes described in Section [3.2.1.23.1.4.1.1 Print-Job Response](#) are applicable to  
 1577 Cancel-Job with the following specializations and differences. See Section [4.13 in \[IPP-MOD\]](#) for a more  
 1578 complete description of each status code.

1579 For the following success status codes, the Job object is being canceled or has been canceled:

1580 successful-ok: no request attributes were substituted or ignored (same as Print-Job).  
 1581 successful-ok-ignored-or-substituted-attributes: same as Print-Job.  
 1582 successful-ok-conflicting-attributes: same as Print-Job.  
 1583

1584 For any of the error status codes, the Job object has not been canceled or was previously canceled.

1585 client-error-not-possible: The request cannot be carried out because of the state of the Job object  
 1586 ('completed', 'canceled', or 'aborted') or the state of the system.  
 1587 client-error-not-found: the target Printer and/or Job object does not exist.  
 1588 client-error-gone: the target Printer and/or Job object no longer exists and no forwarding address is  
 1589 known.  
 1590 client-error-request-entity-too-large: same as Print-Job, except no document data is involved.  
 1591 client-error-document-format-not-supported: not applicable.

1592 client-error-attributes-or-values-not-supported: not applicable, since unsupported operation attributes  
1593 and values MUST be ignored.  
1594 client-error-conflicting-attributes: same as Print-Job, except that the Printer's "printer-is-accepting-  
1595 jobs" attribute is not involved.  
1596 server-error-operation-not-supported: not applicable (Cancel-Job is REQUIRED).  
1597 server-error-device-error: same as Print-Job, except no document data is involved.  
1598 server-error-temporary-error: same as Print-Job, except no document data is involved.  
1599 server-error-not-accepting-jobs: not applicable..  
1600 server-error-job-canceled: not applicable.

#### 1601 3.1.4.2.4 Get-Job-Attributes

1602 All of the Print-Job status codes described in Section [3.2.1.23.1.4.1.1 Print-Job Response](#) are applicable to  
1603 Get-Job-Attributes with the following specializations and differences. See Section [14.13 in \[IPP-MOD\]](#) for  
1604 a more complete description of each status code.

1605 For the following success status codes, the requested attributes are returned in Group 3 in the response:

1606 successful-ok: no request attributes were substituted or ignored (same as Print-Job) and no requested  
1607 attributes were unsupported.  
1608 successful-ok-ignored-or-substituted-attributes: same as Print-Job, except the "requested-attributes"  
1609 operation attribute MAY, but NEED NOT, be returned with the unsupported values.  
1610 successful-ok-conflicting-attributes: same as Print-Job.

1611 For the error status codes, Group 3 is returned containing no attributes or is not returned at all.

1612 client-error-not-possible: Same as Print-Job, in addition the Printer object is not accepting any requests.  
1613 client-error-document-format-not-supported: not applicable.  
1614 client-error-attributes-or-values-not-supported: not applicable.  
1615 client-error-uri-scheme-not-supported: not applicable.  
1616 client-error-conflicting-attributes: not applicable  
1617 server-error-operation-not-supported: not applicable (since Get-Job-Attributes is REQUIRED).  
1618 server-error-device-error: same as Print-Job, except no document data is involved.  
1619 server-error-temporary-error: same as Print-Job, except no document data is involved..  
1620 server-error-not-accepting-jobs: not applicable.  
1621 server-error-job-canceled: not applicable.

#### 1622 3.1.4.2.5 Hold-Job

1623 All of the Print-Job status codes described in Section [3.1.4.1.1 Print-Job Response](#) are applicable to Hold-  
1624 Job with the following specializations and differences. See Section 13 in [IPP-MOD] for a more complete  
1625 description of each status code.

1626 For the following success status codes, the Job object is being held or has been held:

1627 successful-ok: no request attributes were substituted or ignored (same as Print-Job).  
1628 successful-ok-ignored-or-substituted-attributes: same as Print-Job.

1629 successful-ok-conflicting-attributes: same as Print-Job.

1630

1631 For any of the error status codes, the Job object has not been held or was previously held.

1632 client-error-not-possible: The request cannot be carried out because of the state of the Job object  
1633 ('completed', 'canceled', or 'aborted') or the state of the system.

1634 client-error-not-found: the target Printer and/or Job object does not exist.

1635 client-error-gone: the target Printer and/or Job object no longer exists and no forwarding address is  
1636 known.

1637 client-error-request-entity-too-large: same as Print-Job, except no document data is involved.

1638 client-error-document-format-not-supported: not applicable.

1639 client-error-conflicting-attributes: same as Print-Job, except that the Printer's "printer-is-accepting-  
1640 jobs" attribute is not involved.

1641 server-error-operation-not-supported: the Hold-Job operation is not supported.

1642 server-error-device-error: not applicable.

1643 server-error-temporary-error: same as Print-Job, except no document data is involved.

1644 server-error-not-accepting-jobs: not applicable.

1645 server-error-job-canceled: not applicable.

#### 1646 3.1.4.2.6 Release-Job

1647 All of the Print-Job status code descriptions in Section 3.1.4.1.1 Print-Job Response with the  
1648 specialization's described for Hold-Job are applicable to Release-Job. See Section 13 in [IPP-MOD] for a  
1649 more complete description of each status code.

1650 server-error-operation-not-supported: the Release-Job operation is not supported.

#### 1651 3.1.4.2.7 Restart-Job

1652 All of the Print-Job status code descriptions in Section 3.1.4.1.1 Print-Job Response with the  
1653 specialization's described for Hold-Job are applicable to Restart-Job. See Section 13 in [IPP-MOD] for a  
1654 more complete description of each status code.

1655 server-error-operation-not-supported: the Restart-Job operation is not supported.

#### 1657 3.1.5 Returning unsupported attributes in Get-Xxxx responses (Issue 1.18)

1658 In the Get-Printer-Attributes, Get-Jobs, or Get-Job-Attributes responses, the client cannot depend on getting  
1659 unsupported attributes returned in the Unsupported Attributes group that the client requested, but are not  
1660 supported by the IPP object. However, such unsupported requested attributes will not be returned in the  
1661 Job Attributes or Printer Attributes group (since they are unsupported). Furthermore, the IPP object is  
1662 REQUIRED to return the 'successful-ok-ignored-or-substituted-attributes' status code, so that the client  
1663 knows that not all that was requested has been returned.

#### 1664 3.1.6 Sending empty attribute groups (Issue 1.16)

1665 The [IPP-MOD] and [IPP-PRO] specifications RECOMMEND that a sender not send an empty attribute  
1666 group in a request or a response. However, they REQUIRE a receiver to accept an empty attribute group as  
1667 equivalent to the omission of that group. So a client SHOULD omit the Job Template Attributes group  
1668 entirely in a create operation that is not supplying any Job Template attributes. Similarly, an IPP object  
1669 SHOULD omit an empty Unsupported Attributes group if there are no unsupported attributes to be returned  
1670 in a response.

1671 The [IPP-PRO] specification REQUIRES a receiver to be able to receive either an empty attribute group or  
1672 an omitted attribute group and treat them equivalently. The term "receiver" means an IPP object for a  
1673 request and a client for a response. The term "sender" means a client for a request and an IPP object for a  
1674 response.

1675 There is an exception to the rule for Get-Jobs when there are no attributes to be returned. [ipp-pro] contains  
1676 the following paragraph:

1677 The syntax allows an xxx-attributes-tag to be present when the xxx-attribute-sequence that follows is  
1678 empty. The syntax is defined this way to allow for the response of Get-Jobs where no attributes are returned  
1679 for some job-objects. Although it is RECOMMENDED that the sender not send an xxx-attributes-tag if  
1680 there are no attributes (except in the Get-Jobs response just mentioned), the receiver MUST be able to  
1681 decode such syntax.

## 1682 3.2 Printer Operations

### 1683 3.2.1 Print-Job operation

#### 1684 3.2.1.1 Flow controlling the data portion of a Print-Job request (Issue 1.22)

1685 A paused printer, or one that is stopped due to paper out or jam or spool space full or buffer space full, may  
1686 flow control the data of a Print-Job operation (at the TCP/IP layer), so that the client is not able to send all  
1687 the document data. Consequently, the Printer will not return a response until the condition is changed.

1688 The Printer should not return a Print-Job response with an error code in any of these conditions, since either  
1689 the printer will be resumed and/or the condition will be freed either by human intervention or as jobs print.

1690 In writing test scripts to test IPP Printers, the script must also be written not to expect a response, if the  
1691 printer has been paused, until the printer is resumed, in order to work with all possible implementations.

#### 1692 3.2.1.2 Returning job-state in Print-Job response (Issue 1.30)

1693 An IPP client submits a small job via Print-Job. By the time the IPP printer/print server is putting together  
1694 a response to the operation, the job has finished printing and been removed as an object from the print  
1695 system. What should the job-state be in the response?

1696 The Model suggests that the Printer return a response before it even accepts the document content. The Job  
1697 Object Attributes are returned only if the IPP object returns one of the success status codes. Then the job-  
1698 state would always be "pending" or "pending-held".

1699 This issue comes up for the implementation of an IPP Printer object as a server that forwards jobs to  
1700 devices that do not provide job status back to the server. If the server is reasonably certain that the job  
1701 completed successfully, then it should return the job-state as 'completed'. Also the server can keep the job  
1702 in its "job history" long after the job is no longer in the device. Then a user could query the server and see  
1703 that the job was in the 'completed' state and completed as specified by the jobs "time-at-completed" time,  
1704 which would be the same as the server submitted the job to the device.

1705 An alternative is for the server to respond to the client before or while sending the job to the device, instead  
1706 of waiting until the server has finished sending the job to the device. In this case, the server can return the  
1707 job's state as 'pending' with the 'job-outgoing' value in the job's "job-state-reasons" attribute.

1708 If the server doesn't know for sure whether the job completed successfully (or at all), it could return the  
1709 (out-of-band) 'unknown' value.

1710 On the other hand, if the server is able to query the device and/or setup some sort of event notification that  
1711 the device initiates when the job makes state transitions, then the server can return the current job state in  
1712 the Print-Job response and in subsequent queries because the server knows what the job state is in the  
1713 device (or can query the device).

1714 All of these alternatives depend on implementation of the server and the device.

### 1715 3.2.2 Get-Printer-Attributes operation

1716 1 If a Printer supports the "printer-make-and-model" attribute and returns the .INF file model name of  
1717 the printer in that attribute, the Microsoft client will automatically install the correct driver (if available).

1718 2 Clients which poll periodically for printer status or queued-job-count should use the "requested-  
1719 attributes" operation attribute to limit the scope of the query in order to save Printer and network resources.

### 1720 3.2.3 Get-Jobs operation

1721 3.2.3.1 Get-Jobs, my-jobs='true', and 'requesting-user-name' (Issue 1.39)?

1722 In [ipp-mod] section 3.2.6.1 'Get-Jobs Request', if the attribute 'my-jobs' is present and set to TRUE, MUST  
1723 the 'requesting-user-name' attribute be there too, and if it's not present what should the IPP printer do?

1724 [ipp-mod] Section 8.3 describes the various cases of "requesting-user-name" being present or not for any  
1725 operation. If the client does not supply a value for "requesting-user-name", the printer MUST assume that  
1726 the client is supplying some anonymous name, such as "anonymous".

#### 1727 3.2.3.2 Why is there a "limit" attribute in the Get-Jobs operation?



1728 When using the Get-Jobs operation a client implementer might choose to limit the number of jobs that the  
1729 client shows on the first screenful. For example, if its UI can only display 50 jobs, it can defend itself  
1730 against a printer that would otherwise return 500 jobs, perhaps taking a long time on a slow dial-up line.  
1731 The client can then go and ask for a larger number of jobs in the background, while showing the user the  
1732 first 50 jobs. Since the job history is returned in reverse order, namely the most recently completed jobs are  
1733 returned first, the user is most likely interested in the first jobs that are returned. Limiting the number of  
1734 jobs may be especially useful for a client that is requesting 'completed' jobs from a printer that keeps a long  
1735 job history. Clients that don't mind sometimes getting very large responses, can omit the "limit" attribute in  
1736 their Get-Jobs requests.

### 1737 3.2.4 Create-Job operation

1738 A Printer may respond to a Create-Job operation with "job-state" 'pending' or 'pending-held' and " job-state-  
1739 reason" 'job-data-insufficient' to indicate that operation has been accepted by the Printer, but the Printer is  
1740 expecting additional document data before it can move the job into the 'processing' state. Alternatively, it  
1741 may respond with "job-state" 'processing' and "job-state-reason" 'job-incoming' to indicate that the Create-  
1742 Job operation has been accepted by the Printer, but the Printer is expecting additional Send-Document  
1743 and/or Send-URI operations and/or is accessing/accepting document data. The second alternative is for  
1744 non-spooling Printers that don't implement the 'pending' state.

1745 Should the server wait for the "last-document" operation attribute set to 'true' before starting to "process"  
1746 the job?

1747 It depends on implementation. Some servers spool the entire job, including all document data, before  
1748 starting to process, so such an implementation would wait for the "last-document" before starting to process  
1749 the job. If the time-out occurs without the "last-document", then the server takes one of the indicated  
1750 actions in section 3.3.1 in the [IPP-MOD] document. Other servers will start to process document data as  
1751 soon as they have some. These are the so-called "non-spooling" printers. Currently, there isn't a way for a  
1752 client to determine whether the Printer will spool all the data or will start to process (and print) as soon as it  
1753 has some data.

## 1754 3.3 Job Operations

### 1755 3.3.1 Validate-Job

1756 The Validate-Job operation has been designed so that its implementation may be a part of the Print-Job  
1757 operation. Therefore, requiring Validate-Job is not a burden on implementers. Also it is useful for client's  
1758 to be able to count on its presence in all conformance implementations, so that the client can determine  
1759 before sending a long document, whether the job will be accepted by the IPP Printer or not.

## 1760 **4 Object Attributes**

### 1761 4.1 Attribute Syntax's



#### 4.1.1 The 'none' value for empty sets (Issue 1.37)

[ipp-mod] states that the 'none' value should be used as the value of a 1setOf when the set is empty. In most cases, sets that are potentially empty contain keywords so the keyword 'none' is used, but for the 3 finishings attributes, the values are enums and thus the empty set is represented by the enum 3. Currently there are no other attributes with 1setOf values, which can be empty and can contain values that are not keywords. This exception requires special code and is a potential place for bugs. It would have been better if we had chosen an out-of-band value, either "no-value" or some new value, such as 'none'. Since we didn't, implementations have to deal with the different representations of 'none', depending on the attribute syntax.

#### 4.1.2 Multi-valued attributes (Issue 1.31)

What is the attribute syntax for a multi-valued attribute? Since some attributes support values in more than one data type, such as "media", "job-hold-until", and "job-sheets", IPP semantics associate the attribute syntax with each value, not with the attribute as a whole. The protocol associates the attribute syntax tag with each value. Don't be fooled, just because the attribute syntax tag comes before the attribute keyword. All attribute values after the first have a zero length attribute keyword as the indication of a subsequent value of the same attribute.

#### 4.1.3 Case Sensitivity in URIs (issue 1.6)

IPP client and server implementations must be aware of the diverse uppercase/lowercase nature of URIs. RFC 2396 defines URL schemes and Host names as case insensitive but reminds us that the rest of the URL may well demonstrate case sensitivity. When creating URL's for fields where the choice is completely arbitrary, it is probably best to select lower case. However, this cannot be guaranteed and implementations MUST NOT rely on any fields being case-sensitive or case-insensitive in the URL beyond the URL scheme and host name fields.

The reason that the IPP specification does not make any restrictions on URIs, is so that implementations of IPP may use off-the-shelf components that conform to the standards that define URIs, such as RFC 2396 and the HTTP/1.1 specifications [\[RFC2068\]](#). See these specifications for rules of matching, comparison, and case-sensitivity.

It is also recommended that System Administrators and implementations avoid creating URLs for different printers that differ only in their case. For example, don't have Printer1 and printer1 as two different IPP Printers.

#### Example of equivalent URI's

<http://abc.com:80/~smith/home.html>

<http://ABC.com/%7Esmith/home.html>

<http://ABC.com:/%7esmith/home.html>

1796 The HTTP/1.1 specification [\[RFC2068\]](#)[\[RFC2616\]](#) contains more details on comparing URLs.

## 1797 4.2 [Job Template Attributes](#)

### 1798 [4.2.1 multiple-document-handling\(type2 keyword\)](#)

#### 1799 [4.2.1.1 Support of multiple document jobs](#)

1800 ISSUE: IPP/1.0 is silent on which of the four effects an implementation would perform if it supports  
1801 Create-Job, but does not support "multiple-document-handling".

1802 A fix to IPP/1.0 would be to require implementing all four values of "multiple-document-handling" if  
1803 Create-Job is supported at all. Or at least 'single-document-new-sheet' and 'separate-documents-uncollated-  
1804 copies'. In any case, an implementation that supports Create-Job SHOULD also support "multiple-  
1805 document-handling". Support for all four values is RECOMMENDED, but at least the 'single-document-  
1806 new-sheet' and 'separate-documents-uncollated-copies' values, along with the "multiple-document-handling-  
1807 default" indicating the default behavior and "multiple-document-handling-supported" values. If an  
1808 implementation spools the data, it should also support the 'separate-documents-collated-copies' value as  
1809 well.

## 1810 [4.3 Job Description Attributes](#)

1811 [The time-at-creation, time-at-processing, and time-at-completed attributes may be returned in integer time](#)  
1812 [ticks or absolute dateTime syntax. There are various ways for a Printer to get the time of day. Some](#)  
1813 [suggestions:](#)

1814 [1. A Printer can get time from an NTP timeserver if there's one reachable on the network. See](#)  
1815 [RFC 1305. Also DHCP option 32 in RFC 2132 returns the IP address of the NTP server.](#)

1816 [2. Get the date and time at startup from a human operator](#)

1817 [3. Have an operator set the date and time using a web administrative interface](#)

1818 [4. Get the date and time from incoming HTTP requests, though the problems of spoofing need](#)  
1819 [to be considered. Perhaps comparing several HTTP requests could reduce the chances of spoofing.](#)

1820 [5. Internal date time clock battery driven.](#)

1821 [6. Query "http://tycho.usno.navy.mil/cgi-bin/timer.pl"](#)

## 1822 [4.4 Printer Description Attributes](#)

### 1823 [4.3.14.4.1 queued-job-count](#)

1824 4.4.1.1 Why is "queued-job-count" RECOMMENDED (Issue 1.14)?

1825 The reason that "queued-job-count" is RECOMMENDED, is that some clients look at that attribute alone  
1826 when summarizing the status of a list of printers, instead of doing a Get-Jobs to determine the number of  
1827 jobs in the queue. Implementations that fail to support the "queued-job-count" will cause that client to  
1828 display 0 jobs when there are actually queued jobs.

1829 We would have made it a REQUIRED Printer attribute, but some implementations had already been  
1830 completed before the issue was raised, so making it a SHOULD was a compromise.

1831 4.4.1.2 Is "queued-job-count" a good measure of how busy a printer is (Issue 1.15)?

1832 The "queued-job-count" is not a good measure of how busy the printer is when there are held jobs. A future  
1833 registration could be to add a "held-job-count" (or an "active-job-count") Printer Description attribute if  
1834 experience shows that such an attribute (combination) is needed to quickly indicate how busy a printer  
1835 really is.

1836 4.4.2 printer-current-time (dateTime)

1837 A Printer implementation MAY support this attribute by obtaining the date and time by any number of  
1838 implementation-dependent means at startup or subsequently. Examples include:

1839 (1) an internal date time clock,

1840 (2) from the operator at startup using the console,

1841 (3) from an operator using an administrative web page,

1842 (4) from HTTP headers supplied in client requests,

1843 (5) use HTTP to query "http://tycho.usno.navy.mil/cgi-bin/timer.pl"

1844 (6) from the network, using NTP [RFC1305] or DHCP option 32 [RFC2132] that returns the IP address  
1845 of the NTP server.

1846 If an implementation supports this attribute by obtaining the current time from the network (at startup or  
1847 later), but the time is not available, then the implementation MUST return the value of this attribute using  
1848 the out-of-band 'no-value' meaning not configured. See the beginning of section 4.1.

1849 Since the new "date-and-time-at-xxx" Job Description attributes refer to the "printer-current-time", they  
1850 will be covered also.

1851 4.4.3 Printer-uri-supported

1852 4.4.3.1 IPP Printer with a DNS name

1853 If the IPP printer has a DNS name should there be at least two values for the printer-uri-supported attribute.  
1854 One URL with the fully qualified DNS name the other with the IP address in the URL?

1855 The printer may contain one or the other or both. It's up to the administrator to configure this attribute.

#### 1856 4.4.3.2 Printer-uri

1857 Must the operational attribute for printer-uri match one of the values in printer-uri-supported?

1858 Yes and the implementation have its rights to reject a printer or job operation if the operational attribute  
1859 printer-uri is not a value of the printer-uri-supported. But a forgiving printer implementation would not  
1860 reject the operation. The printer may not be DNS capable or improperly configured. The request obviously  
1861 reached the printer. The printer could treat the printer-uri as the logical equivalent of a value in the printer-  
1862 uri-supported. It would be implementation dependent for which value, and associated security policy, would  
1863 apply. This does also apply to a job object specified with a printer-uri and job-id, or with a job-uri. See  
1864 section 4.1.3

## 1865 5 Security Considerations

1866 This section corresponds to the IPP-MOD Section 8 "Security Considerations.

### 1867 5.1 Querying jobs with IPP that were submitted using other job submission protocols (Issue 1.32)

1868 The following clarification was added to [ipp-mod] section 8.5:

#### 1869 8.5 Queries on jobs submitted using non-IPP protocols

1870 If the device that an IPP Printer is representing is able to accept jobs using other job submission protocols  
1871 in addition to IPP, it is RECOMMEND that such an implementation at least allow such "foreign" jobs to be  
1872 queried using Get-Jobs returning "job-id" and "job-uri" as 'unknown'. Such an implementation NEED NOT  
1873 support all of the same IPP job attributes as for IPP jobs. The IPP object returns the 'unknown' out-of-band  
1874 value for any requested attribute of a foreign job that is supported for IPP jobs, but not for foreign jobs.

1875 It is further RECOMMENDED, that the IPP Printer generate "job-id" and "job-uri" values for such "foreign  
1876 jobs", if possible, so that they may be targets of other IPP operations, such as Get-Job-Attributes and  
1877 Cancel-Job. Such an implementation also needs to deal with the problem of authentication of such foreign  
1878 jobs. One approach would be to treat all such foreign jobs as belonging to users other than the user of the  
1879 IPP client. Another approach would be for the foreign job to belong to 'anonymous'. Only if the IPP client  
1880 has been authenticated as an operator or administrator of the IPP Printer object, could the foreign jobs be  
1881 queried by an IPP request. Alternatively, if the security policy iswere to allow users to query other users'  
1882 jobs, then the foreign jobs would also be visible to an end-user IPP client using Get-Jobs and Get-Job-  
1883 Attributes.

1884 Thus IPP MAY be implemented as a "universal" protocol that provides access to jobs submitted with any  
1885 job submission protocol. As IPP becomes widely implemented, providing a more universal access makes  
1886 sense.

## 6 Encoding and Transport

This section discusses various aspects of [IPP/1.1](#) Encoding and Transport [IPP-PRO].

A server is not required to send a response until after it has received the client's entire request. Hence, a client must not expect a response until after it has sent the entire request. However, we recommend that the server return a response as soon as possible if an error is detected while the client is still sending the data, rather than waiting until all of the data is received. Therefore, we also recommend that a client listen for an error response that an IPP server MAY send before it receives all the data. In this case a client, if chunking the data, can send a premature zero-length chunk to end the request before sending all the data (and so the client can keep the connection open for other requests, rather than closing it). If the request is blocked for some reason, a client MAY determine the reason by opening another connection to query the server using Get-Printer-Attributes.

IPP, by design, uses TCP's built-in flow control mechanisms [RFC 793] to throttle clients when Printers are busy. Therefore, it is perfectly normal for an IPP client transmitting a Job to be blocked for a really long time. Accordingly, socket timeouts must be avoided. Some socket implementations have a timeout option, which specifies how long a write operation on a socket can be blocked before it times out and the blocking ends. A client should set this option for infinite timeout when transmitting Job submissions.

Some IPP client applications might be able to perform other useful work while a Job transmission is blocked. For example, the client may have other jobs that it could transmit to other Printers simultaneously. A client may have a GUI, which must remain responsive to the user while the Job transmission is blocked. These clients should be designed to spawn a thread to handle the Job transmission at its own pace, leaving the main application free to do other work. Alternatively, single-threaded applications could use non-blocking I/O.

Some Printer conditions, such as jam or lack of paper, could cause a client to be blocked indefinitely. Clients may open additional connections to the Printer to Get-Printer-Attributes, determine the state of the device, alert a user if the printer is stopped, and let a user decide whether to abort the job transmission or not.

In the following sections, there are tables of all HTTP headers, which describe their use in an IPP client or server. The following is an explanation of each column in these tables.

- the "header" column contains the name of a header
- the "request/client" column indicates whether a client sends the header.
- the "request/ server" column indicates whether a server supports the header when received.
- the "response/ server" column indicates whether a server sends the header.
- the "response /client" column indicates whether a client supports the header when received.
- the "values and conditions" column specifies the allowed header values and the conditions for the header to be present in a request/response.

The table for "request headers" does not have columns for responses, and the table for "response headers" does not have columns for requests.

The following is an explanation of the values in the "request/client" and "response/ server" columns.

- 1925 • **must:** the client or server MUST send the header,  
 1926 • **must-if:** the client or server MUST send the header when the condition described in the “values and  
 1927 conditions” column is met,  
 1928 • **may:** the client or server MAY send the header  
 1929 • **not:** the client or server SHOULD NOT send the header. It is not relevant to an IPP implementation.

1930 The following is an explanation of the values in the “response/client” and “request/ server” columns.

- 1931 • **must:** the client or server MUST support the header,  
 1932 • **may:** the client or server MAY support the header  
 1933 • **not:** the client or server SHOULD NOT support the header. It is not relevant to an IPP  
 1934 implementation.

## 1935 6.1 General Headers

1936 The following is a table for the general headers.

General-Header	Request		Response		Values and Conditions
	Client	Server	Server	Client	
Cache-Control	must	not	must	not	“no-cache” only
Connection	must-if	must	must-if	must	“close” only. Both client and server SHOULD keep a connection for the duration of a sequence of operations. The client and server MUST include this header for the last operation in such a sequence.
<del>Date</del>	<del>may</del>	<del>may</del>	<del>must</del>	<del>may</del>	<del>per RFC 1123 [RFC1123] from RFC 2068 [RFC2068]</del>
<u>Date</u>	<u>may</u>	<u>may</u>	<u>must</u>	<u>may</u>	<u>per RFC 1123 [RFC1123] from RFC 2616 [RFC2616]</u>
Pragma	must	not	must	not	“no-cache” only
Transfer-Encoding	must-if	must	must-if	must	“chunked” only . Header MUST be present if Content-Length is absent.
Upgrade	not	not	not	not	
Via	not	not	not	not	

## 1937 6.2 Request Headers

1938 The following is a table for the request headers.

<b>Request-Header</b>	<b>Client</b>	<b>Server</b>	<b>Request Values and Conditions</b>
Accept	may	must	“application/ipp” only. This value is the default if the client omits it
Accept-Charset	not	not	Charset information is within the application/ipp entity
Accept-Encoding	may	must	empty and per RFC <a href="#">26162068</a> [RFC <a href="#">26162068</a> ] and IANA registry for content-codings
Accept-Language	not	not	language information is within the application/ipp entity
Authorization	must-if	must	per RFC <a href="#">26162068</a> . A client MUST send this header when it receives a 401 “Unauthorized” response and does not receive a “Proxy-Authenticate” header.
From	not	not	per RFC <a href="#">26162068</a> . Because RFC recommends sending this header only with the user’s approval, it is not very useful
Host	must	must	per RFC <a href="#">26162068</a>
If-Match	not	not	
If-Modified-Since	not	not	
If-None-Match	not	not	
If-Range	not	not	
If-Unmodified-Since	not	not	
Max-Forwards	not	not	
Proxy-Authorization	must-if	not	per RFC <a href="#">26162068</a> . A client MUST send this header when it receives a 401 “Unauthorized” response and a “Proxy-Authenticate” header.
Range	not	not	
Referer	not	not	
User-Agent	not	not	

1939 6.3 Response Headers

1940 The following is a table for the request headers.

<b>Response-Header</b>	<b>Server</b>	<b>Client</b>	<b>Response Values and Conditions</b>
------------------------	---------------	---------------	---------------------------------------

Hastings, Manros, Kugler, Holst

Expires Marts 14, 2000

[page 63]

<b>Response-Header</b>	<b>Server</b>	<b>Client</b>	<b>Response Values and Conditions</b>
Accept-Ranges	not	not	
Age	not	not	
Location	must-if	may	per RFC <a href="#">20682616</a> . When URI needs redirection.
Proxy-Authenticate	not	must	per RFC <a href="#">20682616</a>
Public	may	may	per RFC <a href="#">20682616</a>
Retry-After	may	may	per RFC <a href="#">20682616</a>
Server	not	not	
Vary	not	not	
Warning	may	may	per RFC <a href="#">20682616</a>
WWW-Authenticate	must-if	must	per RFC <a href="#">20682616</a> . When a server needs to authenticate a client.

## 1941 6.4 Entity Headers

1942 The following is a table for the entity headers.

<b>Entity-Header</b>	<b>Request</b>		<b>Response</b>		<b>Values and Conditions</b>
	<b>Client</b>	<b>Server</b>	<b>Server</b>	<b>Client</b>	
Allow	not	not	not	not	
Content-Base	not	not	not	not	
Content-Encoding	may	must	must	must	per RFC <a href="#">20682616</a> and IANA registry for content codings.
Content-Language	not	not	not	not	Application/ipp handles language
Content-Length	must-if	must	must-if	must	the length of the message-body per RFC <a href="#">20682616</a> . Header MUST be present if Transfer-Encoding is absent..
Content-Location	not	not	not	not	
Content-MD5	may	may	may	may	per RFC <a href="#">20682616</a>
Content-Range	not	not	not	not	



Entity-Header	Request		Response		Values and Conditions
	Client	Server	Server	Client	
Content-Type	must	must	must	must	“application/ipp” only
ETag	not	not	not	not	
Expires	not	not	not	not	
Last-Modified	not	not	not	not	

## 1943 6.5 Optional support for HTTP/1.0

1944 IPP implementations consist of an HTTP layer and an IPP layer. In the following discussion, the term  
 1945 "client" refers to the HTTP client layer and the term "server" refers to the HTTP server layer. The Encoding  
 1946 and Transport document [IPP-PRO] requires that HTTP 1.1 **MUST** be supported by all clients and all  
 1947 servers. However, a client and/or a server implementation may choose to also support HTTP 1.0.

1948 **•** This option means that a server may choose to communicate with a (non-conforming) client that only  
 1949 supports HTTP 1.0. In such cases the server should not use any HTTP 1.1 specific parameters or features  
 1950 and should respond using HTTP version number 1.0.

1951 **•** This option also means that a client may choose to communicate with a (non-conforming) server that  
 1952 only supports HTTP 1.0. In such cases, if the server responds with an HTTP ‘unsupported version number’  
 1953 to an HTTP 1.1 request, the client should retry using HTTP version number 1.0.

## 1954 6.6 HTTP/1.1 Chunking

### 1955 6.6.1 Disabling IPP Server Response Chunking

1956 Clients **MUST** anticipate that the HTTP/1.1 server may chunk responses and **MUST** accept them in  
 1957 responses. However, a (non-conforming) HTTP client that is unable to accept chunked responses may  
 1958 attempt to request an HTTP 1.1 server not to use chunking in its response to an operation by using the  
 1959 following HTTP header:

1960           TE: identity

1961 This mechanism should not be used by a server to disable a client from chunking a request, since chunking  
 1962 of document data is an important feature for clients to send long documents.

### 1963 6.6.2 Warning About the Support of Chunked Requests

1964 This section describes some problems with the use of chunked requests and HTTP/1.1 servers.

1965 The HTTP/1.1 standard [[HTTP](#)][[RFC2616](#)] requires that conforming servers support chunked requests for  
1966 any method. However, in spite of this requirement, some HTTP/1.1 implementations support chunked  
1967 responses in the GET method, but do not support chunked POST method requests. Some HTTP/1.1  
1968 implementations that support CGI scripts [CGI] and/or servlets [Servlet] require that the client supply a  
1969 Content-Length. These implementations might reject a chunked POST method and return a 411 status code  
1970 (Length Required), might attempt to buffer the request and run out of room returning a 413 status code  
1971 (Request Entity Too Large), or might successfully accept the chunked request.

1972 Because of this lack of conformance of HTTP servers to the HTTP/1.1 standard, the IPP standard [IPP-  
1973 PRO] REQUIRES that a conforming IPP Printer object implementation support chunked requests and that  
1974 conforming clients accept chunked responses. Therefore, IPP object implementers are warned to seek  
1975 HTTP server implementations that support chunked POST requests in order to conform to the IPP standard  
1976 and/or use implementation techniques that support chunked POST requests.

## 1977 7 References

### 1978 [CGI]

1979 CGI/1.1 (<http://www.ietf.org/internet-drafts/draft-coar-cgi-v11-00.txt>).

### 1980 [~~HTTP~~]

1981 ~~[HTTP/1.1 \(<http://www.ietf.org/internet-drafts/draft-ietf-http-v11-spec-rev-06.txt>\)](http://www.ietf.org/internet-drafts/draft-ietf-http-v11-spec-rev-06.txt)~~

### 1982 [~~IPP-LPD~~]

1983 ~~[Herriot, R., Hastings, T., Jacobs, N., Martin, J., "Mapping between LPD and IPP Protocols", draft-](#)~~  
1984 ~~[ietf-ipp-lpd-ipp-map-04.txt, June 1998.](#)~~

### 1985 [IPP-MOD]

1986 R. deBry, T. Hastings, R. Herriot, S. Isaacson, P. Powell, "Internet Printing Protocol/1.0: Model and  
1987 Semantics", ~~[draft-ietf-ipp-model-11.txt, November, 1998.](#)~~ [draft-ietf-ipp-model-v11-04.txt, June](#)  
1988 [1999.](#)

### 1989 [IPP-PRO]

1990 Herriot, R., Butler, S., Moore, P., Tuner, R., "Internet Printing Protocol/1.0: Encoding and  
1991 Transport", ~~[draft-ietf-ipp-protocol-07.txt, November, 1998.](#)~~ [draft-ietf-ipp-protocol-v11-03.txt, June](#)  
1992 [1999.](#)

### 1993 [~~IPP-RAT~~]

1994 ~~[Zilles, S., "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol",](#)~~  
1995 ~~[draft-ietf-ipp-rat-04.txt, November, 1998.](#)~~

### 1996 [~~IPP-REQ~~]

1997 ~~[Wright, D., "Design Goals for an Internet Printing Protocol", draft-ietf-ipp-req-03.txt, November,](#)~~  
1998 ~~[1998.](#)~~ [[RFC 793](#)]  
1999 [J. Postel, "Transmission Control Protocol", RFC 793.](#)

### 2000 [RFC1123]

- 2001 Braden, S., "Requirements for Internet Hosts - Application and Support", RFC 1123, October, 1989.
- 2002 [RFC2026]
- 2003 S. Bradner, "The Internet Standards Process -- Revision 3", RFC 2026, October 1996.
- 2004 ~~[RFC2068]~~
- 2005 ~~— R Fielding, et al, "Hypertext Transfer Protocol - HTTP/1.1" RFC 2068, January 1997.~~
- 2006 [rfc2119]
- 2007 S. Bradner, "Key words for use in RFCs to Indicate Requirement Levels", RFC 2119, March
- 2008 1997.
- 2009 [RFC2396]
- 2010 Berners-Lee, T., Fielding, R., Masinter, L., "Uniform Resource Identifiers (URI): Generic
- 2011 Syntax", RFC 2396, August 1998.
- 2012 [RFC2565]
- 2013 R. deBry, T. Hastings, R. Herriot, S. Isaacson, P. Powell, "Internet Printing Protocol/1.0: Model and
- 2014 Semantics", RFC 2566, April 1999.
- 2015 [RFC2566]
- 2016 Herriot, R., Butler, S., Moore, P., Tuner, R., "Internet Printing Protocol/1.0: Encoding and
- 2017 Transport", RFC 2565, April 1999.
- 2018 [RFC2567]
- 2019 Wright, D., "Design Goals for an Internet Printing Protocol", draft-ietf-ipp-req-03.txt, November,
- 2020 1998.
- 2021 [RFC2568]
- 2022 Zilles, S., "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol",
- 2023 RFC 2568, April 1999.
- 2024 [RFC2569]
- 2025 Herriot, R., Hastings, T., Jacobs, N., Martin, J., "Mapping between LPD and IPP Protocols", RFC
- 2026 2569, April 1999.
- 2027 [RFC2616]
- 2028 R. Fielding, J. Gettys, J. Mogul, H. Frystyk, L. Masinter, P. Leach, T. Berners-Lee, "Hypertext
- 2029 Transfer Protocol - HTTP/1.1", RFC 2616, June 1999.
- 2030 [Servlet]
- 2031 Servlet Specification Version 2.1 (<http://java.sun.com/products/servlet/2.1/index.html>).
- 2032 [SSL]
- 2033 Netscape, The SSL Protocol, Version 3, (Text version 3.02), November 1996.
- 2034

## 2035 7.1 Authors' Address

2036 Thomas N. Hastings  
2037 Xerox Corporation  
2038 701 Aviation Blvd.  
2039 El Segundo, CA 90245  
2040 [hastings@cp10.es.xerox.com](mailto:hastings@cp10.es.xerox.com)

2041  
2042 Carl-Uno Manros  
2043 Xerox Corporation  
2044 701 Aviation Blvd.  
2045 El Segundo, CA 90245  
2046 [manros@cp10.es.xerox.com](mailto:manros@cp10.es.xerox.com)

2047  
2048 [Carl Kugler](#)  
2049 [Mail Stop 003G](#)  
2050 [IBM Printing Systems Co](#)  
2051 [6300 Diagonal Hwy](#)  
2052 [Boulder CO80301](#)  
2053 [Kugler@us.ibm.com](mailto:Kugler@us.ibm.com)

2054  
2055 [Henrik Holst](#)  
2056 [i-data Printing Systems](#)  
2057 [Vadstrupvej 35-43](#)  
2058 [2880 Bagsvaerd, Denmark](#)  
2059 [hh@I-data.com](mailto:hh@I-data.com)

2060 **8 Notices**

2061 The IETF takes no position regarding the validity or scope of any intellectual property or other rights that  
2062 might be claimed to pertain to the implementation or use of the technology described in this document or  
2063 the extent to which any license under such rights might or might not be available; neither does it represent  
2064 that it has made any effort to identify any such rights. Information on the IETF's procedures with respect to  
2065 rights in standards-track and standards-related documentation can be found in BCP-11[BCP-11]. Copies of  
2066 claims of rights made available for publication and any assurances of licenses to be made available, or the  
2067 result of an attempt made to obtain a general license or permission for the use of such proprietary rights by  
2068 implementers or users of this specification can be obtained from the IETF Secretariat.

2069 The IETF invites any interested party to bring to its attention any copyrights, patents or patent applications,  
2070 or other proprietary rights, which may cover technology that may be required to practice this standard.  
2071 Please address the information to the IETF Executive Director.

2072 Copyright (C) The Internet Society (1999). All Rights Reserved

2073 This document and translations of it may be copied and furnished to others, and derivative works that  
2074 comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and

2075 distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and  
2076 this paragraph are included on all such copies and derivative works. However, this document itself may not  
2077 be modified in any way, such as by removing the copyright notice or references to the Internet Society or  
2078 other Internet organizations, except as needed for the purpose of developing Internet standards in which  
2079 case the procedures for copyrights defined in the Internet Standards process must be followed, or as  
2080 required to translate it into languages other than English.

2081 The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its  
2082 successors or assigns.

2083 This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET  
2084 SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES,  
2085 EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE  
2086 OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED  
2087 WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

## 2088 **9 Change History**

2089 The change history is in reverse chronological order:

2090 9.1 Changes to produce the February 12, 1999 version from the January 8, 1999 version:

- 2091 1. Section 2.2.1.5: added check for document not found or accessible in Print-URI and Send-URI
- 2092 2. Section 3.6.2: Clarified that the IPP standard requires that servers **MUST** accept chunked requests  
2093 and that clients **MUST** accept chunked responses, in spite of the lack of conformance of HTTP  
2094 servers to the HTTP/1.1 requirement to support chunking.

2095 9.2 Changes to produce the January 8, 1999 version from the December 6, 1998 version:

- 2096 1. Added section 3.6.2: Warning About the Use of Chunked Requests with CGI Script  
2097 Implementations
- 2098 2. Section 2.2.1.2: changed "printer-operations-supported" to "operations-supported".
- 2099 3. Section 2.2.1.6: changed "job-media-supported" to "job-media-sheets-supported"
- 2100 4. Section 2.2.3: separated the validation checks for variable length attributes into two separate tests:  
2101 one for correct attribute syntax and one for correct length.
- 2102 5. Section 2.2.3: changed "multiple-document-handling-supported" to "printer-resolution-supported"
- 2103 6. Section 2.6.1: recommended that an IPP object also support US-ASCII charset.

- 2104 7. Section 3: Clarified that a server is not required to send a response until after it has received the  
2105 client's entire request, but recommend that the server return a response as soon as possible if an  
2106 error is detected while the client is still sending the data, rather than waiting until all of the data is  
2107 received. Also recommended that a client listen for an error response that an IPP server MAY send  
2108 before it receives all the data.

2109 9.3 Changes to produce the December 6, 1998 version from the November 16, 1998 version:

2110 Included all of the remaining agreed issues raised before the November 16, 1998 production of the Internet-  
2111 Drafts for IPP/1.0 that included adding explanations to the Implementers Guide.

2112 Changes from 990422 to 990726:

2113 1. Encoding and Transport: Address issues 4, 5, 20 from Issues-raised-at-Bake-Off2.doc

2114 2. Decide whether to accept or reject the request: discuss issues 6, 9, 10

2115 3. Get-Printer-Attributes: add notes about printer-make-and-model and .INF files; issue 7

2116 4. Create-Job: clarify job-incoming vs. data-insufficient; issue 13

2117 5. Get-Printer Attributes: polling -- issue 16

2118 6. Job Description Attributes: ways to get time; issue 17

2119 7. Validate the values of the Job Template Attributes: clarify zero-length keywords; issue 22

2120 8. Validate Optional Operation Attributes: Note about checking for compression in IPP/1.0; issue 28

2121 9. Validate version number: advantages to backward compatibility; issue 33

2122 10. Note: examples for issue 2 seem to be covered sufficiently in the new MOD doc.

2123  
2124 Changes from 990726 to 990914:

2125 1. Added IPP/1.1 operations and attributes to table 1.

2126 2. Validate version: Added text and table from issue 32

2127 3. Printer-uri-supported: Added section 4.4.3

2128 4. Added IPP/1.1 operations to section 3.1.2.1.4.3

2129 5. Added answer to question "Should the server wait for the "last-document" operation attribute set to  
2130 'true' before starting to "process" the job?" in section 3.2.4

- 2131 6. Changed 'server-error-uri-scheme-not-supported' to 'client-error-uri-scheme-not-supported' in section  
2132 3.1.2.1.5 when talking about the 'document-uri' attribute.
- 2133 7. Added 'Suggested Operation Processing Steps' and 'Suggested Additional Processing Steps for  
2134 Operations that Create/Validate Jobs and Add Document' flow-chart overview.