

1 INTERNET-DRAFT — ~~5 ISSUES are highlighted like this.~~
2 <draft-ietf-ipp-job-prog-00.txt>

3
4 T. Hastings
5 Xerox Corporation
6 H. Lewis
7 IBM Printing Company
8 R. Bergman
9 Hitachi Koki Imaging Solutions
February 2 ~~May 9~~, 2000

10 IPP/1.1: Job Progress Attributes

11 Copyright (C) The Internet Society (1999, 2000). All Rights Reserved.

12 Status of this Memo

13 This document is an Internet-Draft and is in full conformance with all provisions of Section 10 of
14 [RFC2026]. Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its
15 areas, and its working groups. Note that other groups may also distribute working documents as
16 Internet-Drafts.

17 Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or
18 obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material
19 or to cite them other than as "work in progress".

20 The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/1id-abstracts.txt>

21 The list of Internet-Draft Shadow Directories can be accessed as <http://www.ietf.org/shadow.html>.

22 Abstract

23 This document defines four new Job Description attributes for monitoring job progress to be registered
24 as extensions to IPP/1.0 [RFC2566] and IPP/1.1 [ipp-mod]. These attributes are drawn from the PWG
25 Job Monitoring MIB [rfc2707]. The new Job Description attributes are:

26 "job-collation-type" (type2 enum)
27 "sheet-completed-copy-number" (integer(0:MAX))
28 "sheet-completed-document-number" (integer(0:MAX))
29 "impressions-completed-current-copy" (integer(0:MAX))
30

31 This document also defines a new "sheet-collate" Job Template attribute to control sheet collation and to
32 help with the interpretation of the job progress attributes. These new attributes may also be used by
33 themselves in combination with the IPP/1.1 "job-impressions-completed" attribute as useful job progress
34 monitoring attributes and/or may be passed in an IPP Notification (see [ipp-ntfy~~not~~]).

35 The full set of IPP documents includes:

36 Design Goals for an Internet Printing Protocol [RFC2567]

37 Rationale for the Structure and Model and Protocol for the Internet Printing Protocol [RFC2568]

38 Internet Printing Protocol/1.1: Model and Semantics [ipp-mod]

39 Internet Printing Protocol/1.1: Encoding and Transport [ipp-pro]

40 Internet Printing Protocol/1.1: Implementer's Guide [ipp-iig]

41 Mapping between LPD and IPP Protocols [RFC2569]

42 Internet Printing Protocol/1.0 & 1.1: Event Notification Specification [ipp-ntfy]

43 The "Design Goals for an Internet Printing Protocol" document takes a broad look at distributed printing
44 functionality, and it enumerates real-life scenarios that help to clarify the features that need to be
45 included in a printing protocol for the Internet. It identifies requirements for three types of users: end
46 users, operators, and administrators. It calls out a subset of end user requirements that are satisfied in
47 IPP/1.0. A few OPTIONAL operator operations have been added to IPP/1.1.

48 The "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol" document
49 describes IPP from a high level view, defines a roadmap for the various documents that form the suite of
50 IPP specification documents, and gives background and rationale for the IETF working group's major
51 decisions.

52 The "Internet Printing Protocol/1.1: Model and Semantics" document describes a simplified model with
53 abstract objects, their attributes, and their operations that are independent of encoding and transport. It
54 introduces a Printer and a Job object. The Job object optionally supports multiple documents per Job. It
55 also addresses security, internationalization, and directory issues.

56 The "Internet Printing Protocol/1.1: Encoding and Transport" document is a formal mapping of the
57 abstract operations and attributes defined in the model document onto HTTP/1.1 [RFC2616]. It defines
58 the encoding rules for a new Internet MIME media type called "application/ipp". This document also
59 defines the rules for transporting over HTTP a message body whose Content-Type is "application/ipp".
60 This document defines a new scheme named 'ipp' for identifying IPP printers and jobs.

61 The "Internet Printing Protocol/1.1: Implementer's Guide" document gives insight and advice to
62 implementers of IPP clients and IPP objects. It is intended to help them understand IPP/1.1 and some of
63 the considerations that may assist them in the design of their client and/or IPP object implementations.
64 For example, a typical order of processing requests is given, including error checking. Motivation for
65 some of the specification decisions is also included.

66 The "Mapping between LPD and IPP Protocols" document gives some advice to implementers of
67 gateways between IPP and LPD (Line Printer Daemon) implementations.

68 The "Event Notification Specification" document defines OPTIONAL operations that allow a client to
69 subscribe to printing related events. Subscriptions include "Per-Job subscriptions" and "Per-Printer
70 subscriptions". Subscriptions are modeled as Subscription objects. Four other operations are defined
71 for subscription objects: get attributes, get subscriptions, renew a subscription, and cancel a
72 subscription.

73

74

TABLE OF CONTENTS

75 1 New Job Template attribute.....4

76 1.1 "sheet-collate" (boolean)4

77 2 IPP Job Description attributes for monitoring Job Progress.....6

78 2.1 "job-collation-type" (type2 enum).....9

79 2.2 "sheet-completed-copy-number" (integer(0:MAX))10

80 2.3 "sheet-completed-document-number" (integer(0:MAX))10

81 2.4 "impressions-completed-current-copy" (integer(0:MAX))11

82 3 Conformance Requirements11

83 4 IANA Considerations11

84 5 Internationalization Considerations11

85 6 Security Considerations11

86 7 References.....11

87 8 Authors' Addresses12

88 8 Change History12

89 8.1 Changes made to the February 2, 2000 version to make the May 9, 2000 version.....12

90 8.1 Changes made to the September 13, 1999 version to make the February 2, 2000 version13

91 8.2 Changes made to the May 19, 1999 version to make the September 13, 1999 version13

92 8.3 Changes made to the April 16, 1999 version to make the May 19, 1999 version.....14

93 9 Full Copyright Statement.....14

94

95 1 New Job Template attribute

96 1.1 "sheet-collate" (boolean)

97	+-----+-----+-----+		
98	Job Attribute	Printer: Default Value	Printer: Supported
99		Attribute	Values Attribute
100	+-----+-----+-----+		
101	sheet-collate	sheet-collate-default	sheet-collate-
102	(<u>boolean</u> <u>type2 keyword</u>)	<u>type2 keyword</u>	(<u>boolean</u> <u>type2 keyword</u>)
103	supported (1setOf		<u>type2 keyword</u>
104			<u>type2 keyword</u>
105	<u>boolean</u>)		
106	+-----+-----+-----+		
107			

108 This attribute specifies whether or not the media sheets of each copy of each printed document in a job
 109 are to be in sequence, when multiple copies of the document are specified by the 'copies' attribute. ~~When~~
 110 ~~"sheet-collate" is 'true', each copy of each document is printed with the print-stream sheets in sequence.~~
 111 ~~When 'sheet-collate' is 'false', each print-stream sheet is printed a number of times equal to the value of~~
 112 ~~the 'copies' attribute in succession. For example, suppose a document which produces two media sheets~~
 113 ~~as output, and "copies" is equal to '6', in this case six copies of the first media sheet are printed followed~~
 114 ~~by six copies of the second media sheet.~~

115 Standard keyword values are:

116 'uncollated': each print-stream sheet is printed a number of times in succession equal to the value of
 117 the 'copies' attribute, followed by the next print-stream sheet.

118 'collated': each copy of each document is printed with the print-stream sheets in sequence, followed
 119 by the next document copy.

120 For example, suppose a document produces two media sheets as output, and "copies" is equal to '6', For
 121 the 'uncollated' case, six copies of the first media sheet are printed followed by six copies of the second
 122 media sheet. For the 'collated' case, one copy of each of the six sheets are printed followed by another
 123 copy of each of the six media sheets.

124 Whether the effect of sheet collation is achieved by placing copies of a document in multiple output bins
 125 or in the same output bin with implementation defined document separation is implementation
 126 dependent. Also whether it is achieved by making multiple passes over the job or by using an output
 127 sorter is implementation dependent.

128 Note: IPP/1.0 [RFC2566] and IPP/1.1 [ipp-mod] is silent on whether or not sheets within documents are
 129 collated. The "sheet-collate-supported" Printer attribute permits a Printer object to indicate whether or
 130 not it collates sheets with each document and whether it allows the client to control sheet collation. An
 131 implementation is able to indicate that it supports uncollated sheets, collated sheets, or both, using the
 132 'false'uncollated', 'true'collated', or both 'false'uncollated' and 'true'collated' values, respectively.

133 ~~ISSUE 01— Should we change the name from "sheet-collate" to "sheet-uncollate", since the absence of~~
 134 ~~the attribute (and non-support of this attribute) is more likely to indicate collated sheets and so should be~~
 135 ~~the 'false' value of the attribute, rather than the 'true' value?~~

136 ~~ISSUE 02— Should we change the "sheet-collate" data type from 'boolean' to 'type2 keyword' so that it~~
 137 ~~could take on more values? This would also help with the name, say, "sheet-collation (type2 keyword)~~
 138 ~~with values: 'uncollated' and 'collated'. The "sheet-collation-supported" (1setOf type2 keyword) would~~
 139 ~~be more usual, than the unusual '1setOf boolean' also. In the future, we could define two collated~~
 140 ~~values: 'multi-pass-collation' and 'output-bin-collation' to indicate which form is requested and/or~~
 141 ~~supported, since some Printers MAY want to support both.~~

142 ~~ISSUE 03— If we change the attribute syntax to 'type2 keyword' should we have several values for the~~
 143 ~~collated case now, i.e., define: 'multi-pass-collation' and 'output-bin-collation', instead of just 'collated'?~~

144 This attribute is affected by "multiple-document-handling." The "multiple-document-handling" attribute
 145 describes the collation of documents, and the "sheet-collate" attribute describes the semantics of
 146 collating individual pages within a document. To better explain the interaction between these two
 147 attributes the term "set" is introduced. A "set" is a logical boundary between the delivered media sheets
 148 of a printed job. For-example, in the case of a ten page single document with collated pages and a
 149 request for ten-50 copies, each of the ten-50 printed copies of the document constitutes a "set." In the
 150 above example if the pages were uncollated, then ten-50 copies of each of the individual pages within
 151 the document would represent each "set".

152 The following table describes the interaction of "sheet-collate" with multiple document handling.

"sheet-collate"	"multiple-document-handling"	Semantics
' <u>true</u> <u>collated</u> '	'single-document'	Each copy of the concatenated documents, with their pages in sequence, represents a "set."
' <u>true</u> <u>collated</u> '	'single-document-new-sheet'	Each copy of the concatenated documents, with their pages in sequence, represents a "set."
' <u>true</u> <u>collated</u> '	'separate-documents-collated-copies'	Each copy of each separate document, with its pages in sequence, represents a "set."
' <u>true</u> <u>collated</u> '	'separate-documents-uncollated-copies'	Each copy of each separate document, with its pages in sequence, represents a "set."
' <u>false</u> <u>uncollated</u> '	'single-document'	Each media sheet of the document is printed a number of times equal to the "copies" attribute; which constitutes a "set."
' <u>false</u> <u>uncollated</u> '	'single-document-new-sheet'	Each media sheet of the concatenated documents is printed a number of times equal to the "copies" attribute; which constitutes a "set."
' <u>false</u> <u>uncollated</u> '	'separate-documents-collated-copies'	This is a degenerate case, and the printer object MUST reject the job and return the status, "client-error-conflicting-attributes."
' <u>false</u> <u>uncollated</u> '	'separate-documents-uncollated-copies'	This is a degenerate case, and the printer object MUST reject the job and return the status "client-error-conflicting-attributes."

153 From the above table it is obvious that the implicit value of the "sheet-collate" attribute in a
154 printer that does not support the "sheet-collate" attribute, is '~~true~~collated.' The semantics of
155 "multiple-document-handling" are otherwise nonsensical in the case of separate documents.

156 2 IPP Job Description attributes for monitoring Job Progress

157 The following IPP Job Description attributes are proposed to be added to IPP through the type2
158 registration procedures. They are useful for monitoring the progress of a job. They are also used at
159 attributes in the notification content in a notification report [ipp-ntfy~~net~~].

160 There are a number of Job Description attributes for monitoring the progress of a job. These objects and
161 attributes count the number of K octets, impressions, sheets, and pages requested or completed. For
162 impressions and sheets, "completed" means stacked, unless the implementation is unable to detect when
163 each sheet is stacked, in which case stacked is approximated when processing of each sheet completes.
164 There are objects and attributes for the overall job and for the current copy of the document currently
165 being stacked. For the latter, the rate at which the various objects and attributes count depends on the
166 sheet and document collation of the job.

167 Consider the following four Job Description attributes that are used to monitor the progress of a job's
168 impressions:

- 169 1. "job-impressions-completed" - counts the total number of impressions stacked for the job
170 (see [ipp-mod] section 4.3.18.2)
- 171 2. "impressions-completed-current-copy" - counts the number of impressions stacked for the
172 current document copy
- 173 3. "sheet-completed-copy-number" - identifies the number of the copy for the current document
174 being stacked where the first copy is 1.
- 175 4. "sheet-completed-document-number" - identifies the current document within the job that is
176 being stacked where the first document in a job is 1. NOTE: this attribute SHOULD NOT be
177 implemented for implementations that only support one document per job.

178 For each of the three types of job collation, a job with three copies of two documents (1, 2), where each
179 document consists of 3 impressions, the four variables have the following values as each sheet is stacked
180 for one-sided printing:

181 **"job-collation-type" = 'uncollated-sheets(3)'**

182

"job-impressions-completed"	"impressions-completed-current-copy"	"sheet-completed-copy-number"	"sheet-completed-document-number"
0	0	0	0
1	1	1	1
2	1	2	1
3	1	3	1
4	2	1	1
5	2	2	1
6	2	3	1
7	3	1	1
8	3	2	1
9	3	3	1
10	1	1	2
11	1	2	2
12	1	3	2
13	2	1	2
14	2	2	2
15	2	3	2
16	3	1	2
17	3	2	2
18	3	3	2

183

184 **"job-collation-type" = 'collated-documents(4)'**

185

"job-impressions-completed"	"impressions-completed-current-copy"	"sheet-completed-copy-number"	"sheet-completed-document-number"
0	0	0	0
1	1	1	1
2	2	1	1
3	3	1	1
4	1	1	2
5	2	1	2
6	3	1	2
7	1	2	1
8	2	2	1
9	3	2	1
10	1	2	2
11	2	2	2
12	3	2	2
13	1	3	1
14	2	3	1
15	3	3	1
16	1	3	2
17	2	3	2
18	3	3	2

186

187 **"job-collation-type" = 'uncollated-documents(5)'**

188

"job-impressions- completed"	"impressions- completed-current- copy"	"sheet-completed- copy-number"	"sheet-completed- document-number"
0	0	0	0
1	1	1	1
2	2	1	1
3	3	1	1
4	1	2	1
5	2	2	1
6	3	2	1
7	1	3	1
8	2	3	1
9	3	3	1
10	1	1	2
11	2	1	2
12	3	1	2
13	1	2	2
14	2	2	2
15	3	2	2
16	1	3	2
17	2	3	2
18	3	3	2

189

190 **4.12.1 "job-collation-type" (type2 enum)**

191 ~~ISSUE 04— Or should the attribute syntax by 'type2 keyword' to go with "multiple document~~
 192 ~~handling(type2 keyword)", instead of the Job MIB enum syntax?~~

193 Job Collation includes sheet collation and document collation. Sheet collation is defined to be the
 194 ordering of sheets within a document copy. Document collation is defined to be ordering of document
 195 copies within a multi-document job. The value of the "job-collation-type" is affected by the value of the
 196 "sheet-collate" Job Template attribute (see section 1.1), if supplied and supported.

197 The Standard enum values are:

198

199 '1' 'other': not one of the defined values

200

201 '2' 'unknown': the collation type is unknown

202 ~~ISSUE 05— Or should we use the IPP out of band 'unknown' value (see [ipp-mod] section 4.1)~~
 203 ~~instead of this unknown(2) enum Job Monitoring MIB value, i.e., "job-collation-type" (type2~~
 204 ~~keyword) instead of "job-collation-type" (type2 enum)?~~

205

206 '3' 'uncollated-sheets': No collation of the sheets within each document copy, i.e., each sheet
 207 of a document that is to produce multiple copies is replicated before the next sheet

208 in the document is processed and stacked. If the device has an output bin collator,
209 the 'uncollated-sheets(3)' value may actually produce collated sheets as far as the
210 user is concerned (in the output bins). However, when the job collation is the
211 'uncollated-sheets(3)' value, job progress is indistinguishable to a monitoring
212 application between a device that has an output bin collator and one that does not.
213

214 '4' 'collated-documents': Collation of the sheets within each document copy is performed
215 within the printing device by making multiple passes over either the source or an
216 intermediate representation of the document. In addition, when there are multiple
217 documents per job, the i'th copy of each document is stacked before the j'th copy
218 of each document, i.e., the documents are collated within each job copy. For
219 example, if a job is submitted with documents, A and B, the job is made available
220 to the end user as: A, B, A, B, The 'collated-documents(4)' value corresponds
221 to the IPP [ipp-mode+] 'separate-documents-collated-copies' keyword value of the
222 "multiple-document-handling" attribute.
223

224 If the job's "copies" attribute is '1' (or not supplied), then the "job-collation-type"
225 attribute is defined to be '4'.

226
227 '5' 'uncollated-documents': Collation of the sheets within each document copy is performed
228 within the printing device by making multiple passes over either the source or an
229 intermediate representation of the document. In addition, when there are multiple
230 documents per job, all copies of the first document in the job are stacked before
231 the any copied of the next document in the job, i.e., the documents are uncollated
232 within the job. For example, if a job is submitted with documents, A and B, the
233 job is mad available to the end user as: A, A, ..., B, B, The 'uncollated-
234 documents(5)' value corresponds to the IPP [ipp-mode+] 'separate-documents-
235 uncollated-copies' keyword value of the "multiple-document-handling" attribute.

236 **2.2 "sheet-completed-copy-number" (integer(0:MAX))**

237 The number of the copy being stacked for the current document. This number starts at 0, is set to 1
238 when the first sheet of the first copy for each document is being stacked and is equal to n where n is the
239 nth sheet stacked in the current document copy. ~~See section 0.~~ If the value is unknown, the Printer
240 MUST return the 'unknown' out-of-band value (see [ipp-mod] section 4.1), rather than the -2 value used
241 in some MIBs [rfc2707].

242 **2.3 "sheet-completed-document-number" (integer(0:MAX))**

243 The ordinal number of the document in the job that is currently being stacked. This number starts at 0,
244 increments to 1 when the first sheet of the first document in the job is being stacked, and is equal to n
245 where n is the nth document in the job, starting with 1. ~~See section 0.~~ If the value is unknown, the
246 Printer MUST return the 'unknown' out-of-band value (see [ipp-mod] section 4.1), rather than the -2
247 value used in some MIBs [rfc2707].

248 Implementations that only support one document jobs SHOULD NOT implement this attribute.

249 **2.4 "impressions-completed-current-copy" (integer(0:MAX))**

250 The number of impressions completed by the device for the current copy of the current document so far.
251 For printing, the impressions completed includes interpreting, marking, and stacking the output. For
252 other types of job services, the number of impressions completed includes the number of impressions
253 processed. ~~See section 0.~~ If the value is unknown, the Printer MUST return the 'unknown' out-of-band
254 value (see [ipp-mod] section 4.1), rather than the -2 value used in some MIBs [rfc2707].

255 This value SHALL be reset to 0 for each document in the job and for each document copy.

256

257 **3 Conformance Requirements**

258 This section summarizes the Conformance Requirements detailed in the definitions in this document. In
259 general each of the attributes defined in this document are OPTIONAL for a Printer to support, so that
260 Printer implementers MAY implement any combination of attributes.

261 **4 IANA Considerations**

262 IANA will be called on to register the attributes defined in this document, using the procedures outlined
263 in [ipp-mod].

264 **5 Internationalization Considerations**

265 The IPP extensions defined in this document require the same internationalization considerations as any
266 of the Job Template and Job Descriptions attributes defined in IPP/1.1 [ipp-mod].

267 **6 Security Considerations**

268 The IPP extensions defined in this document require the same security considerations as any of the Job
269 Template attributes and Job Descriptions attributes defined in IPP/1.1 [ipp-mod].

270 **7 References**

271 [\[ipp-iig\]](#)

272 [Hastings, T., Manros, C., "Internet Printing Protocol/1.1: draft-ietf-ipp-implementers-guide-v11-](#)
273 [00.txt, work in progress, September 27, 1999.](#)

274 [ipp-mod]

275 deBry, R., , Hastings, T., Herriot, R., Isaacson, S., Powell, P., "Internet Printing Protocol/1.1:
276 Model and Semantics", <draft-ietf-ipp-model-v11-064.txt>, work in progress, ~~June 23,~~
277 ~~1999~~ [March 1, 2000.](#)

278 [ipp-ntfy~~not~~]

279 Isaacson, S., Martin, J., deBry, R., Hastings, T., Shepherd, M., Bergman, R., " IPP Event
280 Notification Specification", <draft-ietf-ipp-not-spec-032.txt>, work in progress, ~~September 10,~~
281 ~~1999~~ [May 9, 2000.](#)

282 [\[ipp-pro\]](#)

283 [Herriot, R., Butler, S., Moore, P., Tuner, R., "Internet Printing Protocol/1.1: Encoding and](#)
284 [Transport", draft-ietf-ipp-protocol-v11-05.txt, March 1, 2000.](#)

285 [\[RFC2565\]](#)

286 [Herriot, R., Butler, S., Moore, P., Tuner, R., "Internet Printing Protocol/1.0: Encoding and](#)
287 [Transport", RFC 2565, April 1999.](#)

288 [\[RFC2566\]](#)

289 deBry, R., , Hastings, T., Herriot, R., Isaacson, S., Powell, P., "Internet Printing Protocol/1.0:
290 Model and Semantics", RFC 2566, April 1999.

291 [\[RFC2567\]](#)

292 [Wright, D., "Design Goals for an Internet Printing Protocol", RFC 2567, April 1999.](#)

293 [\[RFC2568\]](#)

294 [Zilles, S., "Rationale for the Structure and Model and Protocol for the Internet Printing](#)
295 [Protocol", RFC 2568, April 1999.](#)

296 [\[RFC2569\]](#)

297 [Herriot, R., Hastings, T., Jacobs, N., Martin, J., "Mapping between LPD and IPP Protocols",](#)
298 [RFC 2569, April 1999.](#)

299 [\[RFC2707\]](#)

300 Bergman, R., Hastings, T., Isaacson, S., Lewis, H. "PWG Job Monitoring MIB - V1", RFC 2707,
301 November, 1999.

302 **[8 Author's Addresses](#)**

303 [Tom Hastings](#)
304 [Xerox Corporation](#)
305 [737 Hawaii St. ESAE 231](#)
306 [El Segundo, CA 90245](#)
307 [Phone: 310-333-6413](#)
308 [Fax: 310-333-5514](#)
309 [e-mail: \[hastings@cp10.es.xerox.com\]\(mailto:hastings@cp10.es.xerox.com\)](#)
310

311
312
313 [Harry Lewis](#)
314 [IBM](#)
315 [P.O. Box 1900](#)
316 [Boulder, CO 80301-9191](#)

317
318 [Phone: \(303\) 924-5337](tel:(303)924-5337)
319 [FAX:](tel:(303)924-5337)
320 [e-mail: harryl@us.ibm.com](mailto:harryl@us.ibm.com)
321

322
323 [Ron Bergman \(Editor\)](#)
324 [Hitachi Koki Imaging Solutions](#)
325 [1757 Tapo Canyon Road](#)
326 [Simi Valley, CA 93063-3394](#)
327

328 [Phone: 805-578-4421](tel:805-578-4421)
329 [Fax: 805-578-4001](tel:805-578-4001)
330 [Email: rbergma@hitachi-hkis.com](mailto:rbergma@hitachi-hkis.com)
331

332 9 Change History

333 9.1 Changes made to the February 2, 2000 version to make the May 9, 2000 version

334 The following changes were made to the February 2, 2000 version to make the May 9, 2000 version:

335 1. Changed the attribute syntax for the "sheet-collate" attribute from 'boolean' to 'type2 keyword' so
336 that additional values could be added in the future, besides 'uncollated' and 'collated'.

337 9.2 **Changes made to the September 13, 1999 version to make the February 2, 2000** 338 **version**

339 The following changes were made to the September 13, 1999 version to make the February 2, 2000
340 version:

- 341 1. Deleted the "impressions-interpreted" (integer(-2:MAX)) in favor of using the IPP "job-impressions-
342 completed" attribute that is already defined in IPP/1.1.
- 343 2. Changed the lower bound for the "sheet-completed-copy-number" (integer(0:MAX)), "sheet-
344 completed-document-number" (integer(0:MAX)), and "impressions-completed-current-copy"
345 (integer(0:MAX)) from -2 to 0, and use the 'unknown' out-of-band value to indicate unknown.
- 346 3. Added the explicit interactions of "sheet-collate" with "multiple-document-handling."
- 347 4. Added Conformance, IANA Considerations, Internationalization Considerations, and Security
348 Considerations sections

349 9.3 **Changes made to the May 19, 1999 version to make the September 13, 1999** 350 **version**

351 The following changes were made to the May 19, 1999 version to make the September 13, 1999 version:

- 352 1. Changed it from a PWG to an IETF specification so that it can be cited from the IETF Notification
353 documents.

- 354 2. Removed the reference to the long Notification spec from 1998, since it isn't going to be an IETF
355 document.
- 356 3. Removed the notification content section, since the Notification specification now includes the 'job-
357 progress' event and the associated notification content.

358 **9.4 Changes made to the April 16, 1999 version to make the May 19, 1999 version**

359 The following changes were made to the April 16, 1999 version to make the May 19, 1999 version:

- 360 1. Added the "sheet-collate" Job Template attribute.
- 361 2. Added the 'job-progress-event' report content type.

362 **10 Full Copyright Statement**

363 Copyright (C) The Internet Society (2000). All Rights Reserved.

364 This document and translations of it may be copied and furnished to others, and derivative works that
365 comment on or otherwise explain it or assist in its implementation may be prepared, copied, published
366 and distributed, in whole or in part, without restriction of any kind, provided that the above copyright
367 notice and this paragraph are included on all such copies and derivative works. However, this document
368 itself may not be modified in any way, such as by removing the copyright notice or references to the
369 Internet Society or other Internet organizations, except as needed for the purpose of developing Internet
370 standards in which case the procedures for copyrights defined in the Internet Standards process must be
371 followed, or as required to translate it into languages other than English.

372 The limited permissions granted above are perpetual and will not be revoked by the Internet Society or
373 its successors or assigns.

374 This document and the information contained herein is provided on an "AS IS" basis and THE
375 INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL
376 WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY
377 WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY
378 RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A
379 PARTICULAR PURPOSE.

380