

IPP Working Group Session

10 February 2010

Scottsdale, AZ - PWG F2F Meeting





3:45-4:00	Introductions, Minute Taker, Agenda Review
4:00-4:15	Current IPP WG status
4:15-4:45	Discuss IPP/2.0 Second Edition
4:45-5:00	Action Items and Next Steps

IPP WG Officers



- IPP WG Chair:
 - Paul Tykodi (TCS)
- IPP WG Secretary:
 - Michael Sweet (Apple)
- IPP WG Document Editors:
 - Tom Hastings (formerly Xerox) IPP JPS2
 - Ira McDonald (High North) IPP Version 2.0
 - Mike Sweet (Apple) IPP Version 2.0

IPP WG Current Status



- IPP Version 2.0 First Edition
 - PWG Candidate Standard defines IPP/2.0 and IPP/2.1
 - ftp://ftp.pwg.org/pub/pwg/candidates/csipp20-20090731-5100.10.pdf
- IPP Printer State Extensions (PSX)
 - PWG Candidate Standard IPP Printer/Finisher alerts
 - ftp://ftp.pwg.org/pub/pwg/candidates/csippstate10-20090731-5100.9.pdf

IPP WG Current Status



- IPP Job and Printer Operations Set2 (JPS2)
 - WG call for prototype experience
 - Resubmit-Job, Cancel-Jobs, Cancel-My-Jobs, job save, proof print, etc.
 - ftp://ftp.pwg.org/pub/pwg/ipp/wd/wd-ippjobprinterext10v17-20100125-rev.pdf
- IPP Version 2.0 Project Charter
 - PWG SC Approved adds IPP Job and Printer Operations Set2
 - ftp://ftp.pwg.org/pub/pwg/ipp/charter/ch-ippv2-20090819.pdf
- IPP/2.0 Second Edition
 - Initial draft posted
 - ftp://ftp.pwg.org/pub/pwg/ipp/wd/wd-ipp20-20100126rev.pdf

IPP JPS2 Additions from MFD?



- Close-Job operation
 - Allows jobs to be "closed" after a Send-Document or Send-URI with last-document=false
- job-delay-output-until (type3 keyword) and job-delayoutput-until-time (dateTime)
 - Similar to job-hold-until and job-hold-until-time, but allows the device to prepare the job but delay actual output
- Required or optional?

IPP JPS2 Prototyping



- Currently only have response from Apple:
 - Intend to implement in a product all required operations and attributes plus the optional job-hold-until-time job template attribute.

CUPS ipptest Tool



- http://www.cups.org/software.php
- IPP/1.1, IPP/2.0, and IPP/2.1 conformance tests
- Binaries available for Linux, Mac OS X, and Windows
- Simple text-based test files:

```
NAME "Name of test"
OPERATION Get-Printer-Attributes
GROUP operation-attributes-tag
ATTR charset attributes-charset "utf-8"
ATTR naturalLanguage attributes-natural-language "en"
ATTR uri printer-uri "$uri"
STATUS successful-ok
EXPECT printer-uri-supported OF-TYPE uri
}
```

IPP/2.0 Second Edition



- Added back all required sections and tables for IPP/ 2.2 conformance level from 18 November 2008 draft of IPP/2.0 First Edition
- Restart-Job, Purge-Jobs, and Delete-Document now OPTIONAL and DEPRECATED because they destroy accounting information
- Activate-Printer and Deactivate-Printer now OPTIONAL since they are redundant compound operations and are not widely implemented
- Cancel-Jobs, Cancel-My-Jobs, and Resubmit-Job from IPP JPS2 added as REQUIRED

IPP/2.0 Second Edition



- "output-bin-default" and "output-bin-supported" added as REQUIRED (missing in First Edition, "output-bin" was already REQUIRED)
- "printer-device-id" added as REQUIRED
- IPP JPS2 REQUIRED attributes added to IPP/2.2

IPP WG Next Steps



- IPP Job and Printer Operations Set2 (JPS2)
 - Get prototype experience
 - PWG Last Call in Q1 2010 (w/IPP Version 2.0 2nd Ed)
- IPP Version 2.0 Second Edition
 - Review and update drafts
 - PWG Last Call in Q1 2010 (w/JPS2)
- IPP 2.0/2.1/2.2 Interoperability Testing
 - Interoperability event in Q2/Q3 2010
- IPP Everywhere?

IPP WG Info / Participation



- We welcome participation from all interested parties
- IPP Working Group web page
 - http://www.pwg.org/ipp/index.html
- IPP Working Group wiki
 - http://pwg-wiki.wikispaces.com/IPP
- Subscribe to the IPP mailing list
 - http://www.pwg.org/mailhelp.html
- IPP WG holds bi-weekly phone conferences announced on the IPP mailing list