



March 13, 2018
Whitepaper

The Printer Working Group

1 **IPP Job Save Password**
2 **(SAVEPASSWORD)**

3 Status: Interim

4 Abstract: This white paper defines a new "job-save-accesses" operation attribute and
5 associated semantics that provides IPP with a mechanism to associate access credentials
6 that the Printer will require at any printing time, including re-printing that Job if it was
7 saved.

8 This document is a White Paper. For a definition of a "White Paper", see:
9 <http://ftp.pwg.org/pub/pwg/general/pwg-process30.pdf>

10 This document is available electronically at:

11 <http://ftp.pwg.org/pub/pwg/ipp/whitepaper/tb-savepassword-20180313.odt>
12 <http://ftp.pwg.org/pub/pwg/ipp/whitepaper/tb-savepassword-20180313.pdf>

13 Copyright © 2017-2018 The Printer Working Group. All rights reserved.

14 Title: IPP Job Save Password (*SAVEPASSWORD*)

15 The material contained herein is not a license, either expressed or implied, to any IPR
16 owned or controlled by any of the authors or developers of this material or the Printer
17 Working Group. The material contained herein is provided on an “AS IS” basis and to the
18 maximum extent permitted by applicable law, this material is provided AS IS AND WITH
19 ALL FAULTS, and the authors and developers of this material and the Printer Working
20 Group and its members hereby disclaim all warranties and conditions, either expressed,
21 implied or statutory, including, but not limited to, any (if any) implied warranties that the use
22 of the information herein will not infringe any rights or any implied warranties of
23 merchantability or fitness for a particular purpose.

24

25 **Table of Contents**

26 [1 Introduction.....5](#)

27 [2 Terminology.....5](#)

28 [2.1 Protocol Roles Terminology.....5](#)

29 [2.2 Other Terms Used in This Document.....5](#)

30 [2.3 Acronyms and Organizations.....5](#)

31 [3 Requirements for IPP Job Save Password.....6](#)

32 [3.1 Use Cases.....6](#)

33 [3.1.1 Protecting a Saved Document with a Persistent Password.....6](#)

34 [3.1.2 Re-printing a Saved Job Via Printer Control Panel.....6](#)

35 [3.1.3 Re-printing a Saved Job Using An IPP Client.....6](#)

36 [3.2 Exceptions.....6](#)

37 [3.3 Out of Scope.....6](#)

38 [3.4 Design Requirements.....7](#)

39 [4 Operation Attributes.....7](#)

40 [4.1 job-save-accesses \(collection | no-value\).....7](#)

41 [4.1.1 access-oauth-token \(1setOf octetString\(MAX\)\).....7](#)

42 [4.1.2 access-oauth-uri \(uri\).....7](#)

43 [4.1.3 access-password \(text\(MAX\)\).....8](#)

44 [4.1.4 access-pin \(text\(MAX\)\).....8](#)

45 [4.1.5 access-user-name \(text\(MAX\)\).....8](#)

46 [4.1.6 access-x509-certificate \(1setOf octetString\(MAX\)\).....8](#)

47 [5 Printer Description Attributes.....9](#)

48 [5.1 job-save-accesses-supported \(1setOf \(type2 keyword\)\).....9](#)

49 [6 Additional Semantics for Existing Operations.....9](#)

50 [6.1 Print-Job, Print-URI, Create-Job: job-save-accesses.....9](#)

51 [7 Internationalization Considerations.....9](#)

52 [8 Security Considerations.....10](#)

53 [8.1 Human-readable Strings.....10](#)

54 [9 IANA Considerations.....10](#)

55 [9.1 Attribute Registrations.....10](#)

56 [10 References.....11](#)

57 [10.1 Normative References.....11](#)

58 [10.2 Informative References.....13](#)

59 [11 Authors' Addresses.....13](#)

60 [12 Change History.....15](#)

61 [12.1 March 13, 2018.....15](#)

62 [12.2 March 11, 2018.....15](#)

63 [12.3 February 5, 2018.....15](#)

64 [12.4 December 5, 2017.....15](#)

64 **List of Figures**

List of Tables

66 **1 Introduction**

67 Users and network administrators are increasingly concerned about network and data
68 security, and this extends to printing. Most all Users are familiar with sending a Job to a
69 Printer and the Printer processing that Job fairly immediately, and some do so using a “job
70 password” that prevents the Job from being processed until the User provides that
71 password on the Printer's control panel to approve its release to processing. The IPP “job-
72 password” operation attribute [PWG5100.11] and related attributes provide support for this
73 workflow. Some Printers also support saving jobs for later printing or re-printing. In certain
74 cases there may be Users that wish to take advantage of both capabilities. Unfortunately
75 however, since “job-password” is an operation attribute, and that Job's processing is the
76 act of saving the Job, the “job-password” attribute does not persist beyond its being saved.
77 Therefore, to support scenarios involving a password protected saved job, new attributes
78 need to be defined that convey a Job password that persists beyond Job processing
79 completion.

80 **2 Terminology**

81 **2.1 Protocol Roles Terminology**

82 This document defines the following protocol roles in order to specify unambiguous
83 conformance requirements:

84 *Client*: Initiator of outgoing IPP session requests and sender of outgoing IPP operation
85 requests (Hypertext Transfer Protocol -- HTTP/1.1 [RFC7230] User Agent).

86 *Printer*: Listener for incoming IPP session requests and receiver of incoming IPP operation
87 requests (Hypertext Transfer Protocol -- HTTP/1.1 [RFC7230] Server) that represents one
88 or more Physical Devices or a Logical Device.

89 **2.2 Other Terms Used in This Document**

90 *User*: A person or automata using a Client to communicate with a Printer.

91 **2.3 Acronyms and Organizations**

92 *IANA*: Internet Assigned Numbers Authority, <http://www.iana.org/>

93 *IETF*: Internet Engineering Task Force, <http://www.ietf.org/>

94 *ISO*: International Organization for Standardization, <http://www.iso.org/>

95 *PWG*: Printer Working Group, <http://www.pwg.org/>

96 **3 Requirements for IPP Job Save Password**

97 **3.1 Use Cases**

98 **3.1.1 Protecting a Saved Document with a Persistent Password**

99 Wilma has written a document that she intends to save on her departmental MFD, to allow
100 some of her peers to print copies as needed. But as the document contains sensitive
101 information, Wilma wishes to only allow those who know the job's password to re-print
102 copies. She is familiar with providing a password when configuring a print job, and she is
103 also familiar with configuring the job to be saved in the printer. In the print dialog used to
104 configure the print job on her computer, Wilma provides a password, and also chooses to
105 have the job saved. Wilma clicks "Print" and the computer submits the job to the printer.
106 The printer saves the job content and protects it with the password provided.

107 **3.1.2 Re-printing a Saved Job Via Printer Control Panel**

108 Barney hears from Wilma that she has saved that document to the departmental MFD.
109 Wilma tells Barney the job's name, and Barney then goes to the MFD and looks up the job.
110 He taps on the control panel to have a copy printed, and is prompted to enter the job's
111 password. He enters that on the control panel, and the MFD prints a copy. Barney collects
112 it from the output bin and returns to his desk.

113 **3.1.3 Re-printing a Saved Job Using An IPP Client**

114 Barney sends an IM to Betty that Wilma has saved a job on the departmental MFD. Betty
115 opens her computer's print system and browses the saved jobs on the MFD. She selects
116 the job and clicks "Print" to have a copy made for her. A dialog is presented asking for the
117 job's password. Betty types in the job's password, and the MFD prints a copy. She collects
118 it from the MFD and returns to her office.

119 **3.2 Exceptions**

120 Harvey, an employee from another department, walks up to Wilma's departmental MFD.
121 The .

122 **3.3 Out of Scope**

123 The following are considered out of scope for this document:

- 124 1. How the Document or Documents in a Job are stored by the Printer
- 125 2. Methods for encrypting the document itself.
- 126 3. Mechanisms for supporting per-user credentials / access control list for releasing
- 127 the stored job.

128 **3.4 Design Requirements**

129 The design requirements for this document are:

- 130 1. Use existing attributes or collections if possible.
- 131 2. Support at the least the fidelity supported currently by “job password” and “job-
132 password-encryption”
- 133 3. Register all attributes and operations with IANA

134 The design recommendations for this document are:

- 135 1. Reusing UI controls with similar enough purposes so that the user doesn't need
136 to be confused by e.g. needing to interact with different controls for different
137 kinds of passwords.

138 **4 Operation Attributes**

139 **4.1 job-save-accesses (collection | no-value)**

140 The OPTIONAL "job-save-accesses" operation attribute allows the Client to provide
141 authentication information for a referenced saved Job.

142 The collection value contains zero or more member attributes which provide the
143 authentication information required for the Job to be reprinted. A Client MAY also provide
144 the no-value out-of-band value to specify that no authentication information is necessary.

145 Printers specify which member attributes are supported using the "job-save-accesses-
146 supported" Printer attribute (section XXX).

147 **4.1.1 access-oauth-token (1setOf octetString(MAX))**

148 The OPTIONAL "access-oauth-token" member attribute provides a Base64-encoded
149 OAuth Access Token as defined in The OAuth 2.0 Authorization Framework [RFC6749].
150 When the size of the access token exceeds 1023 octets (the maximum size of an
151 octetString value), the Client separates the token into multiple octetString values and
152 sends the result as an ordered set to the Printer. The Printer reassembles each octetString
153 to produce the complete access token value to be used to access the Document URI.

154 Printers that support this attribute MUST list 'access-oauth-token' in the "job-save-
155 accesses-supported" Printer Description attribute.

156 **4.1.2 access-oauth-uri (uri)**


157 The OPTIONAL “access-oauth-uri” member attribute is the authorization server that issued
158 the “access-oauth-token” member attribute. See Authorization Server [RFC6749] section
159 1.1.

160 **4.1.3 access-password (text(MAX))**

161 The OPTIONAL "access-password" member attribute provides a password string, typically
162 for HTTP Basic Authentication [RFC7617] or HTTP Digest authentication [RFC7616].
163 Clients MUST provide the password using the UTF-8 encoding [STD63] in Unicode
164 Normalization Form C as required for Network Unicode [RFC5198]. Printers MUST convert
165 the password, as needed, to whatever encoding is required to access the Document URI.

166 Printers that support this attribute MUST list 'access-password' in the "job-save-accesses-
167 supported" Printer Description attribute.

168 **4.1.4 access-pin (text(MAX))**

169 The OPTIONAL "access-pin" member attribute provides a Personal Identification Number
170 string. Clients MUST restrict the characters to the US ASCII digits '0' (code 48) through '9'
171 (code 57) and Printers MUST reject values containing characters other than the digits '0'
172 through '9'. 

173 Printers that support this attribute MUST list 'access-pin' in the "job-save-accesses-
174 supported" Printer Description attribute.

175 **4.1.5 access-user-name (text(MAX))**

176 The OPTIONAL "access-user-name" member attribute provides a user name string,
177 typically for HTTP Basic or Digest authentication [RFC2617]. Clients MUST provide the
178 user name using the UTF-8 encoding [STD63] in Unicode Normalization Form C as
179 required for Network Unicode [RFC5198]. Printers MUST convert the user name, as
180 needed, to whatever encoding is required by the Document URI.

181 Printers that support this attribute MUST list 'access-user-name' in the "job-save-accesses-
182 supported" Printer Description attribute.

183 **4.1.6 access-x509-certificate (1setOf octetString(MAX))**

184 The OPTIONAL "access-x509-certificate" member attribute provides a PEM-encoded
185 X.509 certificate identifying the User or Client that is making the request. When the size of
186 the certificate exceeds 1023 octets (the maximum size of an octetString value), the Client
187 separates the certificate into multiple octetString values and sends the result as an ordered
188 set to the Printer. The Printer reassembles each octetString to produce the complete X.509
189 certificate to be used to access the Document URI.

190 Printers that support this attribute MUST list 'access-x509-certificate' in the "job-save-
191 accesses-supported" Printer Description attribute and MUST provide an implementation-
192 defined method for loading the corresponding private key that is used for authenticating
193 the holder of the X.509 certificate.

194 **5 Printer Description Attributes**

195 **5.1 job-save-accesses-supported (1setOf (type2 keyword))**

196 The “job-save-accesses-supported” Printer Description attribute specifies which member
197 attributes the Printer supports in the “job-save-accesses” operation attribute. This attribute
198 MUST be supported if the “job-save-accesses” operation attribute is supported.

199 **6 Additional Semantics for Existing Operations**

200 **6.1 Print-Job, Print-URI, Create-Job: job-save-accesses**

201 This specification adds the new “job-save-accesses” operation attribute to the Print-Job,
202 Print-URI, and Create-Job operation requests [RFC8011] to specify the persistent access
203 credentials for a Job created by one of these operations. The “job-save-accesses” attribute
204 gets copied to the Job Object, but the Printer MUST NOT include a Job's “job-save-
205 accesses” attribute as a Job Description attribute in a Job operation such as Get-Job-
206 Attributes [RFC8011].

207 **7 Internationalization Considerations**

208 For interoperability and basic support for multiple languages, conforming implementations
209 MUST support the Universal Character Set (UCS) Transformation Format -- 8 bit (UTF-8)
210 [RFC3629] encoding of Unicode [UNICODE] [ISO10646] and the Unicode Format for
211 Network Interchange [RFC5198].

212 Implementations of this specification SHOULD conform to the following standards on
213 processing of human-readable Unicode text strings, see:

- 214 • Unicode Bidirectional Algorithm [UAX9] – left-to-right, right-to-left, and vertical
- 215 • Unicode Line Breaking Algorithm [UAX14] – character classes and wrapping
- 216 • Unicode Normalization Forms [UAX15] – especially NFC for [RFC5198]
- 217 • Unicode Text Segmentation [UAX29] – grapheme clusters, words, sentences
- 218 • Unicode Identifier and Pattern Syntax [UAX31] – identifier use and normalization
- 219 • Unicode Collation Algorithm [UTS10] – sorting
- 220 • Unicode Locale Data Markup Language [UTS35] – locale databases

221 Implementations of this specification are advised to also review the following informational
222 documents on processing of human-readable Unicode text strings:

- 223 • Unicode Character Encoding Model [UTR17] – multi-layer character model
- 224 • Unicode in XML and other Markup Languages [UTR20] – XML usage
- 225 • Unicode Character Property Model [UTR23] – character properties
- 226 • Unicode Conformance Model [UTR33] – Unicode conformance basis

227 **8 Security Considerations**

228 The IPP extensions defined in this document require the same security considerations as
 229 defined in the IPP/1.1: Model and Semantics [RFC8011], IPP: Job and Printer Extensions
 230 – Set 2 (JPS2), and IPP Job Password Repertoire.

231 In addition to those requirements, the Printer MUST protect the values of “job-save-
 232 accesses” at rest. Also, the Printer MUST reject any IPP operation sent over a non-
 233 encrypted connection that includes the “job-save-accesses” attribute.

234 **8.1 Human-readable Strings**

235 Implementations of this specification SHOULD conform to the following standard on
 236 processing of human-readable Unicode text strings, see:

- 237 • Unicode Security Mechanisms [UTS39] – detecting and avoiding security attacks

238 Implementations of this specification are advised to also review the following informational
 239 document on processing of human-readable Unicode text strings:

- 240 • Unicode Security FAQ [UNISECFAQ] – common Unicode security issues

241 **9 IANA Considerations**

242 **9.1 Attribute Registrations**

243 The attributes defined in this document will be published by IANA according to the
 244 procedures in IPP Model and Semantics [RFC8011] section 6.2 in the following file:

245 <http://www.iana.org/assignments/ipp-registrations>

246 The registry entries will contain the following information:

247 Operation attributes:	Reference
248 -----	-----
249 job-save-accesses (collection no-value)	[SAVEPASSWORD]
250 access-oauth-token (1setOf octetString(MAX))	[SAVEPASSWORD]

251	access-oauth-uri (uri)	[SAVEPASSWORD]
252	access-password (text(MAX))	[SAVEPASSWORD]
253	access-pin (text(MAX))	[SAVEPASSWORD]
254	access-user-name(text(MAX))	[SAVEPASSWORD]
255	access-x509-certificate (1setOf octetString(MAX))	
256		[SAVEPASSWORD]
257	Printer Description attributes:	Reference
258	-----	-----
259	job-save-accesses-configured (1setOf (type2 keyword))	
260		[SAVEPASSWORD]
261	job-save-accesses-supported (1setOf (type2 keyword))	
262		[SAVEPASSWORD]

263 10 References

264 10.1 Normative References

- 265 [IPPREPETOIRE] S. Kennedy, "IPP Job Password Repertoire", January 2016,
 266 [https://ftp.pwg.org/pub/pwg/ipp/whitepaper/wp-job-password-](https://ftp.pwg.org/pub/pwg/ipp/whitepaper/wp-job-password-repertoire-20160101.pdf)
 267 [repertoire-20160101.pdf](https://ftp.pwg.org/pub/pwg/ipp/whitepaper/wp-job-password-repertoire-20160101.pdf)
- 268 [ISO10646] "Information technology -- Universal Coded Character Set (UCS)",
 269 ISO/IEC 10646:2011
- 270 [PWG5100.5] D. Carney, T. Hastings, P. Zehler. "Internet Printing Protocol (IPP):
 271 Document Object", PWG 5100.5-2003, October 2003,
 272 [http://ftp.pwg.org/pub/pwg/candidates/cs-ippdocobject10-20031031-](http://ftp.pwg.org/pub/pwg/candidates/cs-ippdocobject10-20031031-5100.5.pdf)
 273 [5100.5.pdf](http://ftp.pwg.org/pub/pwg/candidates/cs-ippdocobject10-20031031-5100.5.pdf)
- 274 [PWG5100.11] T. Hastings, D. Fullman, "IPP: Job and Printer Extensions – Set 2
 275 (JPS2)", PWG 5100.11-2010, October 2010,
 276 [https://ftp.pwg.org/pub/pwg/candidates/cs-ippjobprinterext10-](https://ftp.pwg.org/pub/pwg/candidates/cs-ippjobprinterext10-20101030-5100.11.pdf)
 277 [20101030-5100.11.pdf](https://ftp.pwg.org/pub/pwg/candidates/cs-ippjobprinterext10-20101030-5100.11.pdf)
- 278 [PWG5100.12] R. Bergman, H. Lewis, I. McDonald, M. Sweet, "IPP Version 2.0, 2.1,
 279 and 2.2", PWG 5100.12-2015, October 2015,
 280 <http://ftp.pwg.org/pub/pwg/standards/std-ipp20-20151030-5100.12.pdf>
- 281 [PWG5100.13] M. Sweet, I. McDonald, P. Zehler, "IPP: Job and Printer Extensions -
 282 Set 3 (JPS3)", PWG 5100.13-2012, July 2012,
 283 [http://ftp.pwg.org/pub/pwg/candidates/cs-ippjobprinterext3v10-](http://ftp.pwg.org/pub/pwg/candidates/cs-ippjobprinterext3v10-20120727-5100.13.pdf)
 284 [20120727-5100.13.pdf](http://ftp.pwg.org/pub/pwg/candidates/cs-ippjobprinterext3v10-20120727-5100.13.pdf)

- 285 [PWG5100.19] S. Kennedy, "IPP Implementor's Guide v2.0", PWG 5100.19-2015,
286 August 2015, [http://ftp.pwg.org/pub/pwg/candidates/cs-ippig20-
287 20150821-5100.19.pdf](http://ftp.pwg.org/pub/pwg/candidates/cs-ippig20-20150821-5100.19.pdf)
- 288 [RFC2817] R. Khare, S. Lawrence, "Upgrading to TLS Within HTTP/1.1", RFC
289 2817, May 2000, <https://www.ietf.org/rfc/rfc2817.txt>
- 290 [RFC3510] R. Herriot, I. McDonald, "Internet Printing Protocol/1.1: IPP URL
291 Scheme", RFC 3510, April 2003, <https://tools.ietf.org/html/rfc3510>
- 292 [RFC3629] F. Yergeau, "UTF-8, a transformation format of ISO 10646", RFC
293 3629, November 2003, <https://www.ietf.org/rfc/rfc3629.txt>
- 294 [RFC5198] J. Klensin, M. Padlipsky, "Unicode Format for Network Interchange",
295 RFC 5198, March 2008, <https://www.ietf.org/rfc/rfc5198.txt>
- 296 [RFC7616] R. Shekh-Yusef, Ed., D. Ahrens, S. Bremer, "HTTP Digest Access
297 Authentication", RFC 7616, September 2015,
298 <https://www.ietf.org/rfc/rfc7616.txt>
- 299 [RFC7617] J. Reschke, "The 'Basic' HTTP Authentication Scheme", RFC 7617,
300 September 2015, <https://www.ietf.org/rfc/rfc7617.txt>
- 301 [RFC7230] R. Fielding, J. Reschke, "Hypertext Transfer Protocol (HTTP/1.1):
302 Message Syntax and Routing", RFC 7230, June 2014,
303 <http://www.ietf.org/rfc/rfc7230.txt>
- 304 [RFC7472] I. McDonald, M. Sweet, "Internet Printing Protocol (IPP) over HTTPS
305 Transport Binding and the 'ipps' URI Scheme", RFC 7472, March
306 2015, <https://tools.ietf.org/html/rfc7472>
- 307 [RFC8010] M. Sweet, I. McDonald, "Internet Printing Protocol/1.1: Encoding and
308 Transport", RFC 8010, January 2017,
309 <https://www.ietf.org/rfc/rfc8010.txt>
- 310 [RFC8011] M. Sweet, I. McDonald, "Internet Printing Protocol/1.1: Model and
311 Semantics", RFC 8011, January 2017,
312 <https://www.ietf.org/rfc/rfc8011.txt>
- 313 [UAX9] Unicode Consortium, "Unicode Bidirectional Algorithm", UAX#9, May
314 2016, <http://www.unicode.org/reports/tr9>
- 315 [UAX14] Unicode Consortium, "Unicode Line Breaking Algorithm", UAX#14,
316 June 2016, <http://www.unicode.org/reports/tr14>
- 317 [UAX15] Unicode Consortium, "Normalization Forms", UAX#15, February 2016,
318 <http://www.unicode.org/reports/tr15>

- 319 [UAX29] Unicode Consortium, “Unicode Text Segmentation”, UAX#29, June
320 2016, <http://www.unicode.org/reports/tr29>
- 321 [UAX31] Unicode Consortium, “Unicode Identifier and Pattern Syntax”,
322 UAX#31, May 2016, <http://www.unicode.org/reports/tr31>
- 323 [UNICODE] The Unicode Consortium, “Unicode® 10.0.0”, June 2017,
324 <http://unicode.org/versions/Unicode10.0.0/>
- 325 [UTS10] Unicode Consortium, “Unicode Collation Algorithm”, UTS#10, May
326 2016, <http://www.unicode.org/reports/tr10>
- 327 [UTS35] Unicode Consortium, “Unicode Locale Data Markup Language”,
328 UTS#35, October 2016, <http://www.unicode.org/reports/tr35>
- 329 [UTS39] Unicode Consortium, “Unicode Security Mechanisms”, UTS#39, June
330 2016, <http://www.unicode.org/reports/tr39>

331 10.2 Informative References

- 332 [IANA-IPP] IANA Internet Printing Protocol (IPP) Registrations,
333 <http://www.iana.org/assignments/ipp-registrations>
- 334 [UNISECFAQ] Unicode Consortium “Unicode Security FAQ”, November2016,
335 <http://www.unicode.org/faq/security.html>
- 336 [UTR17] Unicode Consortium “Unicode Character Encoding Model”, UTR#17,
337 November 2008, <http://www.unicode.org/reports/tr17>
- 338 [UTR20] Unicode Consortium “Unicode in XML and other Markup Languages”,
339 UTR#20, January 2013, <http://www.unicode.org/reports/tr20>
- 340 [UTR23] Unicode Consortium “Unicode Character Property Model”, UTR#23,
341 May 2015, <http://www.unicode.org/reports/tr23>
- 342 [UTR33] Unicode Consortium “Unicode Conformance Model”, UTR#33,
343 November 2008, <http://www.unicode.org/reports/tr33>

344 11 Authors' Addresses

345 Primary authors :

346 Smith Kennedy
347 HP Inc.
348 11311 Chinden Blvd.
349 Boise, Idaho, 83714
350 smith.kennedy@hp.com

351 The authors would also like to thank the following individuals for their contributions to this
352 standard:

353 Ira McDonald – High North Inc.

354 Mike Sweet – Apple Inc.

355 **12 Change History**

356 **12.1 March 13, 2018**

357 Updated as per feedback from IPP WG reflector:

- 358 • Fixed the abstract to make it less redundantly redundant.
- 359 • Fixed RFC references for HTTP Basic and Digest authentication
- 360 • Removed “job-save-accesses-configured” (but I still don't understand why some use
361 the “xxx” / “xxx-supported” model while others use “xxx” / “xxx-configured” / “xxx-
362 supported”...)
- 363 • Added new “Additional Semantics for Existing Operations” section
- 364 • Updated Security Considerations

365 **12.2 March 11, 2018**

366 Updated as per feedback from February 2018 PWG F2F review:

- 367 • Refactored the attributes used to leverage the attributes used in IPP Shared
368 Infrastructure Extensions and IPP Scan Service. This model is more appropriate
369 since job-save and its members become Job Description attributes, which are
370 required to be accessible via a Get-Job-Attributes operation. Access to the
371 credentials, even if hashed, would be unacceptable.
- 372 • Propose this be moved to IPP Registration candidate status

373 **12.3 February 5, 2018**

374 Updated as per feedback from Dec. 14, 2017 IPP WG teleconference review:

- 375 • Updated Use Cases, Out of Scope and Design Requirements sections
- 376 • Refactored to make the solution become member attributes of job-save, with
377 associated Printer Description attributes.

378 **12.4 December 5, 2017**

379 Initial revision.